

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28

Ashley M. Gjovik
ashleymgjovik@protonmail.com

MS. ASHLEY GJOVIK
Complainant,
v.
APPLE INC., *et al.*,
Respondent.

**COMBINED TIMELINE OF
EXISTING EVIDENCE & EVENTS
DISCOVERED THROUGH
FOIA/PRA REQUESTS**

RE: 3250 Scott Blvd & 825 Stewart Dr

**CERCLA, OSH Act, Labor, Fraud,
Corruption**

Open Case No's:

- U.S. Dept of Labor: 9-3290-22-051
- California Dept of Labor: RCI-CM-842830
- U.S. NLRB: 32-CA-284428, 32-CA-284441

Pending Charge No's:

- U.S. NLRB: 32-CA- 282142, 283161, & 288816

Federal Statutes:

- CERCLA, 42 U.S.C. §9610
- SOX 18 U.S.C.A. §1514A
- OSH Act §11(c) 29 U.S.C. §660
- NLRA §8(a)(1) & (a)(4)

State Statutes:

- CLC §232.5
- CLC §6310
- CLC §1102.5
- CLC §6399; CCR §5194

UPDATED TIMELINE & FOIA EVIDENCE REPORT

ASHLEY GJOVIK V APPLE INC | 825 STEWART DR; 3250 SCOTT BLVD

Summary

Methodology

This document combines and synthesizes Gjovik's original evidence and allegations with evidence that came to light after charges were filed and initial investigations conducted. This report includes information obtained through numerous FOIA and PRA requests submitted by Gjovik, information obtained by Gjovik through investigative research of existing public records including news articles, as well as through investigations of misconduct via social media and other internet platforms.

Key Discoveries

Key discoveries include: the Aug 19 2021 EPA inspection, the May 2021 report on the SSD system, the EPA investigation into SSV/HVAC issues starting July 2021, the ordered VI testing, the ordered fixes to HVAC/SSV system, EPA telling US DOL about the inspection in Dec 2021, the secret silicon fab plant!!!, the Chevron Board COIs, EPA allowing Apple to cover up all exposure vectors before testing, Lisa Jackson meddling, Apple reporting on the plant in 2021, CalSTRS selling the office, & more. Events coded as **milestones**, **cover-up**, **issues**, **darkness**, and **progress**.

Key Take Aways

1. The HVAC system in Gjovik's Apple office (825 Stewart) must have transmitted solvent fumes and carcinogenic industrial chemicals into the indoor air of the office since 2015.
2. After the EPA requested Northrop Grumman provide a report on the SSV on May 12 2021, Northrop and Apple must have met to discuss the HVAC/SSV before Northrop provided EPA the first annual SSV report on May 25 2021. Apple must have known of exposure no later than May 2021.
3. The semiconductor plant at 3250 Scott was emitting solvent fumes through exhaust, leaks, spills, evaporation, and/or tanks. The charcoal for the exhaust was not changed from 2015 through Dec 2020, and thus must have not neutralized solvent fumes exhausted.
4. When Gjovik informed Apple's Real Estate teams what happened at the apartments, they must have known no later than December 2020 that Apple was significantly responsible for Gjovik's illness in 2020, with Apple changing the charcoal for the first time in December 2020.
5. Apple Inc's sudden refusal to test the indoor air at 825 Stewart in May 2021 must have resulted from some combination of Gjovik's complaints & reporting to the EPA, knowledge of the HVAC issues, and findings from the floor penetration survey
6. Apple refused to test the indoor air after May 2021, and must be continuing to refuse to test, because it would produce evidence for litigation against Apple by their employees and vendors.
7. Following notice of EPA inspection on July 26 2021, Apple must have 'removed' Gjovik 'from the workplace' on Aug 4 2021 to ensure Gjovik could not gather additional evidence about conditions at the site as Apple Inc conducted weeks of repairs of the building before the EPA inspection on Aug 19 2021
8. Apple must have known about the EPA findings of open safety issues, and that Gjovik's reports that led to the inspection were valid and important, no later than August 19 2021.
9. Apple must have excluded any mention of the EPA inspections, HVAC/SSV issues, factory emissions, & open corrective actions from its position statement to the federal government in Gjovik's retaliation lawsuits because those factors must have caused Gjovik's termination on Sept 9 2021.
10. Lisa Jackson was actively meddling with US EPA starting in at least August 2021 (visit with current admin), November 2021 (letter of rec for R9 exec), and Jan-July 2022 (visits with admin & at HQ)

UPDATED TIMELINE & FOIA EVIDENCE REPORT

ASHLEY GJOVIK V APPLE INC | 825 STEWART DR; 3250 SCOTT BLVD

Locations

Location Name	Address	Companies
TRW Microwave Superfund site; “Stewart 1”	825 Stewart Dr Sunnyvale	Apple, Northrop Grumman, Oaktree Capital, Hines, GI Partners, CalSTRS
“Scott 1” Apple office; “Project Aria”	3250 Scott Blvd Santa Clara	Apple (+Honeywell plume)
Santa Clara Square Apartments	3255 Scott Blvd Santa Clara	Irvine Company (+Honeywell plume)
Synertek Superfund site	3050 Coronado Dr Santa Clara	Honeywell
Triple Site in Sunnyvale		Apple, Irvine Company, Oaktree Capital
Wolfe Campus in Sunnyvale	777,000 sqft of development & 18 acres on North Wolfe Road & East Arques Ave Sunnyvale	Apple
Apple Park	1 Apple Park Way, Cupertino	Apple

Cast of Characters

Agency / Company	Names	Notes
Apple Inc		
Northrop Grumman (& TRW)	Prior CEO: Ronald Sugar	Responsible Party for Triple Site & TRW Site Superfunds
Honeywell	Prior GC: Kate Adams CEO David Cote is ex TRW CEO	Responsible Party for Synertek Superfund
CalSTRS / GI Partners	Joy Higa (United Healthcare)	TRW/825 Stewart owner 2016-2023
Hines	GC: James Maxwell (Irvine)	TRW/825 Stewart owner 2014-2016
Oaktree Capital	Execs: Robert Denham (Chevron Board); John Frank (Chevron Board)	TRW/825 Stewart owner 2014-2016
Chevron	Lead Board Director: Ronald Sugar	
Irvine Company	Board: Robert Denham (Chevron Board); John Frank (Chevron Board)	Property manager of Santa Clara Square
Chevron	Board: Ron Sugar; Robert Denham; John Frank	
US EPA	Prior Admin: Lisa Jackson; Margot	TRW Site; Synertek; Triple Site
CalEPA	Prior Admin: Jared Blumenfeld	Santa Clara Square; 3250 Scott
City of Santa Clara		Santa Clara Square; 3250 Scott; Synertek
City of Sunnyvale		TRW Site; Triple Site; Wolfe Campus
Emerson Collective / Waverley Collective	Board Chair: Lisa Jackson (Apple) President: Jared Blumenfeld Owner: Laurene Powell Jobs (Apple) Color Board: Susan Wanger (Apple)	

UPDATED TIMELINE & FOIA EVIDENCE REPORT

ASHLEY GJOVIK V APPLE INC | 825 STEWART DR; 3250 SCOTT BLVD

Discovery Timelines

Obstruction & Cover-Ups

<u>DATE (YR/MO/DY)</u>	<u>EVENT</u>	<u>EVIDENCE</u>
1980-2000		
1981	Ronald Sugar joins <i>TRW</i> working on microwave technology	News Article
1990	825 Stewart/ <i>TRW Microwave</i> site added to US EPA NPL Superfund list	Public Record
1999	Ronald Sugar President & COO of <i>TRW Aerospace & Info Systems</i>	Press Release
2001-2010		
2001	<i>Northrop Grumman</i> acquires <i>TRW Microwave</i>	Press Release
2003	Vapor intrusion documented at 825 Stewart ¹ TCE: 5.2 µg/m ³ (3 ug/m ³ RSL) Vinyl Chloride: 0.16 µg/m ³ (2.8 RSL) Chloroform: 0.59 µg/m ³	Public Record
2004	<i>Pacific Landmark</i> purchases 825 Stewart (price?)	Public Record
2004	Vapor intrusion documented again at 825 Stewart ² TCE: 5.1 µg/m ³ (3 ug/m ³ RSL)	Public Record
2003	Ronald Sugar is CEO of <i>Northrop Grumman</i>	Press Release
2005	Ronald Sugar joins <i>Chevron</i> Board of Directors	Press Release
2006	Apple CFO & General Counsel indicted for fraud	US DOJ
2007	Robert Denham joins <i>Oaktree Capital</i> Board (also on <i>Chevron</i> Board)	Press Release
2009	<i>Ernst & Young</i> becomes Apple's independent auditor	News Article
2009	Lisa Jackson is appointed by Pres. Obama as EPA Administrator (2009-13)	News Article
2009	Margot Perez-Sullivan does EPA Press Releases for Lisa Jackson	Press Release
2010	Margot Perez-Sullivan does EPA Press Releases for Lisa Jackson	Press Release
2010	Lisa Jackson nominates Jared Blumenthal as head of EPA Region 9	Press Release ³
2010	Jared Blumenthal takes over as head of EPA Region 9	News Article
2010	Ronald Sugar retires from <i>Northrop Grumman</i> ; but still "investment advisor"	Press Release
2010	Ronald Sugar joins <i>Apple</i> Board of Directors'	Press Release

¹ California Regional Water Quality Control Board San Francisco Bay Region, *Five-Year Review Former TRW Microwave Site 825 Stewart Drive*, <https://semspub.epa.gov/work/HQ/178958.pdf>

² California Regional Water Quality Control Board San Francisco Bay Region, *Five-Year Review Former TRW Microwave Site 825 Stewart Drive*, <https://semspub.epa.gov/work/HQ/178958.pdf>

³ US EPA, https://www.epa.gov/archive/epapages/newsroom_archive/newsreleases/5f3dd1edf9c0bb1685257665006b109b.html

UPDATED TIMELINE & FOIA EVIDENCE REPORT

ASHLEY GJOVIK V APPLE INC | 825 STEWART DR; 3250 SCOTT BLVD

2011-2015

2011		Margot Perez-Sullivan does EPA Press Release for Lisa Jackson	Press Release	
2012	11	15	Congressional Committee investigation into EPA/Jackson use of fake email accounts	
2012	12		CalEPA issued Letter of Requirement for VI Sampling at 825 Stewart	Public Record
2012	12	11	US EPA agrees to start producing FOIA docs about Jackson starting Jan 13 2013 ⁴	
2012	12	13	US EPA Inspector General opens investigation into Jackson's fake email accounts	
2012	12	27	Lisa Jackson resigns as Administrator of US EPA	Press Release
2013	01	05	US EPA refuses to respond to Congressional inquiry	News Articles
2013	01	29	Sunnyvale complaint about graffiti on vacant 825 Stewart building <i>City: "observed multiple tags on bike cages and wall behind the building "BASH" "SOLIE* NAF" "CAKE" "PCP" "F*CK LISK" "I LIKE TO FU*K THE HOMELESS" "SAVS" "NAF AHER 2013" Four pictures taken. Pictures uploaded to Blue Archer. Courtesy notice sent to the property owner."</i>	PRA Docs (2023)
2013	02	13	Sunnyvale inspection about graffiti on vacant 825 Stewart building	PRA Docs (2023)
2013	03	19	SFGate: "Google workers at Superfund site exposed," ⁵ <i>"For at least two months, Google employees were exposed to excessive levels of a hazardous chemical after workers disabled a critical part of the ventilation system at the company's new satellite campus on a Superfund toxic waste site, records show." "While EPA cannot verify how many employees were in the Google buildings in question, we encourage women who are concerned about potential exposure to contaminants at the site to speak with their obstetrician or pediatrician," agency spokesman David Yogi said in an e-mail. "Everyone who works or lives near the (Mountain View) Superfund site should have access to clear and timely information about the contaminants at the site," said EPA Region 9 Administrator Jared Blumenfeld.</i>	News Article
2013	05	01	Lisa Jackson joins Apple, runs "Green Initiatives" <i>"Cook revealed Jackson's hiring in a May 2013 interview. At the time, he described her role as overseeing the iPhone, iPad, and Mac maker's green initiatives, including projects like a massive solar and fuel-cell farm in North Carolina."</i> ⁶	Press Release
2013	04		US EPA releases guidelines for R9 VI evaluations ⁷ <i>The potential for vapor intrusion is evaluated following "multiple lines of evidence"</i>	Public Record
2013	06	13	CA DTSC inspection of Apple offices finds universal waste violations ⁸	Press Release
2013	07	23	<i>The Atlantic: 825 Stewart is "environmental disaster zone"</i> ⁹ <i>Planet Granite is located on a site contaminated by Philips Semiconductor. So is Lowe's. The empty octagonal glass building is a TRW Microwave Superfund site. I'd been walking on a paved-over environmental disaster zone, colonized by whoever wanted to benefit from lower leasing prices and a lack of NIMBY opponents.</i>	News Article
2013	09	26	US Dept. of Labor ALJ issues discovery order in EPA's internal whistleblower retaliation case <i>Includes: Lisa Jackson</i>	
2013	12	09	Sub-slat vents tested at 825 Stewart ¹⁰	Public Record

⁴ <https://cei.org/the-epas-richard-windsor-email-scandal/>

⁵ <https://www.sfgate.com/business/article/Google-workers-at-Superfund-site-exposed-4368421.php>

⁶ <https://appleinsider.com/inside/lisa-jackson>

⁷ U.S. EPA, *4th Five Year Review: AMD & TRW Microwave Superfund Sites*, 2014, <https://semspub.epa.gov/work/09/1151964.pdf>

⁸ DTSC, <https://dtsc.ca.gov/2016/12/06/apple-agrees-to-pay-450000-to-settle-hazardous-waste-violations/>

⁹ <https://www.theatlantic.com/technology/archive/2013/07/not-even-silicon-valley-escapes-history/277824/>

¹⁰ U.S. EPA, *4th Five Year Review: AMD & TRW Microwave Superfund Sites*, 2014, <https://semspub.epa.gov/work/09/1151964.pdf>

UPDATED TIMELINE & FOIA EVIDENCE REPORT

ASHLEY GJOVIK V APPLE INC | 825 STEWART DR; 3250 SCOTT BLVD

TCE: 1,900 µg/m³ (60 CA-SVSL)

2013	12	09	Vapor intrusion documented at 825 Stewart ¹¹	Public Record
			TCE: 7.7 µg/m ³ (3 RSL) Vinyl Chloride: 0.52 µg/m ³ (2.8 RSL) cDCE: 2 µg/m ³	
2014	05	19	Landmark Pacific sells 825 Stewart to Hines/Oaktree Venture for \$12M ¹²	Public Record
2014			825 Stewart still vacant & no VI mitigation installed (2001-2014)	Public Record
2014			Apple becomes co-chair of oversight committee advising CalEPA DTSC	CalEPA ¹³
2014			US EPA tells Northrop Record of Decision will be amended for VI ¹⁴	Public Record
2014	01	16	US District Court Judge complains of Apple's "aggressive disregard for the law" USDC ¹⁵	
2014	04		CalEPA meets with Hines/Oaktree & Northrop for due diligence convo	FOIA (2022)
2014	04		Apple Central/Wolfe \$1B campus EIR ¹⁶ (didn't do haz waste testing!)	Public Record
2014	04	29	Sunnyvale city Fire Marshal notes TCE vapor intrusion at 825 Stewart	PRA (2022)
2014	07	17	825 Stewart cited by Sunnyvale for nuisance & code violations	PRA Docs (2023)
			<i>Warning Compliance Letter Case #2014-1970</i>	
2014	08		Installation of passive sub-slat venting system at TRW (3ft vents on roof!) ¹⁷	Public Record
2014	08	01	TRW & Triple Site transferred back to US EPA as lead agency	US EPA
2014	08	07	US EPA Notice of Deficiency issues to Northrop Grumman ¹⁸	Public Record
			<i>Resources and level of expertise place US EPA in a better position to oversee the vapor intrusion evaluations necessary at the Triple Site; these evaluations will be used to amend the Record of Decision (ROD) for the Triple Site, signed in 1991, to address the subsurface-to-indoor air vapor intrusion pathway... The pace at which this particular investigation is occurring is not commensurate with the need for more absolute certainty that vapor intrusion is being investigated and addressed.</i> ¹⁹	
2014	08	13	Northrop Grumman tells EPA that HVAC still not installed at 825 Stewart	PRA (2023)
			<i>Northrop submits plan for passive sub-slat vapor collection system installation</i>	
2014	09		825 "screen waiver for roof equipment (7 vents which are 44" above roof)	Public Record ²⁰
2014	09		Installation of passive sub-slat venting system at TRW (3ft vents on roof!) ²¹	Public Record
2014	09	30	US EPA notes TRW Record of Decision needs revised & is not operating ²²	Public Record

¹¹ U.S. EPA, *4th Five Year Review: AMD & TRW Microwave Superfund Sites*, 2014, <https://semspub.epa.gov/work/09/1151964.pdf>

¹² Hines, Hines/Oaktree Venture Acquires 825 Stewart, May 19 2014, <https://www.hines.com/news/hines-oaktree-venture-acquires-825-stewart>

¹³ Green Ribbon Science Panel Members, <https://dtsc.ca.gov/grsp/green-ribbon-science-panel-members/>

¹⁴ U.S. EPA, *4th Five Year Review: AMD & TRW Microwave Superfund Sites*, 2014, <https://semspub.epa.gov/work/09/1151964.pdf>

¹⁵ <https://www.washingtonpost.com/technology/2021/06/01/thomas-moyer-apple-bribery-exonerated/>

¹⁶ LANDBANK CENTRAL & WOLFE CAMPUS, Draft Environmental Impact Report, Prepared for City of Sunnyvale April 2014 SCH # 2013082063

¹⁷ AECOM, *Former TRW Microwave Site: Current Site Status and Path Forward*, July 9 2020,

<https://semspub.epa.gov/work/09/100023781.pdf>

¹⁸ U.S. EPA, *Notice of Lead Agency Transfer – California Regional Board to US EPA*,

https://documents.geotracker.waterboards.ca.gov/regulators/deliverable_documents/3448957681/TRIPLE%20SITE%20FINAL%20-%20EPA%20Notice%20to%20RPs_Aug%207%202014.pdf

¹⁹ U.S. EPA, *Notice of Lead Agency Transfer – California Regional Board to US EPA*,

https://documents.geotracker.waterboards.ca.gov/regulators/deliverable_documents/3448957681/TRIPLE%20SITE%20FINAL%20-%20EPA%20Notice%20to%20RPs_Aug%207%202014.pdf

²⁰ Sunnyvale Permit: 20147715 Miscellaneous Plan Perm

²¹ AECOM, *Former TRW Microwave Site: Current Site Status and Path Forward*, July 9 2020,

<https://semspub.epa.gov/work/09/100023781.pdf>

²² U.S. EPA, *5th Five Year Review: AMD & TRW Microwave Superfund Sites*, 2019, pg11,

<https://semspub.epa.gov/work/09/100018396.pdf>

UPDATED TIMELINE & FOIA EVIDENCE REPORT

ASHLEY GJOVIK V APPLE INC | 825 STEWART DR; 3250 SCOTT BLVD

“COCs in the groundwater at TRW include multiple chlorinated compounds that are sufficiently toxic and volatile to cause a vapor intrusion concern”

2014	09	30	Five Year Report notes 825 Stewart Land Use Covenant needs updated	Public Docs
			<i>“The existing restrictive covenant was recorded prior to the passage of the California Civil Code section 1471, which establishes the framework for environmental covenants in California. The legal owners of the former TRW Microwave property should record a new restrictive covenant that is consistent with current California law.”²³ -EPA/Northrop</i>	
2014	09	30	Northrop Grumman requests “no further action” determination for TRW site ²⁴	Public Record
			<i>USACE: “The contractors and owner are trying to get to a no further active remediation determination, but this seems rather difficult because TRW is connected to two other sites. Presence of contamination from other sites may also impact future decisions regarding vapor intrusion at the site.”</i>	
2014	09	30	TRW Five Year Report notes installation of passive barrier & ventilation system	US EPA
			<i>“Vapor intrusion was most recently evaluated in 2013; results indicate that potential indoor air exposures due to TCE in site groundwater contamination may become a concern if the building (currently unoccupied) above the former source area becomes occupied. To address potential exposures, a vapor intrusion mitigation system (passive barrier and ventilation system, with capability to be converted to an active system) is being installed in the building.”</i>	
2014	11		Apple starts planning construction and renovation at 3250 Scott Blvd	PRA Docs (2023)
2014	12		Permit for “passive sub-slab vapor collection system” at 825 Stewart	Public Record
2014	12	22	Apple files first CARB application for “R&D Facility” at 3250 Scott	PRA (2023)
2015			<i>Ernst & Young ex-CEO James Turley joins board of Northrop Grumman</i>	Press Release
2015			Apple forms “Green Chemical Advisory Board”; joins CEPN	Apple ²⁵
2015	01		<i>Hines/Oaktree & Northrop identify VI conduits at 825 & plan to seal</i>	Public Record
2015	02		<i>Hines emails EPA about testing to get Certificate of Occupancy at 825</i>	Public Record
2015	02	23	Ashley joins Apple!	
2015	04	21	PEER: “Egregious EPA Misconduct Delivers Whistleblower Win” ²⁶	News Article
			<i>“In a scathing decision, a U.S. Department of Labor judge has ruled that the U.S. Environmental Protection Agency improperly sought to conceal exonerating evidence and illegally retaliated against a whistleblower. In the ruling posted today by Public Employees for Environmental Responsibility (PEER), a U.S. Department of Labor administrative law judge catalogued a trove of misconduct by EPA lawyers covering years of litigation. U.S. Department of Labor judge has ruled that the U.S. Environmental Protection Agency improperly sought to conceal exonerating evidence and illegally retaliated against a whistleblower.” Whistleblower fired by Jackson EPA administration.” See: Jenkins v EPA</i>	
2015	05		Chevron shareholder complaint about Ronald Sugar & Oaktree Capital	US SEC
2015	05	01	Northrop Grumman repairs TRW SSD after more soil removal	PRA (2023)
2015	05	01	“Orion Environmental” signs off on repair of 825 passive SSV installation	Public Record
			<i>“Orion Environmental Inc. (Orion), on behalf of Northrop Grumman Systems Corporation, has prepared this memorandum to document the replacement/repair of the passive sub-slab vapor collection (SVC) system encountered during the remedial activities conducted in the former source area from September through November 2014.”</i>	
2015	05	05	Hines memo to EPA notes Apple is party to the SSD work	Public Record

²³ U.S. EPA, *4th Five Year Review: AMD & TRW Microwave Superfund Sites*, 2014, <https://semspub.epa.gov/work/09/1151964.pdf>

²⁴ U.S. EPA, *4th Five Year Review: AMD & TRW Microwave Superfund Sites*, 2014, <https://semspub.epa.gov/work/09/1151964.pdf>

²⁵ 2015, https://www.apple.com/environment/pdf/Apple_Environmental_Responsibility_Report_2015.pdf;

https://www.apple.com/environment/pdf/Apple_Environmental_Progress_Report_2020.pdf

²⁶ PEER, <https://peer.org/egregious-epa-misconduct-delivers-whistleblower-win/>

UPDATED TIMELINE & FOIA EVIDENCE REPORT

ASHLEY GJOVIK V APPLE INC | 825 STEWART DR; 3250 SCOTT BLVD

Air sampling will be accomplished by a consultant selected by Hines and its tenant and under the observation of Northrop Grumman. Air sampling will follow requirements set forth in an addendum to the VI work plan to be prepared by the consultant and approved by Northrop Grumman, Hines and its tenant, and to be submitted to USEPA for approval prior to sampling.

Tenant improvements anticipated for the future building use will include slab penetrations to allow installation of communication and electric lines to individual locations within the building footprint.

- 2015 05 06 Vapor Intrusion testing at 825 Stewart “passes”²⁷
TCE: 0.58 µg/m³ (3 RSL) | 1,2-DCE: 0.064 µg/m³ (0.47 RSL) | Toluene: 7.9 µg/m³ (1300 HERO) | Chloroform: 0.12 µg/m³ (0.53 RSL) | Methylene chloride 5.0 µg/m³ (12 HERO) | Ethylbenzene 0.59 µg/m³ (4.9 RSL)
- 2015 05 06 825 Stewart HVAC intake showed: chloroform, Xylenes, & 1,2-DCE, Toluene, TCE
Vents are 3ft high on roof & unobstructed (no HVAC yet)
- 2015 05 08 “Orion Environmental” signs off on concrete slab at TRW site **Public Record**
“Orion Environmental Inc. (Orion), on behalf of Northrop Grumman Systems Corporation, has prepared this memorandum to document sealing of the concrete slab in the building at the subject site. The work was performed prior to the vapor intrusion (VI) evaluation that was conducted in May 2015 to assess the VI pathway under current site conditions, as described in AECOM’s VI work plan addendum dated 26 March 2015. The purpose of the sealing was to remove any remaining potential VI conduits, such as cracks, seams, utility pipes and holes, and/or other openings in the concrete slab.”
- 2015 06 11 CARB approves Apple’s 3250 Scott “R&D facility” application **PRA (2023)**
- 2015 06 22 3250 registered in CERS for APS, HCM, CSF, HWOT, LQ HW Gen **CalEPA CERS**
- 2015 06 30 Northrop Grumman submits VI report from Corporate Director of Environmental Remediation
Note: Joe Kwan worked at Northrop Grumman as “Director of Environmental Remediation” since 1987
- 2015 07-11 More construction work at 825 Stewart; Apple penetrating slab^{28 29} **Public Record****
The building conditions changed since the previous May 2015 sampling event due to tenant improvements performed in late 2015. These improvements included installation of interior walls (for buildout of cubicles and enclosed offices), penetration and subsequent re-sealing of the concrete slab for installation of additional piping and utilities, and installation of interior finishes (e.g., new carpet, tile, and newly-painted walls). Inspections of the floor penetrations, prior to and after re-pouring the concrete to close the floor penetrations, were conducted by AECOM on behalf of Apple to ensure that any areas where a moisture/vapor barrier was present were replaced and secured to the edges of the existing barrier material.
- 2015 07 20 EPA says tests showed VI with TCE 0.58ug/m³ but TRW is “ok” for occupancy **Public Record**
- 2015 07 20 EPA emailing with Northrop Grumman's Corporate Director of Environmental Remediation
Note: Joe Kwan worked at Northrop Grumman as “Director of Environmental Remediation” since 1987
- 2015 07 29 Apple wants to move employees into 825 Stewart on Oct 2 2015 **PRA (2023)**
- 2015 08 07 City says rooftop must be fully ‘screened’ to hide HVAC at 825 Stewart **PRA (2023)**
- 2015 08 07 Apple gets permit for “new rooftop screening for 9 new rooftop mech units” at 825 Stewart
- 2015 09 Landbank leases Wolfe/Central to Apple (Triple Site) **News Article**
- 2015 09 Apple is penetrating the 825 Stewart slab and wants to move employees in asap **Public Record**
- 2015 09 02 City of Santa Clara sends 3250 notice of code violation and warning of citation **PRA (2023)**
Apple undertaking construction work without city permits
- 2015 09 10 Santa Clara city issues Stop Work Order at 3250 Scott due to code violations **PRA (2023)**

²⁷ US EPA, <https://semspub.epa.gov/work/09/1158560.pdf>

²⁸ U.S. EPA, *5th Five Year Review: Microwave Superfund Sites*, 2019, pg25, <https://semspub.epa.gov/work/09/100018396.pdf>

²⁹ US EPA, VI Report, <https://semspub.epa.gov/work/09/1158560.pdf>

UPDATED TIMELINE & FOIA EVIDENCE REPORT

ASHLEY GJOVIK V APPLE INC | 825 STEWART DR; 3250 SCOTT BLVD

2015	09	24	Apple starts installing HVAC systems at 825 Stewart	PRA (2022)
2015	10	?	Apple saws SSD vents on roof from 3ft down to 1ft, puts HVAC on top	EPA Docs
2015	10	02	Apple's desired 'move in' date for employees at 825 Stewart (10/2)	PRA (2023)
2015	10	07	Apple finished installing HVAC systems at 825 Stewart	PRA (2022)
2015	10	27	Apple files status on Tiered Permit "Unit PBR" at 3250 Scott Blvd Tanks: 4 Treatment Areas/Containers: 6 Monthly Treatment Volume: 2,620,200 Gallons Waste Type Treated: process wastewater (slurry waste, acid waste, etc) Permit Status: Unknown Waste and Treatment Process Combo: pH adjustment or neutralization of inorganic acid or alkaline waste	PRA (2023)
2015	10	27	Apple filed "Permit by Rule" status to CERS but never filed anything to DTSC	PRA (2023)
2015	11	18	Northrop asks EPA to approve VI testing plan so Apple can move in 825 <i>Per the attached email chain and on behalf of Apple, Inc., attached for your review is the Work Plan Addendum #2 for Vapor Intrusion Evaluation Sampling and Analysis at the Former TRW Microwave Site in Sunnyvale, CA. This Addendum presents updates to the original Vapor Intrusion Evaluation Sampling and Analysis Work Plan and Addendum #1 (previously approved by EPA) based on current site conditions. We would like to request an expedited review from EPA so we can accommodate site operations in the building. We are in the process of firming up the preferred dates, but it will most likely be sometime in December. I will give you a call when we know more. In the meantime, please feel free to call me directly if you have any questions.</i>	Public Record ³⁰
2015	12	?	Apple finishes roof screens for HVAC at 825 Stewart	Public Record
2015	12	16	Sunnyvale on site for 825 Stewart planning sign-off & final inspection	PRA (2022)
2015	12	17	Northrop emails EPA updated VI testing plan & says plans to test at TRW on Dec 29 2015	³¹
2015	12	18	Apple's temporary certificate of occupancy for 825 Stewart expires	PRA (2022)
2015	12	19	Apple warned by wastewater facility of RCRA requirements at 3250 Scott	PRA Docs (2023)
2015	12	29	Vapor Intrusion testing at 825 Stewart "passes" TCE: 1.2 µg/m ³ (3 RSL) 1,2-DCE: 0.17 µg/m ³ (0.47 RSL) Chloroform 0.26 µg/m ³ (0.53 RSL) Ethylbenzene: 6.0 µg/m ³ (4.9 RSL) Xylenes 69 µg/m ³ (440) Toluene: 1,100 µg/m ³ (1300 HERO) <i>"A total of 13 chemicals were detected in sub-slab vapor in December 2015 (Table 4). These include tetrachloroethene (PCE) and TCE, along with potential breakdown products of these two chemicals. Chloroform was detected, as expected, given its ubiquity at sites supplied with treated city water. Other chemicals were detected at relatively low concentrations and are not considered important from a risk standpoint. Of the 13 chemicals detected, TCE and chloroform are the only chemicals detected above both the USEPA- and DTSC-derived SVSLs. TCE was detected above both the screening levels in all three sub-slab sampling locations (SS-2, SS-5, and SS-10). Sub-slab TCE vapor concentrations were highest in Sub-Slab Sample SS-5, located below Section 1/HAVC Zone 1 of the building. Chloroform was detected above both SVSLs in Sub-Slab Sample SS-5. PCE and cis-1,2-dichloroethene (DCE) were only detected above the DTSC SVSL in Sub-Slab Sample SS-5. Sub-Slab Monitoring Point SS-5 was sampled in both May and December 2015."</i> 825 Stewart HVAC intake showed: TCE, Ethylbenzene, Xylenes, Toluene, Chloroform	³²
2015	12	31	Apple submits Business Information form for 825 Stewart to Sunnyvale	PRA (2022)
2015	12	31	No report from Orion signing off on Apple's TRW cracks/conduits/penetrations!	PRA

2016

³⁰ US EPA, <https://semspub.epa.gov/work/09/1158556.pdf>

³¹ US EPA, <https://semspub.epa.gov/work/09/1158551.pdf>

³² US EPA, <https://semspub.epa.gov/work/09/1158560.pdf>

UPDATED TIMELINE & FOIA EVIDENCE REPORT

ASHLEY GJOVIK V APPLE INC | 825 STEWART DR; 3250 SCOTT BLVD

2016	02		<i>LandSea</i> buys AMD (Triple Site) land from Watts; demolishes for housing	US EPA ³³
2016	02	19	City of Santa Clara accepts Risk Mgmt Plan for CalARP at 3250 Scott	PRA Docs (2023)
2016	03	02	US EPA “approves” 825 Stewart vapor intrusion testing results ³⁴	Public Records
			<i>This report documents no evidence of unacceptable vapor intrusion into the building that could adversely affect building occupants. The sampling was conducted following the installation of a passive sub-slab vapor venting mitigation system (with the capability to be converted to active at a later date if conditions so require) and the subsequent tenant improvements performed by the tenant, Apple, Inc. Sampling activities included the collection of sub-slab, indoor air, and outdoor air samples. Of the five indoor air samples collected, the highest level of trichloroethene (TCE) detected was 0.58 micrograms per cubic meter (ug/m3), which does not exceed any of the project screening levels. Additionally, the sampling results demonstrate no effect of the tenant improvements on the performance of the VI mitigation system. EPA approves the findings outlined in this report, and concurs with your recommendation to re-sample in the event that building conditions change in the future, such as additional tenant improvements (as may occur if tenancy changes) that may create new VI conduits and/or impair the integrity of the concrete slab or passive vapor collection system.</i>	
2016	03	30	Apple requests special discharge from Acid Neutralization System at 3250	PRA Docs (2023)
2016	03	30	Apple 3250 plant cited by wastewater facility for failure to test right	PRA Docs (2023)
2016	04	11	Apple 3250 plant cited by wastewater facility for failure to test enough	PRA Docs (2023)
2016	04	11	Jared Blumenfeld resigns from US EPA Region 9	News Article
2016	04		Still no report from Orion signing off on Apple’s TRW cracks/conduits/penetrations!	PRA
2016	04		Sunnyvale city marks “Apple remodel” at 825 Stewart as “Finald”	Public Record
2016	04	27	Apple registers 825 Stewart with Sunnyvale for fire, but not HazMat	PRA (2022)
2016	04	29	Apple executes Statement of Work for Wolfe Campus (Triple Site)	Lawsuit ³⁵
2016	05	11	Apple 3250 plant cited by wastewater Facility for late test reports	PRA Docs (2023)
2016	05	25	GI Partners/CalSTRS asks for 825 Comfort Letter from CalEPA	Public Record
			<i>Note: Water Board says has “made no inspection of TRW property”: says “owner does not send regular updates on compliance”: tells CalSTRS make “independent determination” of TRW site ³⁶</i>	
			<i>There was a 2016-era Environmental Assessment at this time that the US EPA saw and GI Partners possessed, but as of 2023 both US EPA and CalSTRS deny possession of the report.</i>	
2016	05	31	GI Partners/CalSTRS buys 825 Stewart from Oaktree & Hines for \$35M ³⁷	Press Release
2016	06	09	Apple cited by city for a spill of cooling water into storm drain at 3250	PRA Docs (2023)
2016	08		Twenty-one workers fall and “miracle no one killed” at Apple Central/Wolfe	Lawsuit
2016	08	03	Irvine Company buys AMD campus for \$175M (Triple Site) ³⁸	News Article
2016	08	15	Apple fails city inspections at 3250 Scott factory	PRA (2023)
2016	11		Worker falls to death at Apple Central/Wolfe campus (Triple Site) ³⁹	Lawsuit
2016	11	08	Apple’s DTSC application for 3250 submitted with false information	PRA Docs (2023)
2016	11	10	Apple files status on Tiered Permit “Unit PBR” at 3250 Scott Blvd	PRA (2023)

³³ US EPA, AMD FYR, <https://semspub.epa.gov/work/09/100016970.pdf>

³⁴ US EPA, <https://semspub.epa.gov/work/09/1158558.pdf>

³⁵ *Apple Inc v Des Architects + Engineers Inc*, Complaint, Case No. 21 CV383358 Santa Clara Superior Court (June 1 2021)

³⁶ California Water Boards, *Status of Deed Restriction, Former TRW Microwave, 825 Stewart Drive, Sunnyvale, Santa Clara County*, 2016, <https://semspub.epa.gov/work/09/100023779.pdf>

³⁷ The Registry, GI Partners Buys Apple Occupied 825 Stewart Drive in Sunnyvale for \$34.7MM, May 31 2016, <https://news.theregistrysf.com/gi-partners-buys-apple-occupied-825-stewart-drive-in-sunnyvale-for-34-7mm/>

³⁸ <https://www.bizjournals.com/sanjose/news/2016/08/03/exclusive-irvine-buys-amd-campus-from-w-p-carey.html>

³⁹ *Irma Vargas v Level 10 et al*, Santa Clara County Court 17CV314119

UPDATED TIMELINE & FOIA EVIDENCE REPORT

ASHLEY GJOVIK V APPLE INC | 825 STEWART DR; 3250 SCOTT BLVD

Tanks: 5 | Treatment Areas/Containers: 6 | Monthly Treatment Volume: 2,620,200 Gallons

Waste Type Treated: process wastewater (slurry waste, acid waste, etc) | Permit Status: **Facility**

Waste and Treatment Process Combo: pH adjustment or neutralization of inorganic acid or alkaline waste

Basis for not Needing Federal Permit: Treated in Tanks and Discharged to Sewer

2016	11	22	DTSC (Robert Senga, § Chief) approves 3250 Scott Blvd application but needs inspection	
2016	11	29	Santa Clara sends notice of 3250 open code violations & warning of citation PRA (2023)	
2016	12	03	City planner notes “825 Stewart roof screen on site” ??	PRA (2023)
2016	12	06	Apple fined by California EPA DTSC for \$450k; Jackson/Johnson do PR ⁴⁰ Public Record “As we do with all our facilities, we followed our stringent set of health and safety standards, which go well beyond legal requirements.”	
2016	12	08	Ronald Sugar sells/transfers \$1,160,074 of Northrop Grumman stock	Form 990

2017

2017	01	05	Gjovik joins PSQ; moves to 825 Stewart Drive Apple Office	Gjovik Docs
2017	01	18	Sugar interview talking about whistleblowers <i>What he worried about most as Northrop Grumman CEO: Whistleblowers. "Is there someone who may cause a problem? Someone filing whistleblower suits about something they imagine might've happened?"</i>	News Article
2017	01	31	A building on Triple Site has EPA vapor intrusion results up to 37 ug/m3 TCE	FOIA (2023)
2017	01	31	Apple EH&S: HVAC issues at TRW/site Apple office <i>Gjovik's team: "HVAC just left. He said he lowered the static in the building and that should help normalize the pressure. If any of the doors are still popping open, please let me know."</i>	Gjovik Docs
2017	02		Apple EH&S: HVAC issues at TRW/site Apple office <i>Gjovik's team: "I have HVAC coming in 15 minutes to look... for pressure and temperature issues."</i>	Gjovik Docs
2017	04	18	Apple files city Permit for Haz Waste Generation at 825 Stewart	PRA Docs (2023)
2017	06	10	Apple “secrecy” presentation tells employees to “keep mouths shut” <i>Apple: "I have faith deep in my soul that if we hire smart people they're gonna think about this, they're gonna understand this, and ultimately they're gonna do the right thing, and that's to keep their mouth shut."</i> ⁴¹	News Article
2017	06	15	Northrop Grumman tells US EPA TRW cleanup goals are “not realistic” ⁴²	Public Record
2017	06	15	KQED: Silicon Valley's Toxic Past Haunts Sunnyvale Neighborhood ⁴³ “cleanup, testing and mitigation at the Triple Site is expected to continue indefinitely” “Here's where we have the highest concentrations of TCE,” says EPA site manager Melanie Morash, gesturing at the mound. This is essentially Ground Zero for what the EPA calls the Triple Site.	News Article
2017	08		Wrongful Death lawsuit over Apple Wolfe/Central campus (Triple Site)	Lawsuit
2017	08	06	Gjovik 2017 perf review: raise, bonus, RSU, 1x Exceed, 2x Meet	Gjovik Docs
2017	08	23	TCE in the wastewater (24ug/l) at 3250 Scott Blvd plant	PRA Docs (2023)

⁴⁰ <https://dtsc.ca.gov/2016/12/06/apple-agrees-to-pay-450000-to-settle-hazardous-waste-violations/>,
<https://www.reuters.com/article/us-apple-waste-violationsidUSKBN13V2HS>

⁴¹ The Outline, <https://theoutline.com/post/1766/leaked-recording-inside-apple-s-global-war-on-leakers?zd=1&zi=d7q5fa5t>

⁴² AECOM, *Former TRW Microwave Site: Current Site Status and Path Forward*, July 9 2020,

<https://semspub.epa.gov/work/09/100023781.pdf>

⁴³ KQED, *Silicon Valley's Toxic Past Haunts Sunnyvale Neighborhood*, 2017, <https://www.kqed.org/futureofyou/388730/silicon-valleys-toxic-past-haunts-sunnyvale-neighborhood>

UPDATED TIMELINE & FOIA EVIDENCE REPORT

ASHLEY GJOVIK V APPLE INC | 825 STEWART DR; 3250 SCOTT BLVD

2017	09	19	Apple EH&S: air pressure & HVAC issues at TRW/site Apple office <i>Gjovik's team: "We've finally got Facilities to move the needle and approve of a permanent solution to fix the air pressure issues"</i>	Gjovik Docs
2017	10	05	Lisa Jackson does Apple PR for North Carolina toxic waste violations	Public Docs ⁴⁴
2017	10	06	Kate Adams leaves Honeywell; joins Apple as general counsel	Press Release
2017	10	26	John B. Frank (<i>Oaktree Capital</i> exec) joins <i>Chevron Board</i>	Press Release ⁴⁵
2017	11	10	Ronald Sugar sells/transfers \$498,879 of <i>Northrop Grumman</i> stock	Form 990
2017	12	18	Ronald Sugar sells/transfers \$500,085 of <i>Northrop Grumman</i> stock	Form 990

2018

2018	04	13	Apple interview threatens employees with prison for "leaking" <i>Apple: "Leakers "not only lose their jobs, they can face extreme difficulty finding employment elsewhere. The potential criminal consequences of leaking are real and that can become part of your personal and professional identity forever."</i> ⁴⁶	News Article
2018	04	18	"Family Day" at TRW site / Apple office – secrecy reminder <i>Note: children & pregnant women are on site. Apple: "Tomorrow many of us will be welcoming our families into our work places... all confidentiality rules are still in effect... report anyone not abiding by lockdown rules by calling [Apple] Security"</i>	Gjovik Docs
2018	05	18	EPA admin Scott Pruitt appoints Mike Stoker as EPA Region 9 Admin ⁴⁷	Press Release
2018	06	28	C. Brown sues Apple over Dan West (Gjovik's boss) <i>Employees were "reluctant to make a formal complaint because they feared backlash and retaliation from their respective managers and Mr. West, which would effectively end their careers at APPLE...career suicide."</i>	Lawsuit
2018	08	10	Gjovik 2018 perf review: raise, bonus, RSU, 2x Exceed, 1x Meet <i>Gjovik was told that "due to [her] contributions" that Mr. Powers organization is now "a better run organization." Ms. Gjovik's coworkers added that Gjovik was "consistently one of [their] favorite people to work with" and that they could not "think of anyone in [their] organization who is so proactive [as Gjovik] in driving initiatives to closure."</i>	Gjovik Docs
2018	08	10	Gjovik promotion from ITC3 to ITC4 (Senior EPM)	
2018	10	24	<i>Chevron</i> \$160M settlement & consent decree with DOJ/EPA over env violations ⁴⁸ EPA/DOJ <i>"The 2012 fire at Chevron's refinery in Richmond, California, heavily affected the surrounding area," said United States Attorney Alex G. Tse of the Northern District of California. "Thousands of residents were ordered to shelter in place and over 15,000 nearby residents sought medical assistance. Under the agreement announced today, among other relief, Chevron will make safety improvements at its refineries, and will also implement supplemental environmental projects in the affected communities, including Richmond. This office will continue to ensure compliance by corporate citizens with laws that are intended to protect the environment and the residents' right to know."</i>	
2018	11		Installation of new "evaporation system" at 3250 Scott (solvents?)	PRA Docs (2023)

⁴⁴ North Carolina Admin Orders, NCR000149526, Docket #2017-047

⁴⁵ Chevron, <https://www.chevron.com/stories/john-b-frank-elected-to-chevron-board-of-directors>

⁴⁶ Bloomberg, <https://www.bloomberg.com/news/articles/2018-04-13/apple-warns-employees-to-stop-leaking-information-to-media>

⁴⁷ <https://www.epa.gov/archive/epa/newsreleases/epa-announces-appointment-mike-stoker-region-9-administrator.html>

⁴⁸ US DOJ, Justice Department, EPA, State of Mississippi Reach Nationwide Settlement with Chevron U.S.A. Inc. to Address Chemical Accident Prevention Violations, <https://www.justice.gov/opa/pr/justice-department-epa-state-mississippi-reach-nationwide-settlement-chevron-usa-inc-address>

UPDATED TIMELINE & FOIA EVIDENCE REPORT

ASHLEY GJOVIK V APPLE INC | 825 STEWART DR; 3250 SCOTT BLVD

2019

2019	01	08	Jared Blumenfeld takes over CalEPA	Press Release
2019	03	14	TRW FYR inspection (exterior) by EPA & USACE	Public Records
2019	04	12	Apple settles <i>Brown v Apple</i> (Gjovik's boss)	Lawsuit
2019	05	06	825/Apple office fails HazMat/Fire inspection (combustible material in electrical room)	
2019	06	01	Phosphine & silane spill/leak at 3250 Scott Blvd factory	PRA Docs (2023)
2019	06	12	Apple cited by Santa Clara Co for Haz Waste violations in Cupertino	PRA Docs ⁴⁹
2019	07	09	USACE recommends revised VI study & updated ROD for 825 Stewart ⁵⁰ <i>"Progress at the TRW Site is slow despite soil removal actions and enhanced anaerobic biodegradation (EAB) treatment because contaminant concentrations are influenced by upgradient contaminated groundwater sources, including the Signetics Site."</i> <i>"The remedy at the TRW Site currently protects human health and the environment because exposure pathways for soil and groundwater are being controlled. Exposure pathways to contaminated groundwater that could result in unacceptable risks are addressed in an environmental covenant. The risk due to vapor intrusion for the current commercial land use has been addressed. However, in order for the remedy to be protective in the long-term, a revised soil and groundwater remedy for the TRW Site should be selected, as the remedy selected in the ROD is no longer operating. The revised remedy should also address vapor intrusion assessment and response procedures to ensure the long-term stewardship of the vapor intrusion mitigation measures currently in place, as well as potential vapor intrusion in the event of future land use changes, as vapor intrusion was not addressed in the 1991 ROD."</i>	Public Record
2019	07	09	USACE/EPA only reference June 2015 VI testing (prior to Apple renovation) in FYR <i>"A Vapor Intrusion Evaluation Report was completed for the TRW Site in June 2015. This report summarized the vapor intrusion mitigation procedures conducted and the results of the confirmatory indoor air sampling."</i>	
2019	08	06	Apple cited for 12 Haz mat/waste violations from County at Apple Park	PRA Docs ⁵¹
2019	08	19	Gjovik 2019 perf review: raise, bonus, RSU, 1x Exceed, 2x Meet <i>In 2019, Mr. Powers & Mr. West described Gjovik in her annual review as "relentless," "following up relentlessly," that "as with everything she does, relentlessness and relationships were the key</i>	Gjovik Docs
2019	09	19	Michael Shulman (EPA) takes over TRW Microwave Site (Sept 19)	FOIA Request
2019	09	04	Gjovik has fainting spell in her Apple office (TRW site, near SS-7) <i>USACE/EPA: "Select a revised cleanup plan and prepare a revised EPA decision document. A revised EPA decision document has not yet been issued"</i>	Gjovik Docs
2019	09	10	US EPA to CalEPA email about high TCE in Triple Site outdoor air <i>EPA: "Per my voicemail we have some concerns about trichloroethene (TCE) in ambient air in the vicinity of a hazardous waste site that we are overseeing. It appears that the ambient concentrations of TCE have been increasing over the past few years (see attached graphic). We believe there may be some area sources contributing to the elevation in ambient concentrations. We are concerned because concentrations are often exceeding our indoor air residential and school exposure concentration of 0.5 ug/m3. EPA has also set a short-term exposure limit for TCE at 2 ug/m3 (for fetal heart defects in the first trimester of pregnancy), we appear to be close to exceeding this threshold in ambient air."</i>	FOIA (2023)

⁴⁹ Santa Clara County Department of Environmental Health, Public Records Request by Gjovik

⁵⁰ AECOM, *Former TRW Microwave Site: Current Site Status and Path Forward*, July 9 2020, <https://semspub.epa.gov/work/09/100023781.pdf>

⁵¹ Santa Clara County Department of Environmental Health, Public Records Request by Gjovik

UPDATED TIMELINE & FOIA EVIDENCE REPORT

ASHLEY GJOVIK V APPLE INC | 825 STEWART DR; 3250 SCOTT BLVD

2019	09	18	US EPA & Northrop Grumman call about high TCE in Triple Site outdoor air	FOIA (2023)
2019	09	18	Five Year Review: “ <i>progress at the TRW Site is slow</i> ” ⁵² “ <i>Achievement of cleanup goals remain a challenge</i> ” <i>The remedy for the Site is no longer being operated.</i> ”	Public Record
2019	09	19	EPA v Northrop Grumman, TRW, CERCLA Docket Number 2019-05	Public Record ⁵³
2019	09	25	Apple files updated CARB application for 3250 Scott to increase thruput & add abatement	
2019	10	04	US EPA sues Northrop Grumman over Triple Site / TRW Site ⁵⁴	US EPA
2019	10	04	EPA announces settlements with Northrop Grumman over TRW cleanup. ^{55 56}	Public Record
2019	10	07	CARB closes Apple 3250 Scott Blvd application as ‘incomplete data’	PRA (2023)
2019	10	24	Apple legal executive indicted for twelve counts of fraud	US DOL ⁵⁷
2019	10		Northrop Grumman abandoned groundwater well T-9B at TRW	Public Records
2019	11		Drinking water is brown in common area kitchen at TRW/825 Stewart	Gjovik Docs
2019	11	27	City HazMat “compliance notes” about vents/exhaust at 3250 Scott	PRA Docs (2023)
2019	12	18	Apple replaces solvent exhaust fan on roof at 3250 Scott	PRA Docs (2023)

2020

2020			NMP chemical releases from 3250 Scott (260lbs, probably more)	PRA Docs (2023)
2020			Doug Parker (CalOSHA chief) added to Biden transition team	News Articles
2020	01	31	Apple cited by Santa Clara for fire code violations at 3250 Scott	PRA Docs (2023)
2020	02		Bioremediation injections into Synertek plume (3255/3250 Scott)	US EPA FYR
2020	02		TCE in the waste water (0.248 ug/L) at 3250 Scott	PRA Docs (2023)
2020	02		Gjovik has more fainting spells at her Apple office (TRW site, SS-2)	Gjovik Docs
2020	02		Someone files PRA to Santa Clara for the 3250 Scott 2019 silane/phosphine leak ⁵⁸	
2020	02	05	Gjovik moves into Santa Clara Square Apartments (3255 Scott)	Gjovik Docs
2020	02	06	EPA Region 9 admin Mike Stoker fired from EPA ⁵⁹	News Article
2020	02	16	Gjovik has fainting spells at her apartment; Emergency Room visit	Gjovik Docs
2020	02	20	Gjovik sent to Apple Urgent Care clinic due to arrhythmia & fainting	Gjovik Docs
2020	02	22	Apple EH&S: HVAC issues at TRW/site Apple office “Apple security will be escorting facilities to work on our HVAC system in the common area 2/22 & 2/2”	Gjovik Docs

⁵² U.S. EPA, *5th Five Year Review: AMD & TRW Microwave Superfund Sites*, 2019, pg21,
<https://semspub.epa.gov/work/09/100018396.pdf>

⁵³ US EPA, <https://semspub.epa.gov/work/09/100018488.pdf>

⁵⁴ US EPA, <https://cumulis.epa.gov/supercpad/SiteProfiles/index.cfm?fuseaction=second.Stayup&id=0900265#Stayup>

⁵⁵ U.S. EPA, *Superfund: TRW Microwave*,

<https://cumulis.epa.gov/supercpad/SiteProfiles/index.cfm?fuseaction=second.Stayup&id=0901181>

⁵⁶ Federal Register, *Notice of Proposed Administrative Settlement Agreement and Order on Consent for Removal Site Evaluation and Removal Action for the Offsite Operable Unit of the Triple Site, Sunnyvale, California*,

<https://www.federalregister.gov/documents/2019/10/04/2019-21688/notice-of-proposed-administrative-settlement-agreement-and-order-on-consent-for-removal-site>

⁵⁷ <https://www.justice.gov/usao-nj/pr/former-director-corporate-law-global-technology-company-indicted-insider-trading>

⁵⁸ <https://santaclara.nextrequest.com/requests/20-77>

⁵⁹ <https://www.politico.com/states/california/story/2020/02/06/epa-official-known-for-chanting-lock-her-up-says-his-bipartisanship-cost-him-1259480>

UPDATED TIMELINE & FOIA EVIDENCE REPORT

ASHLEY GJOVIK V APPLE INC | 825 STEWART DR; 3250 SCOTT BLVD

2020	02	24	Gjovik sees first cardiologist who orders heart monitor	Gjovik Docs
2020	02	25	Gjovik wakes up at 03:06 with chest pains & 90bpm heart rate (3255 Scott)	
2020	02	25	Gjovik has bad dizzy spell, chest pain, can't breath, palpitations, high BP (6:47pm; 6:53pm)	
2020	02	26	Gjovik has dizzy spell & tachycardia (148 bpm) at 3255 Scott (8:04am)	Gjovik Docs
2020	02	26	Gjovik has dizzy spell, heart monitor shows high ST segment (8:04am, 8:05am)	
2020	02	26	Gjovik has bad dizzy spell, palpitations, PVCs, chest pain (8:23pm, 10:43pm)	Gjovik Docs
2020	02	27	Gjovik has PACs while sleeping at 2:11am, PVCs/symptoms 3:20am	Gjovik Docs
2020	02	28	Gjovik has PVCs, dizzy spell, chest pain, shortness of breath, high BP (12:28pm)	
2020	02	28	Cardiologist puts Gjovik on additional beta blockers & blood pressure meds	Gjovik Docs
2020	02	29	Gjovik has bad dizzy spell & PVCs at grocery store next to 3250 Scott (1:54pm)	
2020	03		Gjovik has more fainting spells at 3255 Scott apartments	Gjovik Docs
2020	03		Gjovik has more fainting spells at her Apple office (TRW site, SS-2)	Gjovik Docs
2020	03		Gjovik short-term disability medical leave ⁶⁰	Gjovik Docs
2020	03	01	Gjovik has bradycardia while sleeping, 12:55am (48bpm), 5:18am (39bpm)	
2020	03	01	Gjovik's heart monitor shows 7% premature ventricular contractions from 2/24-3/1	
2020	03	02	Gjovik gets echocardiogram – comes back okay, but frequent PVCs	Gjovik Docs
2020	03	09	Apple EH&S: HVAC issues at TRW site Apple office	Gjovik Docs
2020	03	13	Gjovik meets with nephrologist	Gjovik Docs
2020	03	24	Gjovik's doctor ordered brain MRI to check for MS <i>"33 yr old woman with dizziness, headaches, intermittent numbness in body and face, intermittent foul taste in the mouth, spasms of muscles in the arms and legs, debilitating and worsening five weeks."</i>	Gjovik Docs
2020	04		Gjovik short-term disability medical leave <i>Leave complaints: dizziness, arrhythmia, numbness, headaches, difficulty focusing on tasks</i>	Gjovik Docs
2020	04	01	Gjovik sees neurologist who orders brain MRA and prescribes meclizine	Gjovik Docs
2020	04	02	Gjovik sees endocrinologist, ordered blood tests	Gjovik Docs
2020	04	03	Gjovik sees ear/nose/throat doctor who ran tests	Gjovik Docs
2020	04	20	Gjovik sees new neurologist who does EEG & more MRIs of brain, neck, & entire spine	
2020	04	23	Gjovik sees a rheumatologist who runs lupus panel; C3 & C4 are low	Gjovik Docs
2020	04	23	New TCB-1,2,4 contamination in 3250 Scott groundwater well 36A	PRA Docs (2023)
2020	05		Gjovik short-term disability medical leave due to toxic exposure	Gjovik Docs
2020	05		Cynthia Hogan (VP gov affairs) leaves Apple for Biden transition team	News Articles
2020	05	01	Gjovik MRI of neck finds T1 hypointense growth on thyroid	Gjovik Docs
2020	05	07	Gjovik cardiologist shares Zio Patch results: frequent ventricular ectopic activity, 5.1% PVC	
2020	05	10	Gjovik rheumatologist tests C3/C4 again and C3 still low	Gjovik Docs
2020	05	20	Gjovik 24hr blood pressure results: low 85/49 & 34bpm, high 129/89 & 104bpm, 65 MAP	
2020	05	22	EPA requests intro presentation from Northrop Grumman for Michael Shulman	FOIA Request
2020	05	26	Gjovik brain EEG results are normal	Gjovik Docs
2020	05	28	Gjovik complaining to doctor about nocturnal 'cardiac cough', heart failure	Gjovik Docs
2020	06		Gjovik on short-term disability medical leave	Gjovik Docs

⁶⁰ Sedgewick / Apple # 302048282250-0001

UPDATED TIMELINE & FOIA EVIDENCE REPORT

ASHLEY GJOVIK V APPLE INC | 825 STEWART DR; 3250 SCOTT BLVD

2020	06	01	Gjovik has autonomic disorder screening at Stanford hospital	Gjovik Docs
2020	06	10	Gjovik complaining to cardiologist about nocturnal ‘cardiac cough’	Gjovik Docs
2020	06	15	Gjovik cardiologist results of 2 nd 24/hr blood pressure monitor <i>Lowest was 88/50 & 36bpm, highest 127/94 & 109bpm, lowest MAP 64</i>	Gjovik Docs
2020	07		Gjovik on short-term disability medical leave	Gjovik Docs
2020	07		Wrongful Death settlement re: Central/Wolfe Apple Triple Site campus	Lawsuit
2020	07	01	Sunnyvale inspection of 825 Stewart, 2x violations <i>Ladders and other misc. items stored in exterior electrical room. Code Section: CFC 315.3.3</i> <i>Last annual sprinkler inspection was May of 2020. Code Section: CA NFPA2 5 Tbl 5. 1.1.2</i>	PRA (2022)
2020	07	01	Mole changes size/shape/color/texture overnight; dermatologist removes	Gjovik Docs
2020	07	09	Northrop Grumman TRW “site status” presentation for EPA ⁶¹ (50 slides) <i>Northrop Grumman says waiting on EPA for ROD update</i>	Public Record
2020	07	11	Gjovik’s C3 is still low (third test)	Gjovik Docs
2020	07	15	Stanford Infectious Disease says whatever Gjovik has isn’t infectious disease	Gjovik Docs
2020	07	16	Irvine Company sells portion of The Vale (Triple Site) \$73M	News Article ⁶²
2020	07	17	Gjovik sees a dermatologist about rashes, hives, and burns	Gjovik Docs
2020	07	20	Gjovik ultrasounds find multiple nodules on thyroid	Gjovik Docs
2020	07	27	Gjovik sees Immunologist who runs screening & tests	Gjovik Docs
2020	08		Gjovik short-term disability medical leave due to toxic exposure	Gjovik Docs
2020	08		Apple EH&S doing extensive work on 825 HVAC system	Gjovik Docs
2020	08	04	Gjovik meets with MS specialist; discusses spinal tap & other tests	Gjovik Docs
2020	08	23	VOC spike at 3255 Scott apartments at 9:50pm-10:05pm	Gjovik Docs
2020	08	24	Apple EH&S: air quality & HVAC issues at TRW/site Apple office <i>Gjovik’s team: “as of this morning, we are still experiencing burning eyes and sore throats...there seems to be more air flow in the hallways and cubicle area (aka it’s really burning my eyes at this point)”</i> <i>Apple EH&S: “On Tuesday August 25, 2020 Apple EH&S performed an indoor air quality assessment at SD01, First Floor in response to employee concerns associated with wildfire smoke. The purpose of this assessment was to determine levels of Particulate Matter (PM2.5) in the indoor air environment.</i> <i>Employees working in Sim City communicated experiencing symptoms during the past week including headaches and burning eyes. EH&S did not observe any odor during the site visit on 8/25/20.”</i> <i>Apple EH&S: “Outside AQI needs to elevate pretty significantly to get to the point where we shut down buildings – the indicator we are looking at is the 500 ug/m3 (CalOSHA PEL).”</i>	Gjovik Docs
2020	08	25	VOC spike at 3255 Scott at 11:30pm-11:40pm	Gjovik Docs
2020	08	27	Gjovik emails her team about EH&S complaining they should buy air purifiers <i>Gjovik to her boss: “I’d think they should bring in portable air purifiers. Like, we could go buy a few today and set them up in those labs and have the air cleaned up in <2hrs. But they could do that too. Might want to ask [EH&S] if they have any we can borrow or if they can buy some for us.... Anyone with asthma or heart/lung issues might consider the levels in Sim City “hazardous” already. I have asthma, and I would/do. Austin called the EPA limits conservative, but this is where you probably want HR etc to weigh in. Here’s an article from Harvard talking about how a long-term increase of even 1 ug/m3 of PM 2.5 is associated with an 8% increase in COVID mortality. Let alone all the other known side-effects below.”</i>	

⁶¹ AECOM, *Former TRW Microwave Site: Current Site Status and Path Forward*, July 9 2020, <https://semspub.epa.gov/work/09/100023781.pdf>

⁶² <https://news.theregistrysf.com/irvine-company-sells-portion-of-32-acre-sunnyvale-redevelopment-site-for-73mm/>

UPDATED TIMELINE & FOIA EVIDENCE REPORT

ASHLEY GJOVIK V APPLE INC | 825 STEWART DR; 3250 SCOTT BLVD

You might want to have HR weigh on whether folks can/should stay home due to the current AQI. What Austin is saying is a bit twisted. Having the threshold for keeping employees home as exceeding 500 ug/m3 is savage (500+ is literally “hazardous”). Maybe he just means that should be mandatory evacuation threshold — but that shouldn’t be advice on whether “we recommend” they stay home.

2020	08	31	Monitor records VOC spike at 21:00 (9pm) at 3255 Scott apartment	Gjovik Docs
2020	09		Gjovik short-term disability medical leave	Gjovik Docs
2020	09	01	Monitor recorded VOC spike at 23:00 (11pm) at 3255 Scott apartment	Gjovik Doc
2020	09	02	Gjovik discovers VOC spikes in her apartment at time of health issues	Gjovik Docs
2020	09	02	Email with Dan West about toxic apartment at 3255 Scott <i>“Dan said talked to buddy who runs EHS for another company if I think there’s chemicals in the air “get out right away” “if I run tests & its bad they probably won’t be able to fix it” “move to help your health”</i>	Gjovik Docs
2020	09	03	VOC spike at 3255 apartment at 3am	Gjovik Docs
2020	09	04	VOC spike at 3255 apartment at 10pm-10:40pm, 10:50pm-11:20pm	Gjovik Docs
2020	09	05	VOC spike at 3255 apartment at 5:30-5:50 am; 8am-8:30am	Gjovik Docs
2020	09	08	Gjovik weekly status mentions going into TRW Superfund office week prior	Gjovik Docs
2020	09	08	Gjovik hires Industrial Hygienist to test apartment at 3255 Scott (9/22/20)	Gjovik Docs
2020	09	08	Ashley notifies Apple Real Estate/EH&S about exposure at 3255 Scott <i>Gjovik emails safety@apple about home, talks w/ Release Estate manager Someone over there might even be familiar with this specific area. Looks like there was an Apple building right in the path of the Superfund site’s groundwater, and between it and my building for a bit.</i>	Gjovik Docs
2020	09	08	Gjovik exposes herself to 3255 chemicals overnight for lab tests in the morning ⁶³	
2020	09	09	3am spell then trip to hospital for labs; blood comes back with Arsenic (but not in urine)	
2020	09	09	Ashley notifies Apple Real Estate/EH&S about 3250 Scott proximity	Gjovik Docs
2020	09	09	Apple Real Estate/EH&S boss suggests “Extreme Condition Leave” for moving from 3250	
2020	09	10	Gjovik files complaint to US EPA Region 9 about 3255 Scott Brownfield	Gjovik Docs
2020	09	10	Gjovik complains about increasing ‘fumes’ in her apartment next to 3250 Scott ⁶⁴	
2020	09	11	Apple EH&S install filters on 825 Stewart HVAC systems <i>Apple EH&S: “Carbon charcoal filters for the HVAC system were installed on 9/2. This along with closing all of the dampers and economizers to prevent outside air from entering the building is all that can be done to alleviate the smoke smell within the building... Received confirmation that all dampers and economizers are closed.”</i>	Gjovik Docs
2020	09	11	Irvine Company suddenly offers to let Gjovik break her lease & move out	Gjovik Docs
2020	09	x	Apple was on the roof of TRW Microwave inspecting the HVAC vents	Gjovik Docs
2020	09	13	Ashley has 3am choking/death spell at 3255 Scott apartments ⁶⁵	Gjovik Docs
2020	09	13	Ashley asks Real Estate/EH&S about 3255, EHS push for 3255 ECL again	Gjovik Docs
2020	09	13	Ashley’s apartment at 3255 Scott has ant invasion starting around ~8pm ⁶⁶	Gjovik docs
2020	09	13	VOC spikes at 3255 Scott from 10:57pm-12:48am (up to 7941 PPB)	Gjovik Docs
2020	09	14	Gjovik’s weekly work status mentions 3255 apartments	Gjovik Docs

⁶³ I thought I was dying: My apartment was built on toxic waste, https://www.youtube.com/watch?v=pGK4_sR1CvY

⁶⁴ I thought I was dying: My apartment was built on toxic waste, https://www.youtube.com/watch?v=pGK4_sR1CvY

⁶⁵ I thought I was dying: My apartment was built on toxic waste, https://www.youtube.com/watch?v=pGK4_sR1CvY

⁶⁶ I thought I was dying: My apartment was built on toxic waste, https://www.youtube.com/watch?v=pGK4_sR1CvY

UPDATED TIMELINE & FOIA EVIDENCE REPORT

ASHLEY GJOVIK V APPLE INC | 825 STEWART DR; 3250 SCOTT BLVD

Very quickly trying to find a new apartment and get moved ASAP . Chatted with Helen and benefits last week to see if any disaster support; not much/any for this specific disaster. Working with Apple Real Estate & Dev team to understand construction diagrams and neighboring buildings

2020	09	14	Outside of Ashley’s apartment smells like gas; high tVOCs inside ⁶⁷	Gjovik Docs
2020	09	14	Spike of VOCs at 3255 apartment ~9:30pm-10:20pm (up to 9.5 tVOC) ⁶⁸	Gjovik Docs
2020	09	14	tVOC spike at 3255 apartments at 9:18pm-11:42pm (peak 9218 PPB)	Gjovik Docs
2020	09	15	tVOC spike at 3255 apartments at 8:45am – 10am (peak 741 PPB)	Gjovik Docs
2020	09	15	tVOC spike at 3255 apartments at 10:16pm-10:53pm (peak 2372 PPB)	Gjovik Docs
2020	09	16	tVOC spike at 3255 apartments at 5:57 am-9:13am (peak 951 PPB)	Gjovik Docs
2020	09	16	tVOC spike at 3255 apartments at 11:17pm-12:51am (peak 756 PPB)	Gjovik Docs
2020	09	17	US EPA (Fatima Ty) says looking into concerns about Synertek	Gjovik Docs
2020	09	17	tVOC spike at 3255 apartments at 3:05am-12:57pm (peak 1492 PPB)	Gjovik Docs
2020	09	17	tVOC spike at 3255 apartments at 10:11-10:44pm (peak 9999 PPB)	Gjovik Docs
2020	09	17	tVOC spike at 3255 apartments at 11:19-11:55pm (peak 1842 PPB)	Gjovik Docs
2020	09	18	tVOC spike at 3255 apartments at 4:38am-7:04am (peak 938 PPB)	Gjovik Docs
2020	09	18	tVOC spike at 3255 apartments at 10:05pm-3:11am (peak 1101 PPB)	Gjovik Docs
2020	09	19	tVOC spike at 3255 apartments at 7:39pm-8:13pm (peak 2127 PPB)	Gjovik Docs
2020	09	20	Irvine Co env public relations tells Gjovik “sure seems like something is going on”	Gjovik Docs
2020	09	21	US EPA (Ty) says Synertek plume has not migrated to apartments <i>Ashley asks US EPA (Ty) what data they relied on for that statement US EPA (Chip & Ty) never answers Ashley – but plume had migrated!!</i>	Gjovik Docs
2020	09	21	Apple wastewater discharge violations at 3250 Scott factory	PRA Docs (2023)
2020	09	22	Irvine Co would like to test the air above Gjovik’s apartment	Gjovik Docs
2020	09	22	Industrial Hygienist inspects Gjovik’s apartment & tests air <i>Results show a number of chemicals known to be at the 3250 Scott factory</i>	Gjovik Docs
2020	09	22	Apple joins advisory board of ChemFORWARD chemical safety	Press Release ⁶⁹
2020	09	24	Ashley finds very high tVOCs in hatch above shower, next to ‘fresh air intake’ vent ⁷⁰	
2020	09	25	Gjovik moves out of 3255 Scott Blvd (notifies Irvine Co & Apple)	Gjovik Docs
2020	09	26	Gjovik 2020 perf review: raise, bonus, RSU, 1x Exceed, 2x Meet <i>Gjovik “has helped senior leaders in [his] organization” with one manager saying Gjovik not only helped him personally become more successful, but also his entire team</i>	Gjovik Docs
2020	10	02	Apple’s 825 Stewart out of compliance with fire codes <i>Apple has already been contacted by the City of Sunnyvale, stating that SD01 is out of compliance and needs to be inspected RIGHT AWAY.</i>	Gjovik Docs
2020	10	11	Gjovik’s lease ends at 3255 Scott Blvd Santa Clara	Gjovik Docs
2020	10	12	Northrop measures TRW Superfund groundwater for annual review	Public Record
2020	10	13	New Gas Abatement unit & fire code violations at 3250 Scott	PRA Docs (2023)
2020	10	19	Gjovik’s weekly work status mentions going to Infinite Loop week prior	Gjovik Docs

⁶⁷ I thought I was dying: My apartment was built on toxic waste, https://www.youtube.com/watch?v=pGK4_sR1CvY

⁶⁸ I thought I was dying: My apartment was built on toxic waste, https://www.youtube.com/watch?v=pGK4_sR1CvY

⁶⁹ <https://twitter.com/ChemForward/status/1308483392170844162>; <https://www.chemforward.org/news/apples-art-fong-to-lead-chemforward-technical-advisory-group>

⁷⁰ I thought I was dying: My apartment was built on toxic waste, https://www.youtube.com/watch?v=pGK4_sR1CvY

UPDATED TIMELINE & FOIA EVIDENCE REPORT

ASHLEY GJOVIK V APPLE INC | 825 STEWART DR; 3250 SCOTT BLVD

2020	10	26	Gjovik's weekly work status mentions talking to Apple Health about 3255 apartments <i>Chatting with health teams about robots, and offered to give feedback on our health tech following my medical mis-adventures this year. They're setting up a feedback session for me.</i>	
2020	10	27	Gjovik introduced to Apple EH&S lawyer (Debra Rubenstein)	Gjovik Docs
2020	10	28	Vinyl Chloride "bounce back" increase in 3255/3250 groundwater wells	US EPA FYR
2020	10	28	1,1-DCE increase in 3250 groundwater wells	US EPA FYR
2020	10	28	TCB-1,2,4 contamination in groundwater well 36A at 3250	CalEPA GAMA
2020	11	02	Gjovik meeting with Apple EH&S legal about apartment & env law	Gjovik Docs
2020	11	04	Apple Legal tells Gjovik Apple wasn't testing for VI & needs to be	Gjovik Docs
2020	11	06	Gjovik meetings with Dr. Nadeau about chemical exposure, diagnosed MCSS	Gjovik Docs
2020	11	06	Gjovik meeting with Apple EH&S legal about apartment & env law <i>Legal said she was "on the side of big business," "worked for chemical companies before," and thought</i>	Gjovik Docs
2020	11	09	Gjovik's weekly work status mentions meeting with EH&S lawyer <i>Met twice with an environmental lawyer in EHS last week to learn more about the field</i>	Gjovik Docs
2020	11	12	Northrop does first SSV inspection with Apple, but no report	FOIA (2022)
2020	11	23	Apple's Chief Compliance Officer indicted for bribing the local Sheriff	News Articles ⁷¹
2020	12	14	Apple's 1st change of activated charcoal (630lbs) at 3250 Scott factory	DTSC Manifests
2020	12	14	Apple submits proposal to revoke <i>DTSC v Apple</i> order'?	SCC Courthouse
2020	12	23	Fire code violations at 3250 Scott	PRA Docs (2023)
2020	12	23	Gjovik's weekly status says she'll be out of office for exams 12/23-1/7	Gjovik Docs
2020	12		Presentation: Development of the ESS CSM for GW at former TRW Site <i>"The "Triple Site" plume in the Santa Clara Valley represents a classic example of a "complex contaminated groundwater site". Despite more than three decades of intense characterization and remediation efforts, ... significant uncertainties remain regarding subsurface fluid flow, plume containment, and restoration timeframes. -Northrop</i>	Public Record
2020	12	31	AEI Consultants files PRA for site assessment records at 2790 Walsh (an Apple R&D lab) ⁷² <i>This lab is 2,500 feet from the 3255 apartments. Lab has records of many chemicals and gases.</i>	

2021

JANUARY 2021

2021	01		Boss tells Gjovik employees who complain may " <i>feast on a banquet of consequences</i> "	
2021	01	04	EPA asks EPA for status update on 825 Stewart FYR action items	FOIA (2023)
2021	01	08	Gjovik presented to Apple Health leader on toxic exposure/Apple Health data	Gjovik Docs
2021	01	14	<i>DTSC v Apple</i> consent decree revoked? (Did Jared do a favor?)	SCC Courthouse
2021	01	14	Santa Clara FD hosts Risk Review Mtg for 3250 Scott exhaust & screen scrubber (PRA)	
2021	01	21	US EPA Region 9 admin position is vacant; acting admin Deborah Jordan ⁷³	US EPA

⁷¹ <https://www.cnn.com/2020/11/23/tech/apple-thomas-moyer-bribery-indictment/index.html>

⁷² <https://santaclara.nextrequest.com/requests/20-797>

⁷³ <https://web.archive.org/web/20210121181017/https://www.epa.gov/aboutepa/organization-epas-region-9-office-san-francisco>

UPDATED TIMELINE & FOIA EVIDENCE REPORT

ASHLEY GJOVIK V APPLE INC | 825 STEWART DR; 3250 SCOTT BLVD

FEBRUARY 2021

2021	02	Gjovik submits mid-year self-review to Apple	Gjovik Docs
2021	02	02 EPA email to EPA complaining status update about 825 Stewart is OVERDUE. FOIA	
2021	02	05 Gjovik sees an immunologist at UCSF about asthma & elevated tryptase	Gjovik Docs
2021	02	08 Gjovik contacts Santa Clara Mayor and Vice Mayor about 3255 Scott apartments	
2021	02	17 Apple EH&S: HVAC issues at TRW/site Apple office <i>Please be advised, there will be a vendor in SD01 tomorrow to troubleshoot ... air pressure.</i>	Gjovik Docs
2021	02	18 Gjovik wears 2 nd Zio patch from 2/5-2/18 (gets bad rash from it & PVCs high)	Gjovik Docs
2021	02	26 Northrop Grumman's 2020 TRW GW Monitoring Report <i>"Impact to the Site from off-site sources continues to be reported in Zones A, B1, and B2. This continued migration of VOC-impacted groundwater onto the Site complicates long-term achievement of Site cleanup goals." -Northrop The TCE concentrations for upgradient Zone B1 wells were reported to range from 64 µg/L (T-7B) to 810 µg/L (T-5B). The cDCE concentrations for upgradient Zone B1 wells were reported to range from 5.5 µg/L (T-7B) to 51 µg/L (T-5B). concentrations.</i>	FOIA Request

MARCH 2021

2021	03	02 Apple updates CERS claiming 825 Stewart is not a Haz Waste Generator <i>Is your facility a Hazardous Waste Generator? No</i>	PRA Docs (2023)
2021	03	09 Chemical spill at Apple Park; Apple does not report it	PRA Docs ⁷⁴
2021	03	11 Santa Clara Co tells Apple to report the spill to CalOES, Apple refuses	PRA Docs (2022)
2021	03	15 Santa Clara Co cites Apple for Class II violation of hazardous waste laws	PRA Docs (2022)
2021	03	15 Gjovik tells bosses Apple Biz conduct approved her toxic waste exposé <i>"Business conduct approved with two caveats: 1) don't mention I work for Apple, and 2) keep it to residential advocacy (i.e. don't bring up the toxic nightmare that is Stewart I, etc.)"</i>	Gjovik Docs
2021	03	16 Santa Clara Mayor Gillmor schedules meeting with Gjovik for April 8 th	Gjovik Docs
2021	03	17 Apple emails about vapor intrusion testing at Gjovik's office <i>"Good Morning, The Corporate EHS team is conducting a rather large scale project across the SCV building portfolio which includes a vapor intrusion survey within each building. This will require EHS to walk through each space that has exposed flooring and conduct visual observations along with air monitoring. Can the lab managers for spaces below please confirm if their space has exposed concrete or utility lines coming up through the flooring."</i>	Gjovik Docs
2021	03	17 Gjovik inquires about nature of testing & informs coworkers about site	Gjovik Docs
2021	03	17 Gjovik requests EH&S meeting to discuss the site	Gjovik Docs
2021	03	21 Gjovik mentions SF Bay View article in weekly work status <i>Spent last three weeks writing up the article about what happened to me last year, newspaper is targeting to publish it online in a week or two, then in print in April. Biz conduct signed off.</i>	Gjovik Docs
2021	03	22 David Powers tells Gjovik not to talk about safety/Superfunds to coworkers	Gjovik Docs
2021	03	22 EH&S reaches out to set up time with Gjovik about TRW site	Gjovik Docs

⁷⁴ Santa Clara County Department of Environmental Health, Public Records Request by Gjovik

UPDATED TIMELINE & FOIA EVIDENCE REPORT

ASHLEY GJOVIK V APPLE INC | 825 STEWART DR; 3250 SCOTT BLVD

2021	03	22	Apple joins ChemFORWARD as Partner (Chair)	Press Release ⁷⁵
2021	03	26	SF Bay View publishes Gjovik’s article about her toxic apartment	Gjovik Docs
2021	03	29	Gjovik notices the 2015 TRW VI report isn’t posted by EPA & asks for copy	Gjovik Docs
2021	03	29	Gjovik notifies Apple EHS & HR about 2019 fainting spell at office	Gjovik Docs
2021	03	29	EPA to EPA email to address ‘inconsistencies’ in strategy with Silicon Valley Superfunds	
2021	03	30	Gjovik emails Cal Public Health Dept about 825 Stewart	Gjovik Docs
			<i>“So, my employer doesn’t allow us to talk about the locations of our office buildings — but something has been eating at me. I’ve worked on an EPA Superfund site since January of 2017. I knew that vaguely it was a “bad one” but didn’t start really looking into it until a couple weeks ago. If I get in trouble for asking you about this... I’m going to argue I’m seeking the advice of the state’s best medical and scientific experts related to chemical exposure at remediation sites — about concerns I have about my personal health and safety.... ‘Cause I am. I work on the TRW Microwave site, part of the “Tripe Site,” in Sunnyvale. It was overseen by the Water Boards until the Superfund program took it over in 2014 after major vapor intrusion issues in the area, as well as on the site my office is on. I found reports of historical vapor intrusion in my building, even my specific working area, in 2003, 2004, & 2013 .”</i>	
2021	03	31	EPA to EPA emails about making Silicon Valley Superfund site mgmt. ‘consistent’ FOIA	

APRIL 2021

2021	04		Apple updates CERS that 825 Stewart <u>is</u> a Haz Waste Generator	PRA Docs
2021	04	01	Gjovik emails Cal Public Health Dept about 825 Stewart & 3255 Scott	Gjovik Docs
			<i>“I guess trying to figure out if my VOC exposure was “long term” instead of “short term” and what that might mean, but maybe doesn’t mean much if it was different chemicals — or levels. I did have one unexplained near fainting spell in my office in the fall of 2019 — but not sure if it’s related.”</i>	
2021	04	02	Gjovik’s SF Bay View article goes viral	Gjovik Docs
2021	04	02	Gjovik’s first meeting with Apple EH&S about 825 Stewart	Gjovik Docs
2021	04	02	West asks Gjovik to send toxic exposure comms to his personal email	Gjovik Docs
			<i>“Can you send that stuff to my Gmail instead of work? My mail account is routinely scanned for lawsuits.”</i>	
2021	04	02	Gjovik asks Apple ER to talk to David Powers about labor laws	
2021	04	02	Gjovik says employees have right to know; Apple says they don’t	
			Apple tells Gjovik they prefer employees raise issues internal, not to gov Gjovik asks Apple about CERCLA mitigations and ROD status Gjovik tells Apple she doesn’t see 2019 FYR posted & asks for copy Gjovik asks Apple if SSV ever made passive - & if any monitoring of SSV Gjovik asks Apple about deed & land use covenant compliance Gjovik: <i>“The land use covenant requires notice to be given to EPA if any damages to remediation systems — or any subsurface disturbance. How are employees supposed to follow this if there’s no notice it’s a remediation site?”</i> Apple responds to Gjovik about deed & land use covenant compliance Apple: <i>“Not employee’s responsibility — would be EH&S & Construction Mgmt. Austin is on-site and keeps an eye on it.”</i> Apple tells Gjovik they never heard Northrop did interior testing after 2015	
2021	04	03	Gjovik mentions politicians & SF Bay View article in weekly work status	Gjovik Docs

⁷⁵ <https://twitter.com/ChemForward/status/1374040094143840258>; <https://www.chemforward.org/news/apple-joins-chemforward-as-co-design-partner-boosting-sustainable-tech-innovation>

UPDATED TIMELINE & FOIA EVIDENCE REPORT

ASHLEY GJOVIK V APPLE INC | 825 STEWART DR; 3250 SCOTT BLVD

Published my article about how I got poisoned by a bunch of hazardous waste last year. Someone posted it on Reddit & it started trending on Friday night. Another newspaper is already interested in picking up the story. Meeting with elected officials to lobby for reform of the laws around housing on hazardous waste remediation sites. Met with Assembly member last week. Meeting with State senator & Santa Clara mayor this week. Biz conduct signed off.

- 2021 04 05 **Other victims come forward from 3255 Scott apartments** Gjovik Docs
- 2021 04 05 **Ashley notifies head of Apple Medical about employee exposure at 3255 Scott** Gjovik docs
- 2021 04 05 **Dan West texts with Gjovik about office:** Gjovik Docs
- Gjovik: Did you know that [Stewart 1 office] has a history of TCE, vinyl chloride, & chloroform vapor intrusion as recent as 2013? Beyond industrial limits, inside. And they haven't done any testing or monitoring since 2015." She added she was asking Apple EH&S to "reconsider the current policy of not disclosing Superfund status to the employees that work in these sites."*
- West replied, "Didn't know that. I'm pretty sure that before we moved in there was some testing. Not sure what though."*
- Gjovik responded, "He said they did more remediation in 2014 and did some indoor air testing in 2015 and it was fine now and they expect it to be fine. And I'm like what if the floor cracks, it's literally hades down there, and he's like yeah that would be bad, let us know if you smell anything weird. ER was there too. I expressed my understanding but general displeasure."*
- West replied, "It's all supposed to be sealed. Under the foundation."*
- Gjovik responded, "Yes, supposed to."*
- West replied, "But I'm no expert."*
- 2021 04 06 **Other victims come forward from 3255 Scott apartments** Gjovik Docs
- 2021 04 06 **Gjovik contacts Santa Clara City Council about 3255 apartments & additional victims**
- Santa Clara Mayor refuses to allow the additional victims to attend the meeting she scheduled with Gjovik*
- 2021 04 07 **Gjovik meets with state Senator about 3255 Scott apartment complex** CA Congress
- 2021 04 07 **Other victims come forward from 3255 Scott apartments** Gjovik Docs
- 2021 04 07 **Apple submits permit app to Santa Clara claiming 3250 isn't Haz site** PRA (2023)
- "This site is not included on the Hazardous Wastes and Substances Sites List" (ie Envirostor, Geotracker) – but it is!*
- 2021 04 07 **EPA to EPA email asking for data on Silicon Valley Superfund 'inconsistencies'. FOIA (2023)**
- 2021 04 08 **Apple tells Santa Clara County to close the investigation into the AP spill** PRA Docs (2022)
- 2021 04 08 **Gjovik has first meeting with Mayor Gillmor about 3255 Scott apartments** Gjovik Docs
- 2021 04 09 **CalEPA asks Honeywell questions about Synertek plume** Geotracker
- 2021 04 09 **Biden nominates Doug Parker head of US DOL OSHA** News Articles
- 2021 04 09 **Gjovik asks Apple ER again to talk to David Powers about labor laws** Gjovik Docs
- 2021 04 10 **EPA report says TRW Microwave site Human Exposure NOT Under Control FOIA (2023)**
- 2021 04 10 **EPA to EPA email that Triple Site needs FFS and RODA development (or ESD) FOIA**
- I'd add for Triple Site and I/S-C the need for an FFS and RODA Development (or ESD) is because the State significantly changed or 'optimized' the ROD remedy. I suspect there are other sites where the State approved ROD remedy changes through Orders or comments, but not through the CERCLA process.*
- 2021 04 11 **Gjovik to Powers: "none of this sounds safe" & pts to fainting spell** Gjovik Docs
- 2021 04 11 **Gjovik asks Apple about SS7 ("compromised") & SS11 ("missing")** Gjovik Docs
- 2021 04 15 **Apple human resources pressures Gjovik to file Worker's Comp claim** Gjovik Docs
- 2021 04 15 **Gjovik complains to Apple about contradictory statements by Lisa Jackson** Gjovik Docs
- "I wanted to raise an ethical concern to you — as you know I like to do when I see something that I feel is morally wrong. Two updates below, one work-specific general ethics concern & one personal as an Apple*

UPDATED TIMELINE & FOIA EVIDENCE REPORT

ASHLEY GJOVIK V APPLE INC | 825 STEWART DR; 3250 SCOTT BLVD

employee. One thing they said, I thought you'd be very interested in. ... EHS said Apple feels it has no obligation to disclose to employees if their workspace is on a Superfund site or other chemical release site. My manager got very upset about this. He gave me "employee feedback" about it. He said it was only a warning because I'm suffering from "mental health issues" (A couple weeks earlier I had told him I had PTSD from what happened last year). He then forbid me from speaking to anyone about my concerns or the sites Superfund status other than him and our Env, Health, & Safety team. "

2021	04	21	Gjovik contacts the US EPA about Apple & TRW site (9:29pm)	Gjovik Docs
2021	04	21	Gjovik files Worker's Comp claim (Sedgwick is administrator)	Gjovik Docs
2021	04	21	Gjovik mentions 825 Stewart/Superfund in weekly work status <i>Met with EHS Industrial Hygienist about SD01 vapor intrusion concerns on Friday 4/2. Sent Dave meeting notes. EHS sent me the most recent reports last week— submitted latest set of questions and awaiting response. Escalating general policy concerns to EHS, ER, Env, and I&D teams.</i>	Gjovik Docs
2021	04	21	Sedgwick complains Apple didn't tell them employees at Superfund sites	Gjovik Docs
2021	04	21	Lisa Jackson/Apple Environmental Justice event/presentation	Gjovik Docs
2021	04	21	Gjovik raises concerns to Apple HR about disparate chemical exposure	Gjovik Docs
2021	04	22	US EPA site manager asks to respond to Gjovik (4/22 5:39pm); denied	FOIA (2023)
2021	04	22	Gjovik reports 825 Stewart ROD/deed concerns to EPA	Gjovik Docs
2021	04	22	Gjovik contacts the EPA about Apple & 825 Stewart sub-slat ports	Gjovik Docs
2021	04	23	Gjovik asks Apple ER again to talk to David Powers about labor laws	Gjovik Docs
2021	04	23	Gjovik notifies Mayor Gillmor she is starting to investigate 'industrial sites uphill' from 3255	
2021	04	23	EPA notifies Apple EH&S Gjovik inquired & asks for Apple to meet with them	FOIA
			<i>We " recently received an inquiry from an Apple employee that has questions about the previous work there. Ideally, Apple's EH&S team would also participate. Please give me a call if you would like to discuss further and/or let us know a good time to set up a call with the concerned employee."</i>	
2021	04	23	US EPA to US EPA says don't talk to Gjovik w/out Apple present	FOIA (2023)
			<i>Chip: "Margot, she is asking for a discussion with the RPM. I plan to be on the call. Should this be treated as a press inquiry or just brief you?" Margot: "Let's chat." Fatima: "H.i Thanks for sharing this with me. Given our experience with her, we should involve press. Margot is cc'd. Also having worked in EHS at IBM, we should invite Apple's EHS team to whatever conversation we have with her. We want to avoid a situation of she said-they said."</i>	
2021	04	23	US EPA reviewing site records about TRW & Apple	FOIA (2023)
			<i>Chip: "Fatima and Michael. Do you have any contacts at Apple that Margot can reach out to? Michael. Let's coordinate with Fatima and Margot before responding and setting up a meeting. Can you also send Margot the address and site web-site?." / Michael: "I also found in SEMS (one of the last TRW VI records by date) a 2016 Vapor Intrusion Evaluation Report prepared by AECOM for Apple Inc. I'm not sure why Apple commissioned the report? Perhaps for due diligence, or part of their agreement to occupy the site."</i>	
2021	04	23	US EPA calls Apple Real Estate & Development team (2:22pm)	FOIA (2023)
			<i>Margot: I left a message for Tammy. I will call Michael shortly and Daniel is no longer with Apple. I explained their employee would like to have a conversation about the building and that we think EHS should be on the call too. Hopefully, we will hear back from her soon. If we do not hear back from her, I propose we send something along the lines of the following: Ashley, Thanks for your interest. We are happy to discuss this building with you and Apple's EH&S team. We reached out to the EH&S team and are awaiting their reply. Michael." -Margot</i>	
2021	04	23	US EPA (Margot) emails Apple (Steiger) about Gjovik & TRW (2:31pm)	FOIA (2023)
			<i>EPA: "Hi Michael, Follow up to my voicemail. Michael Schulman (copied on this message) is the project manager for the TRW Microwave site and recently received an inquiry from an Apple employee that has questions about the previous work there. Ideally, Apple's EHS team would also participate. Please give me a call if you would like to discuss further and/or let us know a good time to set up a call with the concerned employee."</i>	

UPDATED TIMELINE & FOIA EVIDENCE REPORT

ASHLEY GJOVIK V APPLE INC | 825 STEWART DR; 3250 SCOTT BLVD

- 2021 04 23 US EPA to US EPA drafts email to Gjovik FOIA (2023)
Margot: "Ashley, Thanks for your interest. We are happy to discuss this building with you. I've reached out to (NGC), Apple's EH&S team and the property owner and are awaiting their reply. Michael." -Margot
- 2021 04 23 Gjovik asks West's admin to move 1:1 from 4/30 because she has to 'get her brain scanned'
- 2021 04 26 Gjovik phone call with Sedgwick about Worker's Comp claim Gjovik Docs
- 2021 04 26 Gjovik mentions 825 Stewart/Superfund in weekly work status Gjovik Docs
SD01: Awaiting response from EHS. Escalating general policy concerns to EHS, ER, Env, and I&D teams.
- 2021 04 26 Apple responds to EPA & says can talk about Gjovik on April 27 FOIA (2022)
- 2021 04 26 US EPA to US EPA: "will you keep me posted on TRW?" FOIA (2023)
- 2021 04 26 US EPA (Margot) emails Gjovik about Gjovik's email to EPA (Michael) FOIA (2023)
"Hi Ashley, Michael forwarded your note and asked that I follow up with you. Please let me know a good time to chat so I can better understand your questions. I will be out of the office tomorrow, but am working the rest of the week. Many thanks!"
- 2021 04 26 Gjovik calls EPA (Margot) at phone number listed in signature, shares qs Gjovik Docs
- 2021 04 26 Santa Clara Mayor Gillmor schedules follow up meeting with Gjovik for April 29
Mayor's exec asst says left voicemail on Ashley's work phone about follow up meeting
- 2021 04 27 Apple ER needs 10min to explain Gjovik's "right to speak about T&C of employment"
- 2021 04 27 Apple ER gives Gjovik 5-point balancing test for talking about safety Gjovik Docs
*Ashley: "I chatted with Jenna this morning and she said I'm allowed to speak about any concerns about the terms and conditions of my employment — but I can only share information that is "complete and "accurate." Further, she said I should not cause "panic" if there's "no reason for panic." In addition, she said if there's any risk to employees safety, that communication would need to come directly from EHS. (Jenna, please confirm if this is a correct summary or not, and if not please clarify)."
Jenna: "I said you have a right to discuss the terms and conditions of employment. We ask that you ensure the information you share is as accurate and complete as possible when doing so. I wasn't present in your conversation with Dave, so I can't say what he did or didn't say. However, Dave seemed confident that he did not use the terms "warning" or "mental health issues" related to your right to speak about your concerns. He said that it wasn't a warning and he did not forbid you from speaking to others. He said that the intention of his message was aligned with my message above. He said he encouraged you to work with EHS to understand the data available fully. I shared today that if others have concerns, they can connect with me or EHS directly- we are not asking you to broker those conversations. Rather, we would like to speak individually with each employee who is interested to allow them to address their concerns privately."*
- 2021 04 27 Apple ER tells Gjovik if coworkers have safety concerns send them to HR Gjovik Docs
Apple: "if others have concerns, they can connect with me or EH&S directly... we would like to speak individually with each employee who is interested to allow them to address their concerns privately."
- 2021 04 27 Apple renews city Permit to operate Hazardous Waste Generator at 825 PRA Docs (2023)
- 2021 04 27 Gjovik complains to Apple about nonconsensual sexism investigation Gjovik Docs
"the original reason I reached out to ER was because of comments Dave made to me in my 1:1 with him several weeks ago related to the TRW Microwave EPA Superfund site (aka our office building Stewart 1). I've captured my concerns in separate emails. I know you already talked to him — but I'd like the formal list of concerns to reflect that was the original and primary concern. I also let Dan know that was my primary concern on 4/9 and he also said he would talk to you about it... I'd prefer to shut this down." -Gjovik
- 2021 04 27 EPA responds to Apple asking if can meet April 28; Apple confirms FOIA (2022)
- 2021 04 27 EPA drafts email to Gjovik saying ratted her out to Apple, NGC, & CalSTRS FOIA (2023)
- 2021 04 28 EPA to EPA email about TRW asking for info before briefing "Dana" FOIA (2023)
- 2021 04 28 EPA to EPA email "Don't remember doing much with TRW" FOIA (2022)

UPDATED TIMELINE & FOIA EVIDENCE REPORT

ASHLEY GJOVIK V APPLE INC | 825 STEWART DR; 3250 SCOTT BLVD

2021	04	28	EPA to EPA email “Questions about TRW Microwave” <i>Hi Matt and Dan Melanie cc : you on the 2016 Vapor Intrusion Evaluation Report, for the TRW Microwave Site at 825 Stewart Drive in Triple Site. The 2016 report was prepared by AECOM for Apple. Do you recall providing Tech or QA input on the 2016 report? I can provide more details if you want to talk? I only have the information in SEMS. This is related to a public inquiry from Ashley Govik who works for Apple and we understand works at 825 Stewart Drive. I suspect you are aware of Ashley's BayView story, and Dana has asked for abriefing tomorrow for background and a status update. Thanks, Michael</i>	FOIA (2023)
2021	04	28	EPA & Apple meeting: “quick call to touch base” (mtg sent 4:08pm for 5pm)	FOIA (2022)
2021	04	29	Honeywell doing ‘situ bioremediation’ monitoring around 3250/3255	US EPA FYR
2021	04	29	Increasing TCB-1,2,4 contamination in groundwater well 36A at 3250	CalEPA GAMA
2021	04	29	New TCE in groundwater well 33A at 3255 Scott	CalEPA GAMA
2021	04	29	Gjovik has 2 nd meeting with Santa Clara city Mayor Gillmor about 3255 Scott	Gjovik Docs
2021	04	29	EPA briefing to Dana Barton about TRW Microwave & Gjovik	FOIA (2023)
2021	04	29	EPA & Apple meeting “checking in” (mtg sent 4/28 6:01pm for 4/29 5pm)	
2021	04	29	Apple accepts invite from EPA for meeting at 4/29 4:36pm (for meeting 4/30 10am)	
2021	04	29	Gjovik’s boss Dan West says she can quit Apple re: harassment <i>“EPM role will stay under Dave until Ashley leaves, then role will likely be dissolved and transformed into standard engineer or manager role. Ashley will need to find new role outside PSQ (or new job outside Apple)” -email</i>	Gjovik Docs
2021	04	29	EPA to EPA email “I have time now if you want to talk about TRW”	FOIA (2022)
2021	04	29	EPA (Margot) emails Gjovik about phone call (10:03am) <i>“Ashley, I have not forgotten about you - I got slammed yesterday afternoon. I will be writing them up and sending them on to ensure I captured all of the items for which you are seeking information. I appreciate your time!” -EPA</i>	FOIA (2023)
2023	04	29	Gjovik replies to EPA (Margot) offering to send notes (10:19am) <i>“Hi Margot! No worries at all. Hope things calm down. Actually, if you'd prefer, I can send you a note today or tomorrow summarizing my questions. I'll start drafting!”</i>	FOIA (2023)
2021	04	30	Gjovik visits UCSF Occupational Medicine doctor <i>UCSF: She also notes an unexplained episode of fainting at work in Sept 2019 at her office on a Superfund site with a long history of vapor intrusion issues in the building. She also notes her current office is in TRW Microwave building on an U.S. EPA Superfund "Triple Site."</i>	Gjovik Docs
2021	04	30	Phosphine leak at 3250 Scott factory (explosion?!?) <i>“E99 responded to ARIA for a toxic gas alarm. E99 arrived on scene and was met by ERT staff. They stated that they had a Phosphine sensor alarm in their lab. They were purging the lines for a phosphine gas cabinet. The phosphine had gone through the scrubbers and back in through the air handling system and into the lab area, separate from the gas cabinet. Area sensors in the lab indicated that there was a peak reading of 32 PPB. Measurements were made after the incident and a determination was made that there was a .001145 lbs. of phosphine that had been purged. We determined that the readings in the lab were accurate based on the curvature of the graph. Multiple area sensors all reading phosphine gas were in alarm. The crew from E99 and H99 set up the command structure and requested E98 code 2 for backup entry and decontamination. A ICS 208 was started and is available at for full documentation of the incident. There were no exposures to the gas. The ventilation system was increased to exhaust the gas out of the facility as fast as possible. We decided that nonintervention was the safest course of action due to there was no current leak at the time, and the PPB was diminishing. Once the area sensors read 0 PPB we made a joint entry with our sensors and an ERT member from ARIA with one of their sensors. It was determined that there wasn't any phosphine left in the facility and it was clear to let employees back into the building. ARIAs EHS staff was advised to contact CAL OES for their required notification. I contacted CAL OES to obtain an incident number 21-2288.”</i>	PRA (2023)
2021	04	30	EPA to EPA email to update 825 Stewart SWAURU to 9/20/2023	FOIA (2023)
2021	04	30	EPA & Apple “checking in” meeting (mtg sent 4/29 5:59am for 4/30 5pm)	FOIA (2022)

UPDATED TIMELINE & FOIA EVIDENCE REPORT

ASHLEY GJOVIK V APPLE INC | 825 STEWART DR; 3250 SCOTT BLVD

- 2021 04 30 EPA & Apple “checking in” meeting (mtg sent 4/29 2:21pm for 4/30 6:30pm) FOIA (2022)
- 2021 04 30 EPA meets with Apple “brief check in!” (meeting invite sent 5:14pm for 6:30-7pm mtg) FOIA
- 2021 04 30 Gjovik emails EPA notes of earlier phone call with EPA & open qs (7:29pm) Gjovik Docs**
- Gjovik: “from what Apple has told me, they said they decided internally that they have no legal obligation to have to inform employees about the status of these buildings related to chemicals in the soil or groundwater, or Superfund status, etc. I pressed further if there’s an ethical obligation and they said that would be a “bigger conversation.” It sounds like they think they only have to inform employees if there’s a concrete and immediate risk to employee health (which I argued... how would they know that if they’re not testing?... no answer). I’m also feeling pressure to not talk to co-workers about any of this either (from my direct manager and our employee relations teams). I am curious what the EPA’s expectations are for responsible parties related to informing workers in these buildings about the chemicals, the gov status, etc. Maybe this is more OSHA & “Right to Know” — but any guidance you can provide here would be helpful. Also anything about workers rights to be able to talk about these sites.”*
- Gjovik: “I’m curious what the EPA’s expectations are for responsible parties (and companies they may lease to) to communicate to workers in these buildings about how to monitor for their issues (weird smells, weird health issues, etc) or how to report trouble or what not to mess with (plugs, HVAC, etc). Etc.”*
- Gjovik: “I am curious what the EPA’s expectations are for the frequency (how often) & duration (how long/intensive) of indoor air testing in a building like TRW Microwave. Did you approve that they could stop doing indoor air testing after 2015 — or is it up to the responsible party to decide? Are Ethylbenzene and Toluene CoCs for the great Triple Site plume — could they be migrating?”*
- 2021 04 30 EPA (Margot) to EPA (Fatima, Michael, Chip) about Gjovik’s email FOIA (2023)
“Looks like I’m too late - here are the questions!”-Margot
- 2021 04 30 Gjovik has Head CT Angiogram w/ & w/out IV contrast at Stanford Hospital Gjovik Docs
Requires radiation: Based on a 16 cm phantom, the estimated radiation dose (CTDIvol [mGy]) for each series in this exam is 55, 16, 30. The estimated cumulative dose (DLP [mGy-cm]) is 1922.

MAY 2021

- 2021 05 01 Gjovik out of office for Spring term final exams (5/1-5/11) Gjovik Docs
- 2021 05 03 Coworker receives unexpected meeting invite from Apple EH&S about office Gjovik Docs
- 2021 05 03 Other victims email Mayor Gillmor about being sick at 3255 Scott apartments Gjovik Docs
- 2021 05 03 Gjovik texts with Mayor Gillmor about 2 more victims contacting her about 3255
- 2021 05 04 EPA email to self “Rebekah: TRW Potentially Responsible Party Authority” FOIA (2022)
- 2021 05 05 Coworker meets with EH&S & never learns why they reached out Gjovik Docs
- 2021 05 05 Gjovik emails Apple exec complaining about retaliation by Apple Gjovik Docs
- 2021 05 05 Apple bosses say Apple worried about attrition (April 29 said she can quit) Gjovik Docs
- 2021 05 05 Northrop Grumman provides EPA “vapor intrusion timeline” for TRW FOIA (2022)
- 2021 05 05 EPA asks NG about SSV & NG says 2020 inspection but no report FOIA (2023)
- EPA: “Thanks Kurt, this the timeline is helpful. Has there been any routine inspections or O&M of the passive mitigation system since 2015?” NGC: “Michael - The consultant that does our annual groundwater monitoring event inspected the system in October 2020. Not much to inspect there with a passive system, but they did confirm that the vents were freely spinning. We intend to have them inspect the system annually going forward when they do the annual monitoring event. I see that they did not do a writeup on it in the 2020 annual report, but we could provide a separate memo on that if you would like. Going forward, I can have them include a writeup in the annual reports.”*
- 2021 05 06 EPA to EPA email asking about TCE levels from 2015-2020 FOIA (2022)
- 2021 05 06 Northrop Grumman/EPA meeting at 1:30pm about TRW/Gjovik FOIA (2022)

UPDATED TIMELINE & FOIA EVIDENCE REPORT

ASHLEY GJOVIK V APPLE INC | 825 STEWART DR; 3250 SCOTT BLVD

2021	05	06	EPA to EPA updates about meeting with Northrop Grumman	FOIA (2022)
2021	05	06	EPA to EPA email asking about TRW groundwater /soil testing after 2015	FOIA (2022)
2021	05	06	EPA to EPA email asking about TCE levels from 2015-2020	FOIA (2022)
2021	05	06	Gjovik requests PRA from Sunnyvale city for 825 Stewart EIR & planning documents	
2021	05	07	City of Sunnyvale provides Gjovik building records	PRA (2022)
2021	05	07	ChemFORWARD (Apple) celebrates Apple celebrating ChemFORWARD (Apple) ⁷⁶	
2021	05	08	EPA asks Northrop for historical groundwater, soil, & vapor intrusion data	FOIA (2022)
2021	05	10	Gjovik out of office on sick leave (5/12-5/17)	Gjovik Docs
2021	05	10	EPA receives questions from Triple Site residents about safety at Triple site & TRW	
2021	05	11	EPA to EPA about response to Gjovik (10:11am)	FOIA (2023)
			<i>"I will hold on my review until comments are incorporated and then discuss the response with Dana."</i>	
2021	05	12	EPA asks Northrop for copy of June 2015 vapor intrusion report	FOIA (2022)
2021	05	12	Gjovik signs CA DIR Worker's Comp form abt "industrial chemicals"	Gjovik Docs
2021	05	12	US EPA asks Northrop Grumman for SSD report from 2020	FOIA (2022)
2021	05	13	US EPA (Chip) to EPA (Margot) status on response to Ashley	FOIA (2023)
			<i>Chip: "I am checking in to see if you have seen all the edits and if you think it is ready for my review. I was going to review it tomorrow and flip through it with Dana on Monday so we can get back with Ashley."</i>	
2021	05	13	Northrop sends EPA more TRW groundwater data	FOIA (2022)
2021	05	13	60lbs of "vacuum filter contaminated with glass dust removed at 3250	DTSC Manifests
2021	05	16	Gjovik weekly work status mentions all her iCloud@Apple files disappeared	Gjovik Docs
			<i>"SD01: Meeting with EHS on 5/17. Escalated general policy concerns to EHS, ER, Env, and I&D teams. iCloud@Apple deleted all of my Apple files from the last six years and are being PITAs about restoring them."</i>	
2021	05	17	Gjovik back in office after exams and sick time	Gjovik Docs
2021	05	17	Apple won't answer any more Ashley qs, may not test the air now, mtg over	Gjovik
			<i>Gjovik Notes: "I have access to all publicly available information about the site per the gov websites. The report Michael previously shared should include all details for both May & Dec 2015 testing. Unless VI testing is done in the future, no additional data will be shared. There is no timeframe for testing for vapor intrusion in Stewart 1. EH&S might not test for vapor intrusion in Stewart 1 this year, or near future — they are looking over the building evaluation report and then will make a decision at an unspecified time whether they do VI testing or not."</i>	
2021	05	17	Apple EH&S manager (Steiger) suddenly goes on leave	Gjovik Docs
2021	05	18	Gjovik forwards email w/intro to EHS lawyer to coworker alleging cover-up	Gjovik Docs
2021	05	18	Dan West emails Gjovik replying to her April 29 meeting notes	Gjovik Docs
			<i>"First and foremost, as we've discussed, your health is of the utmost importance. Please make sure to continue to work with Sedgwick and People Support about the Workers' Compensation claim. Additionally, EAP is a great resource that you may want to look into, if you haven't already... Apple does not tolerate retaliation for raising concerns. It's important employees feel comfortable sharing what's happening for them. I know you raised some issues to EH&S about Stewart 1 and are in communication with them. I've not been involved in those conversations so please continue to work with EH&S to address your questions/concerns as our experts on health and safety for all of our employees."</i>	
2021	05	19	Northrop Grumman sends EPA more air & soil data	FOIA (2022)
2021	05	18	EPA receives inquiry from potential resident on Triple Site & 825 Stewart	FOIA (2023)

⁷⁶ <https://twitter.com/ChemForward/status/1390773254680350722>; <https://www.chemforward.org/news/apple-and-chemforward-collaboration-offers-affordable-verified-data-on-safer-cleaners-to-protect-worker-health>

UPDATED TIMELINE & FOIA EVIDENCE REPORT

ASHLEY GJOVIK V APPLE INC | 825 STEWART DR; 3250 SCOTT BLVD

2021	05	19	EPA prepares response to public inquiry about Triple Site & 825 Stewart	FOIA (2023)
2021	05	21	Northrop Grumman prepares SSD System Report ⁷⁷	FOIA (2022)
2021	05	21	Gjovik has a mammogram at UCSF due to ‘recent industrial chemical exposure’	
2021	05	21	Gjovik emails Dan West about TRW Superfund office (replies to 5/18 email) <i>“As for EH&S, I met with them this week and they said they will no longer answer any of my questions about vapor intrusion (pending or new questions). They also back-tracked and said now they may not even do indoor air testing this year. I’m still very concerned about the safety of SD01. I raised my concerns to Dave this week as it sounds like personally I have no next steps around that as far as internal process goes. I shared all of my email notes and communications with EH&S with Dave as well, so he has visibility to all of my unanswered questions. I’ll sync with him when I’m back to see if he has any suggestions for a path forward around the building.”</i>	
2021	05	21	Apple suddenly offers Gjovik paid admin leave (it was a trick for the floor survey!)	
2021	05	22	Apple suddenly denies Gjovik’s Worker’s Comp claim without notice	Gjovik Docs
2021	05	24	Gjovik’s first admin leave starts through June 3 2021 (she’s tricked!)	Gjovik Docs
2021	05	24	Apple enters into “mega-deal” real estate agreement with Irvine Co ⁷⁸	News Article
2021	05	25	Northrop submits 2020 SSV report to EPA (omits SSD/HVAC issues) <i>Northrop: “The SSD system was visually documented to assess the system for its current working state. Observations were made regarding current building roof layout of HVAC systems, barriers, and roof equipment....All roof turbines spin freely with manual assistance and do not appear to be seized due to corrosion or rust. During the site visit, only the roof turbines on the north building were observed to be spinning due to ambient wind... The current configuration of the SSD system is consistent as configured during the December 2015 sampling and VI assessment (AECOM, 2016), and roof turbines are in working condition.” -NG</i>	FOIA (2022)
2021	05	27	EPA Public Affairs director comments on draft response to Gjovik’s qs	FOIA (2023)
2021	05	27	Margot & Alpern emailing back & forth about draft response to Gjovik’s qs <i>Alpern: Hi. I made some edits and comments in the doc. [redacted]. Margot: SEMD thinks it’s important (and I agree) to ensure the previous sampling efforts are appropriately characterized. Happy to discuss. Alpern: That’s fine. [redacted] Margot: We should chat about this. Can I give you a call now? Alpern: I really can’t now. Having to wrap up a# of things as we near COB. Tomorrow? Margot: Sure thing. [redacted] Alpern: [redacted]</i>	FOIA (2023)
2021	05	28	EPA to EPA emails about Alpern’s comments on draft response to Gjovik <i>“His first comment is a tricky one to address. EPA has no order for this work. I’ll set up a meeting for us to go over. Do you want to goover tomorrow, although it looks likeyou’re off tomorrow. fI so, how about next Tuesday at 9:30?”</i>	FOIA (2023)
2021	05	?	Apple does “floor penetration survey” at TRW site	Gjovik Docs

JUNE 2021

2021	06		Apple hires Robert Thomas to take over “Environmental Compliance”	LinkedIn
2021	06	01	Apple’s Chief Compliance Officer somehow gets un-indicted for bribery	News ⁷⁹

⁷⁷ Northrop Grumman, Annual Maintenance Inspection Memo: Sub-Slab Depressurization (SSD) System, Former TRW Microwave Site, 825 Stewart Drive, Sunnyvale, CA (24 May 2020)

⁷⁸ <https://www.mercurynews.com/2021/05/24/apple-mega-deal-iphone-maker-huge-sunnyvale-expansion-realestate-tech/>

⁷⁹ <https://www.washingtonpost.com/technology/2021/06/01/thomas-moyer-apple-bribery-exonerated/>

UPDATED TIMELINE & FOIA EVIDENCE REPORT

ASHLEY GJOVIK V APPLE INC | 825 STEWART DR; 3250 SCOTT BLVD

2021	06	01	EPA to EPA email of “TRW Response” draft to Gjovik’s questions <i>“As site condition and groundwater concentrations have remained stable to declining vapor intrusion EPA believe the site conditions remain protective human health for workers.”</i>	FOIA (2023)
2021	06	03	Apple ER finishes “investigation” & finds “no policy violations”	Gjovik Docs
2021	06	04	NASA/EKI contacts EPA about VI at TRW Site per recently posted 2019 FYR	FOIA (2022)
2021	06	04	EPA email to EPA about NASA/EKI inquiry about TRW/Triple Site air	FOIA (2022)
2021	06	07	EPA email to EPA about NASA/EKI inquiry about TRW/Triple Site air	FOIA (2022)
2021	06	07	EPA responds to NASA/EKI about TRW/Triple Site air	FOIA (2022)
2021	06	07	EPA responds to Gjovik re: HVAC configuration during wildfires <i>EPA: “Thank you for conveying that during the wildfires last year the HVAC system was turned off, as it is important for EPA to be aware if there’s a significant change to site conditions. Even with the HVAC system off, the sub-slab vapor collection system will continue to vent vapors that collect under the building to the atmosphere.”</i>	Gjovik Docs
2021	06	07	Gjovik’s weekly work status mentions TRW Superfund & file issues <i>SD01: EHS will no longer answer my questions. Escalated open concerns to ER + Dave/Dan. iCloud@Apple deleted all of my Apple files from the last six years; restored about 5% of them.</i>	Gjovik Docs
2021	06	07	Gjovik returns from paid admin leave – everything is terrible & worse	Gjovik Docs
2021	06	07	EPA (Margot) tells Gjovik EPA believes “remedy in place remains protective”	Gjovik Docs
2021	06	09	Gjovik’s coworker emails EPA concerned about 825 Stewart safety	FOIA (2023)
2021	06	09	EPA to EPA emails about human exposure setting on website <i>Another inquiry from the TRW Apple Building. The EI I think should be HEUC, but I want to double check the root cause why it is “No” (perhaps inadvertently tied to the OOU, an oversight, something I’m missing...)? I’m don’t want reply back until Ashley first get’s a response back, but I’d rather not be radio silent with a reply until next week either. Michael</i>	FOIA (2023)
2021	06	10	EPA to EPA emails about human exposure setting on website <i>Michael drafts response to coworker claiming 2019 report now says human exposure under control completely. Sends to Chip. Chip says ‘I look good to me.’ Michael then responds, “Thanks, I’ll go ahead and send out as Angie’s off now and I like it anyway. As long as it’s not dismissive, rude, tone-deaf, etc. she can always follow up if it’s important to her.” Michael then adds to Chip, “And, I think your CDO is tomorrow, not to add more to your plate, but it’s be good to have the TRW (and AMD) Els in SEMS updated so the website updates.” Michael then re-forwards these emails to Chip on Dec 6 2021.</i>	FOIA (2023)
2021	06	11	EPA (Michael) responds to coworker claiming 825 Stewart is safe <i>“I apologize, the Health& Environment/Performance Measures table on the TRW Microwave website is outdated and the information that human exposure is not under control is incorrect. Thank you for pointing this out. I have updated the website so it correctly reflects that human exposure at TRW Microwave is under control.”</i>	FOIA (2023)
2021	06	10	Gjovik reports retaliation by Apple bosses to Apple HR/ER	Gjovik Docs
2021	06	10	Gjovik tells Apple she doesn’t feel safe going back to the TRW office	Gjovik Docs
2021	06	10	Apple tells Gjovik only way to avoid coming back to TRW is ADA request <i>Apple: “Finally, we talked about the Accommodation process, in response to your concern about the safety of your building with the expectation of returning in September. I advised that now is the right time to begin that process to discuss your accommodation request to continue to work remotely, and pursue documentation from your physician to support that request. Please see the below form to meet with your doctor and begin this process. Since this process can take a while, I recommend we start it now to ensure we have plenty of time in the interactive discussion.”</i>	Gjovik Docs
2021	06	10	Triple Site resident emails EPA with concerns about safety	FOIA (2023)
2021	06	11	US EPA updates 825 Stewart to “human exposure under control” ?!	FOIA (2023)

UPDATED TIMELINE & FOIA EVIDENCE REPORT

ASHLEY GJOVIK V APPLE INC | 825 STEWART DR; 3250 SCOTT BLVD

2021	06	14	EPA email to EPA about NASA/EKI about Triple Site	FOIA (2022)
2021	06	14	Gjovik sends Tim Cook petition on behalf of 2k employees	Gjovik Doc
2021	06	14	Gjovik's weekly work status mentions needing to move back to Santa Clara in 1 month	
2021	06	14	Someone files PRA to Santa Clara for records about 3255 Scott since March 2006 ⁸⁰	
2021	06	16	Confirmation Senate hearings for Doug Parker (US OSHA)	News Articles
2021	06	17	Gjovik meets with head of Apple corporate employee relations, complains	Gjovik Docs
2021	06	22	NASA/EKI email to EPA about Triple Site	FOIA (2022)
2021	06	22	Gjovik tells Apple she's gonna talk to the press about toxic workplace	Gjovik Docs
2021	06	23	EPA email to EPA about NASA/EKI inquiry about Triple Site	FOIA (2022)
2021	06	28	Gjovik reports retaliation by Apple bosses & HR & ER	Gjovik Docs
2021	06	30	Gjovik complains of more retaliation by Apple to Apple	Gjovik Docs
2021	06	30	Apple entered RCRA TRI information for NMP release in 2020	US EPA TRI

JULY 2021

2021	07		Gjovik posts on Apple Slack about Northrop, Sugar, & Apple	Gjovik Docs
			<p><i>Gjovik posted, "I just learned NG is on Apple's board of directors. They're a massive weapons manufacture and defense contractor building missiles and other war tech, among other dark endeavors. What kind of influence is a dept of Def weapons contractor having on Apple's business??? Link: Ronald D. Sugar Joins Apple's Board of Directors."</i></p> <p><i>The Senior Manager of Apple's Global Security Communications and Tools, affirmed Gjovik's' concerns writing, "the professional histories of those gentlemen may not align as closely as I'd like with Apple's principles."</i></p> <p><i>Gjovik replied, "After being a c-level exec of a major company they're likely to have allegiance back to those previous companies – not to mention financial interest in those company's interests (as I'm sure these guys still have a fair mount of stock in Boeing & NG). Working in a certain sector for that long, you're also going to have a network, business investments, partnerships, and a particular view of the work you're going to apply in your future dealings. Mr. Sugar is not just on Apple's board – he's also on Chevron's board."</i></p>	
2021	07	02	Gjovik responds to Apple about ADA request with letter from doctor	Gjovik Doc
			<p><i>My doctor is prepared to provide supporting documentation if needed, including diagnosis & medical records. Please let Sedgwick know they can also reference my existing medical documentation and claims in Sedgwick disability claim #302048282250-0001 (2020 chemical exposure) and Sedgwick worker's comp claim #302174831070001 (2019 chemical exposure).</i></p>	
2021	07	02	Apple ER says Apple EH&S (Steiger) is leaving Apple	Gjovik Docs
2021	07	02	Apple notifies Gjovik of cracks in Superfund floor & plan to seal them.	Gjovik Docs
2021	07	02	Apple ER says they have a "floor sealing plan" for cracks & gaps	Gjovik Docs
			<p><i>Note: They say they did a survey in May – unknown when, when Gjovik on leave ^^ ?</i></p> <p><i>Apple: "In May we performed step one of a three step process. We did the floor pathway survey, checking for cracks and gaps that can build over time due to natural floor movement. Based on that, we developed a floor sealing plan. Right now, we are in step two scheduling the floor crack sealing work by a contractor (expected within a month according to verbal from the construction management team)."</i></p>	
2021	07	02	Gjovik asks if Apple will test air before they seal the cracks for cancer info	
2021	07	03	Gjovik complains of retaliation from Apple again	Gjovik Docs
2021	07	04	Gjovik complains Apple ER/EH&S said they'd only test air after they fix cracks	Gjovik Docs

⁸⁰ <https://santaclara.nextrequest.com/requests/21-462>

UPDATED TIMELINE & FOIA EVIDENCE REPORT

ASHLEY GJOVIK V APPLE INC | 825 STEWART DR; 3250 SCOTT BLVD

“The only reason I can think of that they’re refusing to do this testing after they previously planned on doing it, was that all the questions I was asking were very good questions and revealed major gaps/issues — so they’re going out of their way to not have evidence of their negligence.”

2021 07 04 Gjovik complains to Apple ER boss about safety cover up Gjovik Docs

“Meanwhile, Jenna finally got a response from EH&S and the guy, Michael, who has been overseeing these chemical clean up sites for Apple for eight years is now quitting / fired. The last meeting I had with him he read a script, I assume from legal, where he very uncomfortably said that he is the expert, and the oversight was all his decision, and he personally feels its safe. Literally an hour after that meeting he went on short term disability medical leave — and now apparently upon returning, he’s leaving Apple. Also, Jenna’s update from EH&S included the fact they did find cracks in the floor of my office (which is exactly how vapor intrusion from chemicals directly beneath the floor can end up in the indoor air). They said they would test the indoor air at a “TBD” time, but only AFTER fixing the floor. I specifically asked if they can test BEFORE they fix the floor since they haven’t tested the indoor air for six years, since 2015 before any Apple employees were moved in — or anyone it was vacant forever — and despite a long history of indoor air vapor intrusion above max industrial limits, Apple only did “limited testing” and called it good, even though that testing showed industrial chemicals again above industrial limits. I told EH&S & Jenna I want to know which chemicals are in the air and at what levels — for future cancer monitoring, etc. The only reason I can think of that they’re refusing to do this testing after they previously planned on doing it, was that all the questions I was asking were very good questions and revealed major gaps/issues — so they’re going out of their way to not have evidence of their negligence. “

2021 07 07 EH&S Manager (Steiger) says he’s leaving Apple & going back to EKI Gjovik Docs
Gjovik asks EH&S manager if he worked on her apt, he says no & he checked

2021 07 07 Gjovik notices & inquires on major re-org in EH&S organization, Apple does not reply

2021 07 07 Apple refuses to check under carpet for cracks Gjovik Docs

Unknown at this point if cracks are deep enough that air could be coming through from beneath however Antone was “unconcerned by what he saw” and he and Michael think the passive sub-slat vents should be adequately routing the soil vapor outside the building (not up/inside, aka intrusion). During the floodway survey they did not look under the carpet — so the area around my desk (a hot spot) was not surveyed for cracks or other issues

2021 07 07 Apple says 2021 was first time they did pathway survey at TRW Gjovik Docs

Gjovik: “Antone & Michael kept saying this is routine maintenance but said this year is also the first time this routine maintenance process is being kicked off for Apple buildings on chemical clean-up sites with risks of vapor intrusion. I asked if Apple has done this floor-sealing work in other buildings with employees currently working in them and I was told “they have done it for two or three buildings.” I said I was concerned they were misrepresenting the “routine-ness” of this work this year & I asked which buildings they did the “routine floor sealing” in previously and Jenna told me “they won’t discuss buildings I’m not in,” “won’t answer that question,” and “that level of detail is not appropriate for this call.” Antone/Michael/Jenna will not answer any of my additional questions, or provide additional questions, or provide any guidance around risk & exposure other than “they feel it is safe.”

2021 07 07 Apple says indoor air test will be 1week, sorbent, HVAC on, & regular use Gjovik Docs

*Gjovik complains, Apple says best practice, Gjovik asks for policies, Apple says there’s none
Gjovik asks for 48hr Summa T015 – Apple says no, only sorbent, no Summa
Apple refuses to notify EPA about the cracked floor; Gjovik says has to re: CERCLA; Apple says no
Gjovik tells EPA that Apple won’t test air now & EH&S quitting*

2021 07 07 Gjovik emails EPA about Apple sealing the floor & refusal to notify EPA Gjovik Docs

Gjovik: “Apple won’t give me any details of what the “floor sealing process” entails. They said they only did a “quick walk-through survey” for cracks and only saw what was readily available (I asked if they looked under the carpet by my desk, which is a hot spot in the building, and they said no) — they made sure to say it wasn’t an “evaluation” for whatever reason. They admitted this is the first walk through they’ve done since 2015 in the building.”

2021 07 07 Apple/Orrick position statement in March 2022 claim Gjovik was being unreasonable

UPDATED TIMELINE & FOIA EVIDENCE REPORT

ASHLEY GJOVIK V APPLE INC | 825 STEWART DR; 3250 SCOTT BLVD

EHS also explained that no EPA reporting was necessary because Apple's planned work was routine and voluntary. (pg 8)

Ms. Gjovik's continued expressions of concern about the plan do not constitute protected activity. Ms. Gjovik first expressed concerns related to the planned work on March 17, 2021(pg11)

Ms. Gjovik's subsequent expressions of concern regarding workplace safety were unreasonable and her activities lost any protected status as a matter of law (pg11)

- 2021 07 07 Gjovik's weekly work status mentions TRW Superfund site Gjovik Docs
EH&S met with me again last week despite previously saying they weren't going to answer any more of my questions about chemical exposure in SD01.
- 2021 07 08 **Gjovik tells coworker she's thinking about doing air testing in next few weeks**
- 2021 07 08 **Gjovik discovers West is reassigning her projects & complains to Apple** Gjovik Docs
- 2021 07 08 Gjovik tells Apple she's talking to a journalist about the site Gjovik Docs
- 2021 07 09 Gjovik meets again with Apple head of employee relations Gjovik Docs
- 2021 07 12 **Apple says Gjovik has to come back in person unless files ADA request** Gjovik Docs
- 2021 07 12 Gjovik's weekly work status mentions reassignment & TRW Superfund site Gjovik Docs
Need to understand pass-down from May Dan-staff, provided by Yuan last week. Sounds like my role on this project was reduced and someone else may be stepping in to take it over. No idea why, haven't heard anything from Dan or Dave. EH&S met with me again last week despite previously saying they weren't going to answer any more of my questions about chemical exposure in SD01. They found cracks in the floor of Stewart that need to be sealed to prevent/stop vapor intrusion from entering the building. They are refusing to test the indoor air before they seal the cracks.
- 2021 07 12 **EPA public relations & site team meeting about Gjovik's questions about TRW** FOIA (2023)
- 2021 07 12 **EPA asking EPA about Gjovik's qs: May 2015 testing and Summa duration** FOIA (2023)
- 2021 07 12 **EPA Michael invites EPA lawyer Rebekah to meeting about 825 Stewart** FOIA (2023)
Hi Rebekah, I'm including you in the meeting below as I want legal advice for the site, a RODA, and the enforcement aspects of the TRW Site.
- 2021 07 13 Gjovik has follow-up visit with UCSF allergy/asthma Gjovik Docs
- 2021 07 12 **EPA asking EPA about Gjovik's qs: Ethylbenzene/Toluene and CoCs** FOIA (2023)
- 2021 07 14 **Gjovik meets with Santa Clara Mayor Gillmor again about 3255 Scott** Gjovik Docs
- 2021 07 14 EPA to EPA email drafting response to Gjovik about ethylbenzene/toluene questions
- 2021 07 15 **Gjovik's boss David Powers gives her a ton of unfavorable work** Gjovik Docs
- 2021 07 15 EPA to EPA email drafting response to Gjovik about ethylbenzene/toluene questions
- 2021 07 15 **Gjovik complains to HR that boss just quadrupled her workload with terrible projects**
- 2021 07 16 Gjovik complains to HR that bosses retaliation are giving her panic attacks Gjovik Docs
- 2021 07 16 Gjovik complains to ER of retaliation & harassment; ER doesn't respond Gjovik Docs
"As previously discussed at length, I have serious concerns about work place safety of my building, and Apple's other buildings on chemical release sites. At least for my building, from what I've seen, Apple appears to have been negligent with properly managing the vapor intrusion from the three toxic groundwater plumes under the building. Also, as mentioned, I believe I have already been injured by the vapor intrusion in 2019 (the workers comp claim I filed)...."
- 2021 07 16 **Apple ER asks Gjovik to release all of her medical records to "Apple Inc"** Gjovik Docs
- 2021 07 16 Gjovik complains to Apple ER about negligence causing injuries (fainting) Gjovik Docs
- 2021 07 16 **Dana, Chip, Margot, and Michael 'approve' draft of email response to Gjovik.** FOIA (2023)
- 2021 07 18 **Gjovik's weekly status complains of cracks & Apple not testing the air** Gjovik Docs
EH&S says they're not going to answer any more of my questions about chemical exposure in SD01. There are apparently cracks in the floor that need re-sealed, but won't give me any details about how deep, where,

UPDATED TIMELINE & FOIA EVIDENCE REPORT

ASHLEY GJOVIK V APPLE INC | 825 STEWART DR; 3250 SCOTT BLVD

what resealing means, or the risk that there has been vapor intrusion through those cracks.

Met with Mayor of Santa Clara and we're planning next steps. Will meet up again after I'm back in Santa Clara.

Met with staff of Senator Bob W again last week. The bill I've been lobbying for was just passed! (SB-158 DTSC Reform).

Met with Dave last week to define, clarify, and focus my EPM role. Instead he'd like to expand it much further, make it less clear, and add four large new categories of work in addition to all of my existing responsibilities. I told him I can't take on this much work / any new work right now (I'd have to drop out of school) — and we need to sort all of this out with partner teams first because almost all of this is already someone else's Category 1 in a different org.

- 2021 07 18 **Gjovik complains on Slack of whistleblower retaliation by Apple** Gjovik Doc
- 2021 07 19 Gjovik's weekly Apple status notes her apartment move on 8/5 Gjovik Docs
- 2021 07 19 Gjovik complains to EPA about Sugar conflict of interest as possible reason for coverup
- 2021 07 20 Gjovik meets again with head of employee relations; says will do 2nd invstg Gjovik Docs
- 2021 07 20 **EPA PR to EPA PR about Gjovik complaining about TRW & Sugar** FOIA (2023)
Ashley Giovik [Initial Interaction 4/29]- CLOSED- Citizen journalist requested information on TRW Superfund site (specifically vapor intrusion at an Apple building where she works), coordinated with RPM and section chief, sent information. Ms. Gjovik states she is working with a national journalist and is drawing a connection between a member of Apple's BOD and his former post as CFO of TRW Microwave. SEMD, NorCal Margot Perez-Sullivan
- 2021 07 20 Gjovik submits annual review self-review; no response & no mid-year Gjovik Docs
- 2021 07 20 Gjovik complains to biz conduct of coworker bragging about violating sanctions Gjovik Docs
- 2021 07 20 Gjovik informs EPA that Apple is covering-up the cracked floor at TRW** Gjovik Docs
Gjovik: "Did you talk to Apple & NG about the cracks in the floor and floor sealing plan? They told me they didn't notify the EPA about and didn't plan to, despite me telling them they probably are required too. They kept saying everything was "voluntary."
- 2021 07 20 **Apple/Orrick position statement from March 2022 claims Gjovik raised hostile env complaint**
Apple said, On July 20, 2021, Ms. Gjovik raised new concerns that she believed her managers were creating a "hostile work environment." Apple expressly denies Ms. Gjovik's hostile work environment claims, which are not at issue here but instead are the subject of her separate charges with the DFEH, EEOC, and NLRB. Apple does, however, discuss her hostile work environment allegations herein to the limited extent relevant here (e.g., responding to her claim that she was "suspended" in August 2021 which in fact she requested and was granted paid administrative leave). "When she met with an ER Investigator to discuss [hostile work environment] concerns, Ms. Gjovik suggested administrative leave as a "short-term" solution to the alleged issue and confirmed her suggestion in the email summary she sent ER after their discussion." [note: the only email summaries Gjovik sent to ER said Gjovik refused to take leave to address the retaliation, 7/27: "As mentioned, I refuse to quit or to take medical leave as a response to the hostility; this is on Apple ER to resolve, not for me to hide from."]
- 2021 07 21 Gjovik meets with new ER investigator & head of employee relations Gjovik Docs
- 2021 07 21 West sends email to Gjovik condoning smuggling; last email to Gjovik ever Gjovik Docs
- 2021 07 22 **EPA says they are meeting with the site team about Gjovik's office** US EPA
- 2021 07 22 **EPA to EPA email says "April calling TRW Microwave" [redacted]** FOIA (2023)
- 2021 07 23 **Apple emails city of Sunnyvale saying increase of trash at 825 Stewart** PRA (2022)
"Janitorial is reporting an increase in the trash coming out of 825 Stewart. Can we please increase services to 2x a week here? Can you also provide the current service date for this location?" – Apple 'interior services' to city
- 2021 07 24 Gjovik was quoted in NYT complaining about safety at Apple, coworkers said she'd get fired
- 2021 07 24 Gjovik posted on Slack about confidentiality policies at Apple Gjovik Docs

UPDATED TIMELINE & FOIA EVIDENCE REPORT

ASHLEY GJOVIK V APPLE INC | 825 STEWART DR; 3250 SCOTT BLVD

"I've often wondered why Apple doesn't seem to actually send us a copy of the confidentiality agreement we signed. ...Between the over-generalized confidentiality scare tactics, culture of peer policing and shaming, and the fact they don't even seem to give us a damn copy of this thing – it's no wonder some of you are wondering if I just breached a contract by talking to the press about my concerns about something as fundamental to public policy and human rights as workplace safety." -Gjovik

- 2021 07 25 Gjovik emails boss she's moving back down to Santa Clara on Aug 6 Gjovik Docs
- 2021 07 26 EPA asks EPA to review Northrop's May 2021 SSD report from 2020 inspection
EPA finds HVAC/SSV issue on roof from 2020 report: "not appropriate" FOIA
"Can you review the attached TRW Microwave November 2020 passive mitigation system inspection report for 825 Stewart Drive? I reviewed the inspection report and it looked OK to me, but I'd like a second opinion and if you had any recommendations to the inspection or potential modifications." -EPA
- 2021 07 26 EPA to EPA email about NG's May 2021 SSD report from 2020 inspection FOIA (2022)
"In the main building the SSD vents appear to be under components of the chiller. This is not appropriate and we should discuss. We should also get the distances between the vents and the HVAC outdoor air intakes. Have samples air samples from the passive stacks been collected?"
- 2021 07 26 EPA to EPA email about NG's May 2021 SSD report from 2020 inspection FOIA (2022)
"I expect a request for me to help [other EPA] with [TRW] site walkthrough next month." -EPA
- 2021 07 26 EPA tells Northrop they want to do a TRW site inspection in Aug 2021 FOIA (2022)
"The purpose of the site visit was for EPA to inspect the following items to assess the potential for vapor intrusion into the building" -EPA
- 2021 07 26 Northrop asks EPA if planning to do air testing during Aug 19 visit FOIA (2022)
- 2021 07 26 EPA replies to NG no plans to conduct air testing that time, need site visit first FOIA (2022)
- 2021 07 26 Gjovik posts on Apple Slack asking if anyone else got retaliated against for reporting issues
Lots of people say they were also retaliated against
- 2021 07 26 EPA Michael to EPA Rebekah email (9:03pm) FOIA (2023)
We have legal questions re: TRW meeting, can you join?
- 2021 07 27 EPA to EPA email about TRW "no air samples have been collected from the stacks" FOIA
- 2021 07 27 Gjovik forwards emails with EPA to Apple asking Apple to do the right thing Gjovik Docs
- 2021 07 27 Gjovik emails Apple ER investigator & manager complaining about hostile work environment
"Also as mentioned, I'm still looking for a short-term response to mitigate the current hostile work environment I'm experiencing reporting to Dave and Dan and Helen. I've asked several times now, including today, that all 1:1s with them be in writing only, during the duration of this investigation. I also asked that there not be any new projects added to my workload during the duration of this investigation, and this is especially important now that my manager decided to substantially increase the amount of work I need to do beyond what a single role is capable of, and all unfavorable work. I would like for him not to add any new work beyond what I had a month ago. I do see his current actions with this workload as retaliation and a negative employment action. Also, as I've mentioned, I am actively suffering emotional harm as I'm continued to be exposed to their behavior. I look forward to hearing about next steps on this. Further, as mentioned previously and on going, I am requesting a long term solution to the hostile work environment and unsafe work conditions. At this point it is clear my team will not stop the sexism, harassment, discrimination, and retaliation — so I need to be removed from this situation. As mentioned, I refuse to quit or to take medical leave as a response to the hostility; this is on Apple ER to resolve, not for me to hide from. There are two options we've discussed. First, a new role at Apple that is not a hostile work environment and not in unsafe work conditions (and I mentioned that because I will not be at Apple after Dec 31 2022, I cannot find a new role to transfer to for such a short period of time, so I need your assistance with placement). The 2nd option is an exit package that will compensate me and provide benefits through that time. As mentioned this would only be a payment & exit to mitigate the current hostile work environment and unsafe work conditions and would not include any litigation/arbitration waiver agreements nor any non-disclosure agreements beyond what I've already signed as an employee. Any further contractual

UPDATED TIMELINE & FOIA EVIDENCE REPORT

ASHLEY GJOVIK V APPLE INC | 825 STEWART DR; 3250 SCOTT BLVD

agreements beyond what I've already signed would need to be reviewed by my team of lawyers and the compensation for each would need to be negotiated by each new specific requirement." - Gjovik

- 2021 07 28 Gjovik meets with Apple Employee Relations investigator; complains about prior investigation
"Went on leave from 5/24-6/4. Jenna called 6/3 to tell me she finished and didn't find any issues. She never contacted me after 5/23 until she completed on 6/3. There were zero follow up questions from anything I sent her on 5/20-5/22. June 3-10 below — clear to me Jenna didn't look into most of the stuff I sent her." -me
- 2021 07 28 Gjovik emails ER investigator & manager complaining about a culture of corruption
*"I don't seem to be the only employee subject to sexism, hostile work environment, harassment, and retaliation — who has received no real help from HR or ER in resolving the issue. (Yes I know you're looking into things now — but Jenna made things worse for me, and so far y'all have done nothing to mitigate the harm I'm experiencing ongoing).
There seems to be a growing group of us with very horrific stories to tell, who have tried to tell these stories, and have gotten no where at Apple.
As mentioned before, this is incredibly disappointing and unacceptable to me. Not just for my own situation — but also that women are being treated like this by their coworkers and ignored by HR/ER at a company that likes to pretend it cares about human rights, inclusion, diversity, and respect. Pretends seems to be the important word there."*
- 2021 07 28 Apple ER interrogates Gjovik about Slack posts & said no more organizing Gjovik Docs
- 2021 07 28 Gjovik complains to Apple HR that Apple EH&S legal admitted they were negligent
- 2021 07 28 EPA responds to Gjovik about Apple office; omits inspection US EPA
"Thanks again for your continued interest in this site and providing your on-the-ground observations. EPA communicates regularly with responsible parties on issues related to superfund sites as part of the agency's CERCLA obligations. Similarly, EPA also routinely follows up on concerns raised by the public in regards to superfund sites. The agency takes these communications and on-the-ground observations seriously. Please continue to check the website for any site updates. Please do connect me with the reporter you're working with on this and thank you again for voicing your concerns and providing us with such detailed information."
- 2021 07 28 Gjovik forwards emails with EPA to Apple asking Apple to do the right thing Gjovik Docs
- 2021 07 28 EPA to EPA asking if they can attend the Aug 19 site visit at TRW FOIA (2022)
"I think it is important to have an EPA technical resource attend the site visit." -EPA
- 2021 07 28 Northrop replies to EPA proposing Aug 19 – says waiting for confirmation from Apple
- 2021 07 29 EPA to EPA email about inspecting 825 Stewart FOIA (2023)
I hope all is well. Matt has been assisting Michael with work associated with the former TRW building in the South Bay. Michael has proposed to me and I am in support of a one day inspection/sampling event on August 18th that we would like Matt to assist with. Do you have time today or tomorrow to discuss the details of the activities to consider Matt participating?
- 2021 07 29 Gjovik meets with Apple Employee Relations investigator Gjovik Docs
- 2021 07 29 Gjovik emails Apple Employee Relations investigator & manager Gjovik Docs
"I talked to Ekelemchi about Jenna's investigation at length today. As I've mentioned before, there are numerous areas I have reason to believe she didn't investigate at all. I forwarded several emails to Ekelemchi along with a timeline I find very suspicious for a quick resolution with no follow up questions from Jenna. "
- 2021 07 29 Gjovik messages HR friend on Apple Slack complaining about HR Gjovik Docs
"I've spent 20hrs in the last 2 weeks screaming at ER about Apple's ER being a sham & worthless & supporting the culture of discrimination and impunity – not to mention all of my work place safety concerns being actively ignored." -Gjovik
- 2021 07 30 NG emails EPA that Apple contact is out until 8/2 & will talk to her then FOIA (2022)
- 2021 07 30 "GI Partners" (CalSTRS) "did not indicate any plans to attend" TRW FOIA (2022)
- 2021 07 30 EPA: Chip talking to Audrey about inspecting 825 Stewart FOIA (2023)

UPDATED TIMELINE & FOIA EVIDENCE REPORT

ASHLEY GJOVIK V APPLE INC | 825 STEWART DR; 3250 SCOTT BLVD

- 2021 07 30 Gjovik posts on Twitter complaining about Apple re: EAP, ADA, & Medical Leave
"This happened to me at Apple too: they offered EPA and suggested medical leave after I spoke up about sexism, discrimination, and a hostile work environment. They also suggested requesting ADA disability accommodations after I raised concerns about unsafe work conditions."
- 2021 07 30 Gjovik posts on Apple Slack & Twitter about retaliation **Gjovik Docs**
Gjovik: I've been raising concerns about an unsafe work environment. I have very good reason to believe I've been exposed to uncontrolled industrial chemicals. I've been complaining for months. ER has partnered with EH&S to dodge my questions and arguably misrepresent what's happening. I had to resort to getting the U.S. EPA & California OSHA involved. Guess what Employee Relations recommended? Submit a medical accommodation request through Sedgwick to request remote work so I'm not exposed to the industrial chemicals. Guess what the request form asked for? Me to release a very large scope of medical records directly to Apple Inc and have my doctor fill out a detailed form explaining why exposure to uncontrolled industrial chemicals, possibly at toxic levels, is bad for my health and even referenced a worker's comp form I filled out for a fainting spell in my office in 2019, directly referencing vapor intrusion in my active Superfund office. Then what did Sedgwick do? Send me another detailed form for my doctor to fill out asking for more details about my health and also things like, what if we get you an air purifier by your desk? (Yes, an air filter, to mitigate the levels of TCE known to be in the air at my desk above max industrial levels even less than ten years ago). What happens when I complain to employee relations again that I have to fill out paper work to not get poisoned? Literally Nothing. But I did just get an email from human resources: "At this time Sedgwick is working with your provider to clarify and more fully understand your limitations. I will contact you as soon as I have information from Sedgwick so we can engage in an interactive discussion around your limitation and your accommodation request."

AUGUST 2021

- 2021 08 02 Apple sends notice for 8/4 work "all day" "EH&S assessment" Gjovik Docs**
"there will also be testing in zaxxon, the sims, and everquest"-Apple
- 2021 08 02 Coworker asks Gjovik for updates on the safety testing **Gjovik Docs**
*Coworker: "Any updates on the testing in SD01?"
Gjovik: "They told me they're not answering any more of my questions and they'll reach out to me when they feel like it."*
- 2021 08 02 Gjovik emails Apple complaining about the ADA request for Superfund fumes **Gjovik Docs**
"The questions about whether an air purifier could mitigate Superfund vapor intrusion (so severe that a land use covenant with the government prohibits elder care and day care on site) was particularly offensive, but so is the fact itself that you're forcing me to release medical information & fill out forms to not be poisoned." -Ashley
- 2021 08 02 Gjovik emails EPA asking what is happening; complains of coverup **Gjovik Docs**
"Can you share the outcomes of those conversations please? It sounds like they're doing some kind of maintenance work at the office on Wednesday. Since Apple refuses to answer any more of my questions I'd be curious if you know what they're doing." -Gjovik
- 2021 08 02 Gjovik meets with Apple Employee Relations investigator 10-1pm, 3-4:30pm **Gjovik Docs**
- 2021 08 02 Apple ER manager suddenly on leave until August 16 2021 **Gjovik Docs**
- 2021 08 03 Gjovik meets with Apple Employee Relations investigator 11am-1pm, 2-3pm **Gjovik Docs**
- 2021 08 03 Gjovik tells Apple ER she's talking to Washington Post about her office **Gjovik Docs**
- 2021 08 03 Apple announces new joint commitment about "protecting workers from chemical hazards"⁸¹

⁸¹ Aug 3 2021, <https://www.greenamerica.org/blog/groundbreaking-effort-protect-workers-chemicals-electronics>; <https://www.towardzeroexposure.org/about-the-program> ; <https://cleanelectronicsproduction.org/post/2021-08-03-electronics-industry-leaders-advance-toward-zero-exposure-to-workers-throughout-the-supply-chain>

UPDATED TIMELINE & FOIA EVIDENCE REPORT

ASHLEY GJOVIK V APPLE INC | 825 STEWART DR; 3250 SCOTT BLVD

- 2021 08 03 EPA PR emails EPA PR they killed the NYT story about Gjovik's office FOIA (2023)
"NY Times (Jack Nicas) [Initial interaction 8/2] - CLOSED - Reporter emailed regarding concerned citizens claims about TRW Microwave superfund site. Reporter indicated he's checking to see if there's a possible story based on concerned citizen's claims. Explained to reporter that RPM is on vacation and that as of the last 5 year review, EPA determined the remedy is protective. Reporter indicated he would not write a story. SEMD, NorCal, Margot Perez-Sullivan."
- 2021 08 03 EPA sends EPA calendar invite for "Hold TRW site visit" for Aug 19 FOIA (2022)
- 2021 08 03 EPA emails Gjovik about Apple office; no info, just says thank you Gjovik Docs
"I want to reiterate that I appreciate your time and patience and let you know we take your on-the-ground observations seriously. Very respectfully, U.S. EPA"
- 2021 08 03 Gjovik messages coworkers at TRW site asking to take pics of cracks in floor
*Me: Weird ask but if either of you are in [Stewart 1 office] today can you please try to take detailed pics of any cracks you see in the floor – the cement – EH&S is supposed to fix it tomorrow-ish I want evidence of what they looked like before they do. [Coworker] was going to try but hasn't made it over there and I can't get there until Thursday. (I think that's how the vapor intrusion was getting into our air, through those cracks). EH&S is refusing to test the air until after they seal them, so if you can take pics, also note or landmark where they're at –[my lockdown] especially, that's the hot spot.
Coworker 1: I'm in the office. If you can point me to where the cracks are I can take a pic.
Coworker 2: I'm here too.
Coworker 1: 12-1 no meeting for me, I can help. Do you consider this a crack? (attached photo of crack in the floor)
Me: OMG thank you. Yes, can you get closer up to see the depth please and note where in the building it is. I love you both. The deeper the crack the more likely we're being slowly poisoned. I'll forward you an email after my meetings.
Coworker 1: I did a quick walk and it is all over the place. I can take pics between meetings but it is everywhere.
Me: THANK YOU THANK YOU. If there's any way to show depth like sticking clay in a deep one and showing how deep it is that would be amazing. It sounds like they're trying to cover all this up as soon as tomorrow. This is me yelling about the cracks (email attachment). I think they're sealing them tomorrow but refusing to test or capture them otherwise until they fix them.
Coworker 1: Right in front of [lab]. Not deep enough to show depth (photo of cracks). So far, I don't find a crack that is deep enough to show it.
Me:" Thank you. Would you mind looking in front of [Coworker 3]'s office and the concrete in front of the row where my desk is. I filed a workers comp complaint for fainting in [Coworker 3]'s office & at my desk in 2019 now due to suspected chemical exposure. EH&S is refusing to check under the carpet... because they're smart & talented people & Ashley needs to stop asking questions."*
- 2021 08 03 Gjovik message coworker to share pics of the cracks in the floor taken by other coworkers
*Coworker: "Well definitely some cracks in the floor. Also, a ton of floor (in all cubicle / office space) is all under carpet, so how do they know what is cracked under there?"
Gjovik: "They said they weren't going to look under the carpet because they're smart and talented people and I should stop asking questions."*
- 2021 08 04 Sunnyvale contacts Apple asking to inspect 825 Stewart for HazMat (7:23am) PRA (2022)
- 2021 08 04 Gjovik's coworkers message her about more cracks & about EH&S on site Gjovik Docs
*Coworker 1: here is what I see in front of [Coworker's] office and your row. Not deep. (two photos of cracks in the floor). EH&S folks are here by the way.
Gjovik: Thank you!!!!
Coworker 1: With so many devices. Nice job.
Gjovik: OMG can you take pics of them too please low key (if you feel comfortable) or even not low key if you want, "smile" "Ashley says hi,"
Coworker 1: They are in the conf room next to [Director's] office. Very difficult to take pic.
Gjovik: They're legit hiding.*

UPDATED TIMELINE & FOIA EVIDENCE REPORT

ASHLEY GJOVIK V APPLE INC | 825 STEWART DR; 3250 SCOTT BLVD

- 2021 08 04 Coworker tells Gjovik EH&S on site with “so many devices” & “good job” (9am) Gjovik Docs
- 2021 08 04 Gjovik meets with Apple Employee Relations investigator (10am) Gjovik Docs
- 2021 08 04 GJOVIK PUT ON LEAVE – “REMOVED FROM WORKPLACE” (10am) Gjovik Docs**
- 2021 08 04 Gjovik posts to Apple Slack about being removed from Apple Slack Gjovik Docs
“Apple inferred they don’t want me on Slack or talking to coworkers during the investigation. I yelled a lot and told him I know why they’re doing this and they can’t keep me off Twitter.” - Gjovik
- 2021 08 04 Gjovik’s boss schedules 2 large mtgs with Gjovik’s coworkers to talk about Gjovik, 8/16 9/13
Hello all —I thought I’d send an email in advance to let you know what to expect of this meeting. Overall, the goal is to give you a chance to get to know Dan better along with opening the door to allow you to ask him questions. The intention is to keep it real casual and virtually connect. We’ll take the first ~20 minutes to do introductions and use the rest of the time for Q&A. If you’d prefer to submit your questions anonymously, please use the following link: Lunch with Dan Questions We’re looking forward to virtually connecting with each of you! -Dan West’s admin
Coworker: “I had with our Senior Director [Dan West] and leads of Women of PSQ (the group that Ashley co-founded). I asked a few questions of him not specific to the investigation such that he could answer. The response I got were vague, unsatisfactory, and doubled down on “you don’t know my side of the story” attitude (which was weird because I made no accusations and no assumptions of guilt) and showed a concerning lack of any deep reflection on the shit show they’ve created regardless of guilt.”
- 2021 08 04 Apple EH&S doing work at TRW site Apple office Gjovik Docs
- 2021 08 04 Apple sends notice of “caulking project” at 825 Stewart Gjovik Docs
Apple: “start tomorrow 3pm & continue for next 4-5 Friday evenings” “This will be in the hallway entering the Sim City office area as well as other areas marked on the map.
- 2021 08 04 Press coverage of Gjovik being put on leave News Articles
“For months, I have been raising concerns with Apple employee relations about years of experiences with sexism, a hostile work environment, sexual harassment, unsafe working conditions, and retaliation,” Gjovik says in an interview with The Verge. “I asked them to mitigate the hostile work environment while they investigate, and they initially offered me EAP therapy and medical leave. I told them that made no sense, and said they should talk to my leadership and set up oversight and boundaries. I added that if there was no other option they could give me paid administrative leave. They apparently made no effort to set boundaries and instead said they were placing me on administrative leave and implied they did not want me on Slack where I had been vocal about my concerns with certain policies at the company. They also implied they didn’t want me to meet one-on-one with other women at the company about their concerns with Apple policies, which I had been doing.”
“Apple did not immediately respond to a request for comment from The Verge.
- 2021 08 05 Chemical Watch praises Apple’s new “Toward Zero Exposure” chemical program ⁸²
- 2021 08 06 Dan West tells staff they’ll talk about “Ashley Issue” at Oct All Hands Gjovik Docs
Well, that will be awkward when Ashley comes back! Oh wait...
- 2021 08 06 Apple EH&S doing work at TRW site Apple office Gjovik Docs
- 2021 08 06 Gjovik hears managers in her team are told not to put labor things in writing Gjovik Docs
- 2021 08 07 Apple EH&S doing work at TRW site Apple office Gjovik Docs
- 2021 08 08 Apple EH&S doing work at TRW site Apple office Gjovik Docs
- 2021 08 09 Apple sends notice of “building wide walk through” on 8/11 at TRW Gjovik Docs
- 2021 08 09 Apple Global Security email to EPA: “Apple Signature Access & Password for NDA”

⁸² Aug 5 2021, <https://cleanelectronicsproduction.org/post/2021-08-05-chemical-watch-apple-dell-hp-commit-to-protect-workers-from-hazardous-chemicals>

UPDATED TIMELINE & FOIA EVIDENCE REPORT

ASHLEY GJOVIK V APPLE INC | 825 STEWART DR; 3250 SCOTT BLVD

Note: NDA says everything is Confidential & EPA may not make public statements about what they see/learn during the site visit without permission from Apple, but that Apple can make statements without permission from EPA. Entire document is four pages long.

2021	08	09	EPA to EPA: "I've requested a copy of the NDA which [EPA] will review"	
2021	08	09	Sunnyvale asks Apple if they can inspect 825 for HazMat on Aug 19	PRA (2022)
2021	08	10	Email from EPA to Northrop about Apple saying the office is Confidential	FOIA (2022)
			<i>EPA: "Regarding the NDA the EPA site attorney spoke to an Apple attorney and EPA is not going to sign the Apple NDA. Apple will send a letter to EPA saying that everything we create during the Site Walk (e.g., field notes, photos) is being claimed by Apple as CBI and we will treat it as such under our CBI regulations at 40 CFR Part 2. After the visit, we will send Apple back everything we created so they can then substantiate their claim. We will want to work with the Apple representative while onsite to minimize any creation of CBI. So, for example, if it's possible to take a photo at an angle that wouldn't be claimed as CBI that is probably what we'd want to do. Let me know if you have any questions." -EPA</i>	
2021	08	10	EPA emails Apple Legal asking to talk to an Apple lawyer about 8/19 visit	FOIA (2022)
2021	08	10	Director of EPA Region 9 (Drake on behalf of Jordan) approves travel request	FOIA (2023)
2021	08	10	EPA to EPA "We are not going to be signing the proposed NDA."	FOIA (2022)
			<i>EPA: "We are not going to be signing the proposed NDA. She is going to send a letter to me saying that everything you create during the Site Walk (eg field notes, photos) is being claimed by Apple as CBI and we will treat it as such under our CBI regulations at 40 CFR Part 2. After the visit, you can send Apple back everything you created and they can substantiate their claim. You may want to work with the Apple representative while you are there to minimize any creation of CBI. So, for example, if it is possible to take a photo at an angle that wouldn't be claimed as CBI that would get you the info you need, you would probably want to do that."</i>	
2021	08	11	Apple legal email to EPA claiming "Apple Confidential" about everything ever	FOIA (2022)
			<i>Apple: "In follow up to our conversation, I enclose a letter on behalf of Apple Inc. claiming CBI relating to any information collected and/or documented during the EPA site visit on August 19, 2021. Any questions let me know." -Apple</i>	
2021	08	11	EPA responds to Apple "I have passed this on to my clients in the Superfund Program"	
2021	08	11	Apple EH&S doing work at TRW site Apple office	Gjovik Docs
2021	08	11	Apple Global Sec & US EPA security coordinating for Aug 17 event	FOIA (2022)
2021	08	12	Apple asks Sunnyvale if 825 HazMat inspection can be week after Aug 19	PRA (2022)
2021	08	12	Gjovik files US EEOC complaint against Apple	US EEOC
2021	08	12	Northrop asks EPA who Gjovik's NYT reporter is, EPA tells them name	FOIA (2022)
2021	08	12	All managers in Gjovik's organization invited to "Secrecy & Awareness Training"	
2021	08	13	Apple EH&S doing work at TRW site Apple office	Gjovik Docs
2021	08	13	Fake Twitter account "Beezie Wacks" harassing Gjovik	Gjovik Docs
2021	08	14	Gjovik replies to Beezie after much back and forth, certain it's Apple HR	Gjovik Docs
			<i>"Beezie, would you plz let Tim know I'd like an update on the safety testing EH&S is doing in my office? They were supposed to send me an update by now. I haven't seen anything in my work email & ER wouldn't send to my personal email. Can you Tweet me when it's ready plz? Thx."</i>	
2021	08	14	Apple EH&S doing work at TRW site Apple office	Gjovik Docs
2021	08	15	Apple EH&S doing work at TRW site Apple office	Gjovik Docs
2021	08	15	US EPA security at Apple Park preparing for Aug 17 event	FOIA (2022)
2021	08	16	Gjovik complains on Apple Slack that Apple's not going to let her come back	Gjovik Docs
2021	08	16	Apple ER manager supposed to be back from unexpected leave	Gjovik Docs

UPDATED TIMELINE & FOIA EVIDENCE REPORT

ASHLEY GJOVIK V APPLE INC | 825 STEWART DR; 3250 SCOTT BLVD

2021	08	16	Apple finally sends “issue confirmation” of what supposedly investigating	Gjovik Docs
2021	08	16	Apple emails “EH&S Walkthrough 8/18 8/19” with map created by EKI	Gjovik Docs
			<i>Note: EKI was not vendor in July & Apple EH&S manager quit Apple to go to EKI in July; Northrop Grumman was using AECOM</i>	
2021	08	16	EPA travel request for onsite inspection Aug 19 cites Gjovik’s disclosures	FOIA (2022)
			<i>EPA: “Description of why this work is urgent and essential A site visit to an Apple office building is necessary to conduct a visual inspection of the building's vapor intrusion mitigation measures. An Apple employee recently contacted EPA and notified EPA that there were cracks in the building's foundation. If true and the cracks are significant, this could impact the effectiveness of the VI mitigation system the protectiveness of human health. The onsite work will include visual inspections to the: (1) The vapor intrusion passive sub-slab depressurization system. (2) The building's concrete slab and past cracks that were sealed to prevent vapor intrusion. (3) Past 2013 to 2015 indoor air sampling locations. (4) The indoor location where contaminated soil was excavated from underneath the building. (5) The spaces between the walls of the three sections of the buildings that were sealed in 2014-2015. (6) The groundwater in situ bioremediation system (outdoors).”</i>	
2022	08	16	Gjovik emails Apple Employee Relations asking about the office	Gjovik Docs
			<i>“Can you please also provide more details on my workplace safety concerns — the last I heard from EH&S (via [Employee Relations]) was that they weren’t going to answer any more of my questions and there was no ETA for any future updates. Do we know anything more? I’ve seen a lot of activity by EH&S at my building — and I also noticed they appear to have hired an enormous amount of vendors very recently. I’d love to learn more.” -Gjovik</i>	
2021	08	16	Gjovik to Apple about the admin leave; says she feels punished	
			<i>“I continue to struggle to understand just how this current leave is not punishment, retaliation, or otherwise a negative employment action.” -Gjovik</i>	
2021	08	17	Lisa Jackson & Michael Regan “fireside chat” at Apple Park	News Article
2021	08	17	Apple Security email to EPA: “Apple Signature Request Canceled for NDA”	FOIA (2022)
2021	08	17	Apple replies to Gjovik about her safety concerns; tells her to stop asking	Gjovik Docs
			<i>“As previously mentioned, EH&S is investigating your building and workplace safety concerns, and they will be in contact with you when they have an update to share. Additionally, as I mentioned during our call on 8/4/21, you are not expected to participate in any work related assignments, and your focus at this time should be on the investigation.” -Apple</i>	
2021	08	17	Apple sends notice of “EH&S assessment” on 8/18-19 at TRW	Gjovik Docs
2021	08	17	Apple emails Gjovik asking to 3D scan her ears/ear canals	Gjovik Docs
2021	08	18	US EPA admin Regan visits US EPA admin Jackson at Apple Park	Press Release
2021	08	18	Jackson/Regan press release talking about SEC environmental disclosures	News Articles
2021	08	18	Apple EH&S doing work at TRW site Apple office	Gjovik Docs
2021	08	18	EPA to EPA email: “Going to the TRW site...to look at the VI controls”	FOIA (2022)
2021	08	19	Apple emails Gjovik again asking to 3D scan her ears/ear canals	Gjovik Docs
2021	08	19	EPA inspection of TRW Site Apple office (Colin Scanlon there)	FOIA (2022)
			<i>EPA site visit notes: “VOCs...venting into HVAC” & “seal sub slat ports; not abandoned properly”</i>	
2021	08	19	Apple Real Estate receives site photos from EPA for CBI review	FOIA (2022)
2021	08	20	Gjovik asks to attend training & Apple denies req “because [she’s] on leave”	Gjovik Docs
2021	08	20	Fake Twitter account “Mel Nayer” harassing Gjovik after Beezie blocked	Gjovik Docs
2021	08	20	EPA to EPA email saying anything “coming out of” Apple site visit as CBI	FOIA (2022)
2021	08	20	EPA to EPA email saying need Apple to “substantiate” CBI claim	FOIA (2022)
2021	08	20	Apple EH&S doing work at TRW site Apple Office	Gjovik Docs

UPDATED TIMELINE & FOIA EVIDENCE REPORT

ASHLEY GJOVIK V APPLE INC | 825 STEWART DR; 3250 SCOTT BLVD

2021 08 20	EPA to EPA email about not creating a paper trail about 825 Stewart <i>EPA: "I will not prepare a formal memo of the site visit. Anything I share with management will be verbal or in an email, and at the 'site management level' regarding human health protectiveness and site management action items." -EPA</i>	FOIA (2022)
2021 08 21	Apple EH&S doing work at TRW site Apple office	Gjovik Docs
2021 08 22	Apple EH&S doing work at TRW site Apple office	Gjovik Docs
2021 08 22	Gjovik submits revised "issue confirmation" to Apple <i>"Concerns include: unsafe work conditions (2017-current), toxic tort & occupational exposure (2017-current), failure to report workplace injuries (2017, 2019)"</i> <i>"After EH&S notifies me of cracks in the floor, and misrepresents situation during meeting, I notify the press & Federal EPA. EH&S, via ER, refuses to tell me what they're doing or give any updates. Also refuses to test the air before they fix the cracks. Meanwhile, I'm working with colleagues to gather evidence (pics, air testing) up to the morning of 8/4, and ER knew. Team said EH&S was onsite in our building starting 8/4."</i>	Gjovik Docs
2021 08 23	EPA inquiries about "increasing vinyl chloride" under TRW site	FOIA (2022)
2021 08 23	Gjovik files Apple Biz Conduct complaint about conflict of interest & TRW <i>"RICO; Negligence, Misrepresentation; Fraud; Recklessness; Violations of Env Laws; OSHA, & Right to Know; Toxic Torts; Corporate Corruption; Organized Intimidation; Organized Witness Tampering... Fraud, Misrepresentation, Negligence, Recklessness... Conflict of Interest".</i>	Gjovik Docs
2021 08 24	Apple confirms they received Gjovik's memo & said they're investigating <i>Employee Relations: "I've received your revised issue confirmation. The investigation is ongoing and I've started conducting witness interviews. I am not able to communicate a timeframe on next steps, but as the investigation progresses, I will provide you with additional updates." -Apple</i>	Gjovik Docs
2021 08 24	Apple emails Gjovik (for 3 rd time) asking to 3D scan her ears/ear canals	Gjovik Docs
2021 08 25	Honeywell tells CalEPA they lost groundwater well 29A at 3255	PRA Docs (2023)
2021 08 25	Apple updates CERS for 825 Stewart Dr	PRA Docs (2022)
2021 08 26	Gjovik files first NLRB charge against Apple, posts about it same day	NLRB
2021 08 26	Apple files very first EIS/NEI HAP report for 2020; noting 7.8 tons of VOCs exhausted at 3250	
2021 08 28	Apple EH&S doing work at TRW site Apple office	Gjovik Docs
2021 08 28	Gjovik complains on Twitter about Apple asking 3 times to scan her ears/ear canals	
2021 08 28	Apple Biz Conduct closes complaint about TRW site, Sugar, Jackson, Apple <i>Apple: "Request is closed. This request is closed and can't be reopened. If you need more help with this issue, create a new request." & "Hi Ashley Thank you for raising your concerns to the Business Conduct Helpline. Apple takes your concerns seriously, and we have shared them with the appropriate internal teams for review and investigation." -Apple</i>	Gjovik Docs
2021 08 28	Apple EH&S doing work at TRW site Apple office	Gjovik Docs
2021 08 29	Apple/Orrick position statement <u>claims</u> they received a complaint about Gjovik on this day <i>Apple wrote "[on August 29], Apple received a formal complaint through its Business Conduct Hotline that Ms. Gjovik had publicly disclosed confidential information about the [ear canal scanning] study... Upon learning of her unauthorized disclosure, Apple promptly launched an investigation.</i>	
2021 08 29	Gjovik files US DOL Whistleblower Protection Program complaint	Gjovik Docs
2021 08 30	Gjovik was interviewed in article about Apple's violations of employee privacy <i>"Apple did not respond to a request for comment from The Verge."</i>	The Verge
2021 08 30	Gjovik files complaint with US EPA & Cal EPA about Apple & TRW site <i>I've had concerns since March 2021 about Apple's oversight & lack of due diligence for the safety of their employees in the TRW Microwave Superfund site (825 Stewart). I've expressed concerns about negligence and even recklessness, possible violations of Right to Know & OSHA. Worse, Apple's response has been to misrepresent their activities and the site, intimidate me to not speak about workplace safety concerns related</i>	EPAs

UPDATED TIMELINE & FOIA EVIDENCE REPORT

ASHLEY GJOVIK V APPLE INC | 825 STEWART DR; 3250 SCOTT BLVD

to the site, and have refused to notify the Federal EPA of changed circumstances at the site (e.g. cracks in the cement floor requiring repair).

2021 08 30	Apple asks Sunnyvale to push fire inspection at 825 Stewart out to October	PRA (2022)
2021 08 31	Gjovik posts about SEC, OSHA, CalDOL, EEOC, NLRB, EPA complaints	Gjovik Docs
2021 08 31	Apple MWE lawyers file notice of appearance for NLRB charges	FOIA (2021)
2021 08 31	Gjovik filed SEC Tip about conflicts of interest & fraud by Apple	US SEC
	<p><i>Gjovik: "I have a separate complaint with the Federal EPA about my concerns about hazardous waste vapor intrusion in the indoor air of the building -- and negligent, if not reckless & fraudulent due diligence of the safety & health oversight of the employees by Apple. I was even intimidated by my Manager & Apple Employee Relations to not speak openly about my workplace safety concerns. I have since faced multiple types of retaliation for continuing to speak about my concerns about work place safety & Apple's unethical, if not illegal, behavior related to the building. (I have a separate NLRB complaint for all that). Meanwhile Ronald Sugar is supposed to be overseeing Finance & Audit for Apple, which I assume includes the budget and oversight of due diligence programs like this. This seems like a very big conflict of interest... also complained that Lisa Jackson and Alisa Johnson seem to be heavily involved in Apple's haz waste public relations (see 2x 2016 DTSC settlement PDFs attached). It worries me this is a Federal EPA Superfund site already with 1 conflict of interest with Sugar, but also more if Lisa Jackson's team is doing PR about Apple's hazardous waste crimes -- and Lisa used to run the Federal EPA & Alisa was the press secretary for Lisa at the Federal EPA. I complained about this apparent conflict of interest to Apple Business Conduct on Aug 23, 2021." -Gjovik</i></p>	
2021 08-09	Home break in to attic & installation of electronic (surveillance?) equipment	US DOJ/SCPD

SEPTEMBER 2021

2021 09	Apple permit to "enlarge breakroom" & install fire sprinklers at TRW	Public Record ⁸³
2021 09 01	Apple posts about Gjovik being a liar/racist/predator – shared by managers	Gjovik Docs
2021 09 01	EPA shares site visit photos with Apple & requests CBI substantiation	FOIA (2022)
2021 09 01	Apple legal (Rubenstein) opens site visit photos at 6:10pm PST	FOIA (2022)
2021 09 02	Gjovik is interviewed by US EEOC & requests Right to Sue letter	US EEOC
2021 09 02	Articles about Gjovik's NLRB/DOL/EEOC charges in FT, Bloomberg, Reuters, more	
	<p><i>"We take all concerns seriously and we thoroughly investigate whenever a concern is raised," Apple, which is based in Cupertino, California, said in a statement that cited employee privacy in declining to discuss specifics.</i></p>	
2021 09 03	9to5Mac article defaming Gjovik & her NLRB charges (4:46am PT)	News Article
2021 09 03	Apple ER demands Gjovik get on WebEx with 2hr notice (8:36am PT)	Gjovik Docs
	<p><i>Employee Relations at 8:36am (iMessage) – "Hi Ashley Good morning. I will like to schedule time for us to connect today at 10:30am PT via WebEx for an update. Will this time work for you? Thank you."</i></p>	
2021 09 03	Apple EH&S doing work at TRW site Apple office	Gjovik Docs
2021 09 03	Gjovik files public corruption / white collar crime tip to FBI about Apple	Gjovik Docs
2021 09 03	Gjovik replies to Apple ER complaining about their messages to her & the leave	
	<p><i>"You also knew, as I told you numerous times, I had planned to go to my office at [Stewart 1 office] on 8/5 to get a laptop with "tons of evidence on it." I had also told you that on 8/3 that I was concerting with colleagues in [Stewart 1 office] to gather evidence of the unsafe work conditions and Apple's activities around them, because myself and other colleagues have feared Apple has been covering up said unsafe work conditions. " -Gjovik</i></p>	

⁸³ <https://sunnyvaleca-energovpub.tylerhost.net/apps/SelfService#/permit/7CF247F6-C454-4437-9391-BB7E62E0C324>

UPDATED TIMELINE & FOIA EVIDENCE REPORT

ASHLEY GJOVIK V APPLE INC | 825 STEWART DR; 3250 SCOTT BLVD

“I am still eagerly awaiting an update from ER & EH&S on the safety of my office. The last I heard was from Jenna (employee relations) telling me that she, nor ER, nor EH&S will answer any more of my questions about workplace safety. Which is very concerning in itself, let alone in addition to the current silence while EH&S has apparently been doing work at my office frequently over the last few weeks.” -Gjovik

2021	09	04	Sunnyvale city reaches out again to Apple to inspect 825 Stewart	PRA (2022)
2021	09	04	Apple EH&S doing work at TRW site Apple office	Gjovik Docs
2021	09	05	Apple EH&S doing work at TRW site Apple office	Gjovik Docs
2021	09	06	Gjovik posts about NLRB, DOL, EEOC, SEC, DOJ, & CalDOL complaints	Gjovik Docs
2021	09	07	Apple asks to talk to Gjovik before 9/10 (deadline for NLRB affidavit 9/13)	Gjovik Docs
			<i>Apple tells Gjovik there’s “inconsistencies” in her allegations</i>	
			<i>Gjovik asks for Biz Conduct review about denial to keep things in writing</i>	
2021	09	07	Gjovik complains Apple not telling her about office but doing work there	Gjovik Docs
			<i>“I am still eagerly awaiting an update from ER & EH&S on the safety of my office. The last I heard was from Jenna telling me that she, nor ER, nor EH&S will not answer any more of my questions about workplace safety. Which is very concerning in itself, let alone in addition to the current silence while EH&S has apparently been doing work at my office frequently over the last few weeks.” -Gjovik</i>	
2021	09	07	Gjovik’s Apple office / TRW site discussed in Verge interview	News Article
			<i>She says “I don’t want to have to go work at a Superfund. I want to make sure the levels of toxicity in the office are safe” “Wait, which kind of toxicity?” “Sorry, at this point she’s talking about the hazardous waste, but she also wants them to fix all of the harassment too.”</i>	
2021	09	07	Apple (via API Design) contacts city of Sunnyvale about 825 Stewart construction	PRA (2022)
			<i>“I was wondering if I qualify for and can schedule an over-the-counter plan check appointment for a new tenant improvement project at 825 Stewart Drive. The preferred appointment time is Tuesday 9/21. The scope of work is approximately 950 square feet of interior work and includes expanding an engineering workroom, new equipment installation <u>and related structural anchorage and utility connections</u>, and minor updates to lighting and ceiling work. The scope does include new UPSs and minor hazardous materials (within the allowable limits).”</i>	
2021	09	09	Gjovik posts about worrying Apple is spying on her & violence by their Global Sec team	
2021	09	09	Sunnyvale inspection of office finds haz waste violations at TRW (11:49am PT)	PRA Docs
			<i>Solder waste is collected at the point of generation. Discussed housekeeping of solder areas. PCI cart was removed from the facilities exterior electrical room following the HazMat inspection. (CFC 315.3.3 – repeat violation)</i>	
2021	09	09	Apple Workplace Violence emails Gjovik; demands phone call (2:08pm PT)	Gjovik
			<i>Gjovik to Workplace Violence: “FYI, I forwarded your email and reply to the investigator on my case so he’s aware you just reached out to me the day before my affidavit’s supposed to be taken. This feels a little like witness intimidation, etc...”</i>	
2021	09	09	Apple suspends Gjovik’s account access (2:50pm PT)	Gjovik Docs
2021	09	09	Gjovik complains to Apple about “witness intimidation” (3:07pm PT)	Gjovik Docs
2021	09	09	APPLE TERMINATES GJOVIK (6:54pm)	Gjovik Docs
2021	09	09	Press coverage of the termination in major papers and tech blogs	News Articles
			<i>“Gjøvik said, still, she was not surprised. Since she began raising concerns about workplace safety in March—her office was built on a superfund site that requires special permits due to prior contamination from hazardous waste—she’d been bracing for the blowback.</i>	
			<i>“I wasn’t going to be quiet or slink away. I was going to stand up for myself and my fellow employees,” Gjovik said. “I was going to expose the systemic problems I identified. I was going to organize with employees. I was going to demand internal and public accountability of the biggest company in the world.”</i>	
2021	09	09	Gjovik never got annual review, & bonus was to be awarded next week	Gjovik Docs
2021	09	09	Gjovik loses \$592,612 in unvested Apple restricted stock units	Gjovik Docs

UPDATED TIMELINE & FOIA EVIDENCE REPORT

ASHLEY GJOVIK V APPLE INC | 825 STEWART DR; 3250 SCOTT BLVD

2021	09	09	Apple posts “Sometimes you fuck around, and then sometimes you find out”	Gjovik Docs
2021	09	09	Apple posts that Gjovik’s NLRB cases don’t have merit	Gjovik Docs
2021	09	10	Apple statement on Gjovik termination: <i>“We are and have always been deeply committed to creating and maintaining a positive and inclusive workplace,” the company said. “We take all concerns seriously and we thoroughly investigate whenever a concern is raised.”</i>	News Articles
2021	09	10	US DOL dual files charges with CA DOL & US DOL for OSHA retaliation	FOIA (2021)
2021	09	10	Gjovik testifies to NLRB for affidavit on first charge	US NLRB
2021	09	12	Gjovik gets two calls from blocked numbers; doesn’t answer	Gjovik Docs
2021	09	13	First change of roof AC filters (400lbs) at 3250 Scott	DTSC Manifests
2021	09	13	Apple files permit for construction recycling at 825 Stewart Dr	PRA (2022)
2021	09	14	Fake Twitter account warns Apple employees abt getting “Gjovik’d” for speaking up	
2021	09	15	Apple’s lawyers ask Gjovik to delete tweets about Face Gobbler & Gjovik’s ears	
2021	09	15	Apple/Orrick position statement claims someone filed complaint about Gjovik	
2021	09	15	Tim Cook suddenly announces all hands for Sept 17 2021	Gjovik Docs
2021	09	16	Gjovik Op-Ed published in Business Insider about her termination	Gjovik Docs
2021	09	16	Apple tells reporters “not to talk to Gjovik”	Gjovik Docs
2021	09	16	NLRB files charge to cover Gjovik’s termination	US NLRB
2021	09	16	Apple tells people not to donate to Gjovik legal fund, calls Gjovik predator	Gjovik Docs
2021	09	17	Apple posts: employees gets nothing out of leaking except potentially get fired.	
2021	09	17	Tim Cook all hands meeting (captive audience meeting)	News
2021	09	21	Tim Cook emails employees threatening not to speak out about work conditions	
2021	09	22	US EPA grants Apple “Safer [Chemical] Choice Partner” Award ⁸⁴	Press Release
2021	09	22	Apple (via API Design) meets with Sunnyvale city HatMat abt 825 project	PRA (2022)
2021	09	23	EPA to EPA email, sends notes about Aug 19 site visit	FOIA (2022)
2021	09	27	Jackson appointed Chair of Board of Jobs’ Wavery Foundation (\$3B)	Press Release
2021	09	29	Fake Twitter account threatens that Apple mailed Gjovik a severed head	Gjovik Docs
2021	09	30	Gjovik receives work items in box with broken glass & hidden listening device	Gjovik Docs

OCTOBER 2021

2021	10	01	Fake account asks Gjovik to post “pictures of [her] bleeding wounds”	Gjovik Docs
2021	10	02	Fake account attempts to get access to Gjovik’s computer	Gjovik Docs
2021	10	04	Northrop Grumman “switches project managers” for the TRW site	FOIA (2022)
2021	10	05	EPA to EPA email about Northrop switching project managers <i>Hi Chip and Rebekah a n d Fatima) I got an email last week from NGC that they are switching project managers as Kurt is moving to another site. I have a transition meeting with Kurt and the new PM this Thursday and I want send NGC a site visit follow up letter before then. Do you have time by Wednesday COB to review the attached letter and the recommendations? Let me know fi you see anything you'd revise. Here is the letter with tracked changes enabled: Qi 2021-10-x× DRAFT EPA Letter, Follow up on 825StewardSiteVisit.docx</i>	FOIA (2023)

⁸⁴ <https://www.epa.gov/newsreleases/epa-announces-2021-safer-choice-partner-year-award-winners>

UPDATED TIMELINE & FOIA EVIDENCE REPORT

ASHLEY GJOVIK V APPLE INC | 825 STEWART DR; 3250 SCOTT BLVD

2021	10	06	Gjovik’s lawyer sends cease and desist to Apple about Gobbler/ears	Gjovik Docs
2021	10	06	Fire sprinkler inspection of 825 Stewart Dr (TRW Microwave)	PRA (2022)
2021	10	07	EPA report to Northrop/Apple calls for active SSD system at TRW	FOIA (2022)
			EPA report to Northrop/Apple says to move TRW vents away from HVAC	
			EPA letter asks Northrop/Apple to locate SS-10 & SS-11 (“missing”)	
			EPA reports complains sub-slat ports were not maintained at TRW	
2021	10	08	CalEPA says its fine if Honeywell ignores the lost Synertek well	PRA Docs (2023)
2021	10	11	Northrop Grumman tests groundwater at TRW site	FOIA (2022)
2021	10	12	Northrop does another SSV inspection onsite at TRW/825 building	FOIA (2022)
			<i>“GES conducted a visual inspection of the SSD during a site visit on October 12, 2021. Access was granted by the current tenant Apple, Inc. The SSD system was visually documented to assess the system for its current working state. Observations were made regarding current building roof layout of HVAC systems, barriers, and roof equipment. Each of the three buildings associated with the site have a cluster of two to three vent risers that extend from the sub-slab collection laterals and penetrate the roof to allow for passive depressurization of the sub-slab area. Each vent riser is equipped with a wind-powered roof turbine, and during the site visit observations were made to assess if the turbines were freely turning and free of corrosion, were actively turning due to wind, and their current location relative to existing roof equipment.</i>	
2021	10	12	Gjovik files NLRB charges about Apple’s overly restrictive employee policies	
2021	10	12	Apple hosts webinar with ChemSec & ChemFORWARD about chemical safety ⁸⁵	
2021	10	13	Bloomberg article about NLRB policy charges	News Article
2021	10	14	Gizmodo publishes article about Apple’s “absurd excuse” for firing Gjovik	News Article
2021	10	16	Apple calls Gjovik a “liar” about her NLRB charges	Gjovik Docs
2021	10	18	EPA sends email to EPA asking if 825 Stewart can be SWRAU in FY22	FOIA (2023)
			<i>Hi there, this is to discuss the possibility of achieving SWRAU for the following 3 sites in FY22, and fi so, next steps: Advanced Micro Devices, Intersil Inc./Siemens Components, and TRW Microwave (Bldg 825) Chip - if SWRAU can be achieved at all 3 of Michael's sites, this would bring us to a net of 1 since Fatima will need to take back 2 in FY22 (Intel Magnetics and Monolithic Memories). -Ruelas</i>	
2021	10	21	Gjovik files SEC tip about Apple lying to shareholders about her NLRB charges	
2021	10	22	CalDOL opens Gjovik’s DIR retaliation investigation	CA DOL
2021	10	25	Apple posts about Gjovik being a “liar” and says she’s “harmful”	Gjovik Docs
2021	10	25	Doug Parker appointed head of US DOL OSHA & Whistleblower Protection Program	
2021	10	26	Apple posts about Gjovik “asking to be put on leave” & says Gjovik is lying	Gjovik Docs
2021	10	29	Gjovik signs 2 nd NRLB affidavit about Apple’s labor violations	US NRLB
2021	10	26	Gjovik emails NLRB the situation at Apple is like “<u>Waco meets Enron</u>”	US NRLB
2021	10	27	Apple’s CEPN chemical group announces partnership with ChemFORWARD (also Apple) ⁸⁶	
2021	10	28	Vinyl Chloride “bounce back” increase in 3255/3250 groundwater wells	US EPA FYR
2021	10	28	1,1-DCE increase in 3250/3255 groundwater wells	US EPA FYR
2021	10	28	TCB-1,2,4 contamination in 3250 groundwater well 36A	CalEPA GAMA
2021	10	28	TCE in 3255 Scott groundwater well 33A	CalEPA GAMA
2021	10	29	Apple calls Gjovik a ‘grifter’, tells Gjovik’s friends she’s a racist liar	

⁸⁵ https://twitter.com/chemsec/status/1447821004227629057/retweets/with_comments;
<https://twitter.com/chemsec/status/1447821004227629057>

⁸⁶ Oct 27 2021, <https://www.chemforward.org/news/chemforward-invited-to-become-a-membermbsof-the-clean-electronics-production-network-cepn>

UPDATED TIMELINE & FOIA EVIDENCE REPORT

ASHLEY GJOVIK V APPLE INC | 825 STEWART DR; 3250 SCOTT BLVD

NOVEMBER 2021

2021	11	02	Apple gets Electronics Watch (& my literal doctor) to join their CEPN worker safety group ⁸⁷	
2021	11	03	Apple hosts chemical safety webinar with ChemFORWARD & ChemSEC ⁸⁸	
2021	11	03	EPA meeting if 825 Stewart, AMD, & Intersil (AP) can be SWRAU in FY22	FOIA (2023)
2021	11	05	Northrop sends EPA comments about Aug 19 site visit at TRW	FOIA (2022)
2021	11	05	Northrop tells EPA need to talk with Apple about HVAC at TRW	FOIA (2022)
2021	11	05	2 nd change of activated charcoal (980lbs) at 3250 Scott	DTSC Manifests
2021	11	05	Fake Twitter account attempts to get access to Gjovik's iPhone	Gjovik Docs
2021	11	16	Gjovik asks to add CERCLA; US DOL now says Gjovik's case has no merit	US DOL
2021	11	17	EPA asks EPA to review "HVAC test & balance info" at TRW	FOIA (2022)
2021	11	17	EPA saying they need timeline for Northrop Grumman to address open issues	FOIA (2022)
2021	11	17	Sunnyvale nags Apple about 825 Stewart open code violations	PRA (2022)
2021	11	17	Apple responds to Sunnyvale saying they fixed the code violations from 9/9	PRA (2022)
2021	11	19	Director of EPA R9 Superfund program E. Manzanilla retires ⁸⁹	US EPA
2021	11	22	US DOL says no CERCLA or SOX violations (parrots Apple)	US DOL
2021	11	24	Apple meeting with Sunnyvale FD about 825 Stewart HazMat permit application	PRA (2022)
2021	11	29	California EDD claims notice to Apple returned as undeliverable	EDD Appeal
2021	11	29	Lisa Jackson submits letter of recommendation [unknown] for R9 Admin	FOIA (2022)

Note 1: based on shape of redactions, does not appear to be rec for Guzman. Based on shape of letters missed in redaction, appears to be rec for a man with first name starting with A or M, & surname ending with s. Full name appears to be ~10-12 characters.

Note 2: Letter is sent from Jackson's Apple email address.

DECEMBER 2021

2021	12	01	US DOL asks US EPA "did Gjovik report any CERCLA violations to you?"	FOIA (2022)
2021	12	02	US EPA shares a bunch of documents with US DOL about Gjovik/TRW	FOIA (2022)
2021	12	02	Chip (EPA) to Michael (EPA) email "do we have a FYR for TRW"	FOIA (2022)
2021	12	06	EPA: Michael forwards 6/2021 emails to Chip w/ convo about updating HEUC	FOIA (2023)
2021	12	08	Gjovik gets notice from US DOL saying case referred to CA DOL	US DOL
2021	12	09	Gjovik gets notice from CA DOL saying US DOL is now leading	CA DOL
2021	12	09	Biden/Regan appoints Martha Guzman as Region 9 Admin ⁹⁰	Press Release
2021	12	10	US DOL notice of CERCLA, OSHA, SOX cases docketed	US DOL
2021	12	02	Independent UK contacts EPA asking about TRW site deed & SWRAU	FOIA (2022)

⁸⁷ Nov 2 2021, https://electronicswatch.org/en/electronics-watch-joins-the-clean-electronics-production-network_2597317

⁸⁸ <https://www.chemforward.org/news/november-3rd-webinar-recap>; <https://twitter.com/ChemForward/status/1466170142589657092>

⁸⁹ <https://www.linkedin.com/in/enrique-manzanilla-b9567b11/>

⁹⁰ <https://www.epa.gov/newsreleases/epa-announces-appointment-martha-guzman-regional-administrator-epa-region-9>

UPDATED TIMELINE & FOIA EVIDENCE REPORT

ASHLEY GJOVIK V APPLE INC | 825 STEWART DR; 3250 SCOTT BLVD

2021	12	02	Apple settles lawsuit against developer of Wolfe Campus (Triple Site)	Lawsuit ⁹¹
2021	12	09	Fire Code inspection at 825 Stewart Dr	PRA (2022)
2021	12	13	US EPA shares reports about Aug 19 inspection with DOL	FOIA (2022)
			<i>Note: US DOL never discloses these reports or the info to Gjovik</i>	
2021	12	13	Financial Times article about Gjovik's Apple US DOL case	News Article
			<i>"Gjovik pointed to a potential conflict of interest regarding Apple board member Ronald Sugar, as he was previously CEO of the company responsible for the dump & maintenance of waste materials under Gjovik's office. Sugar couldn't be reached for comment."</i>	
2021	12	13	EPA asks Northrop for update on 825 Stewart SSD/vents/HVAC	FOIA (2022)
			<i>"I'm following up on below and our call last week. Can you give me an update by this Wednesday on EPA's comments and RTCs attached? I particularly need to know the specifics for what changes to the roof vents for the SSD system that NGC is recommending for EPA review and what plans NGC has to formalize the SSD system maintenance and inspections." -EPA</i>	
2021	12	14	EPA to EPA email remember from 2019 FYR that TRW needs new ROD	FOIA (2022)
			EPA to EPA email "vapor intrusion not addressed in the...ROD"	
2021	12	14	US DOL tells US EPA no follow-up questions about Gjovik/TRW	FOIA (2022)
2021	12	14	Northrop Grumman email to US EPA on 825 Stewart inspection	FOIA (2023)
			<i>"Hi Michael, We'll conduct a preliminary review of the SSD system in the upcoming weeks based on the photos taken during the recent Site visit. If an additional Site visit is needed, we plan on coordinating an inspection in January 2022 and have a draft evaluation of the SSD system ready, as well as the system O&M work plan, by mid-March 2022. Please let me know if you have any questions. Thank you, Josh"</i>	
2021	12	15	Apple part of webinar about TCE, NMP, & chemical safety	Public Info⁹²
2021	12	16	EPA (Chip) says talked to Rebekah day before about TRW/Gjovik press	FOIA (2023)
2021	12	20	EPA responds to Independent UK & says everything is great, actually	FOIA (2022)
2021	12	20	US EPA retakes control of Synertek Superfund site from CalEPA	Geotracker
2021	12	27	EPA to EPA email about Test & Balance report for 825 Stewart	FOIA (2023)
			<i>"Attached is my draft review of the TRW RTC and the attached test and balance report. There was insufficient information on the building layout (room and zone sizes), building exhaust, and operations to make many conclusions from the test and balance report. Also since the building layout/operation has been modified since this test and balance I am not sure how accurately it reflects current operations. It did seem odd to me that the environmental chambers were not on dedicated ventilation systems. Maybe it is a reflection of how the chambers are being used? Not sure if it would have any impact on VI, but more information on the HVAC system could be helpful."</i>	
2021	12	28	EPA internal memo rejecting Apple's HVAC report for TRW	FOIA (2023)
			<i>"Responses to EPA comments provide by AECOM on November 5, 2021 was reviewed The QA Branch reviewed the response to comments and was not able to verify proper HVAC operations with the test and balance report provided. It is recommended that the HVAC system be further evaluated to confirm that it is not contributing to potential vapor intrusion. [SSD System Vent Pipes] The previous comment stands, it is recommended that vent pipe be relocated and or raised to avoid the potential for subsurface vapors to be pulled into the ventilation system and to improve SSD operations. [HVAC Operation] The HVAC test and balance report provided is from October 2015 and may not reflect current building configuration and operations." -EPA</i>	
2021	12	29	Law firm requests 825 Stewart building records from city of Sunnyvale	PRA (2022)
2021	12	31	Apple submits RCRA biennial report for 3250 Scott plant	US EPA

⁹¹ *Apple Inc v Des Architects + Engineers Inc*, Docket, Case No. 21 CV383358 Santa Clara Superior Court (June 1 2021)

⁹² https://www.greenscreenchemicals.org/images/ee_images/uploads/resources/Safer-Cleaners-for-Electronics-Slides-20211215.pdf

UPDATED TIMELINE & FOIA EVIDENCE REPORT

ASHLEY GJOVIK V APPLE INC | 825 STEWART DR; 3250 SCOTT BLVD

2022

JANUARY 2022

2022	01	Scott Sidlow (head of EH&S) leaves Apple	LinkedIn	
2022	01	Pankaj Garg (EH&S) leaves Apple	LinkedIn	
2022	01	03	First Community Risk Reduction Plan Review for 3250 Silane/Phosphine	PRA Docs (2023)
2022	01	03	EPA to EPA email about 825 Stewart inspection follow up	FOIA (2023)
			<i>"Hi Chip and Rebekah, Attached is QA's review of the 2015 HVAC test and balance report and TRW's timeline to address EPA site visit follow-up comments provided in an October 7 letter. I will respond to TRW next week stating that their proposed timeline to provide a draft evaluation of the SSD system by mid-March 2022 is inadequate. I'll send you a draft first to get your feedback before I send my response. I'll also meet with Matt and go over his comments and if any additional evaluation is needed to evaluate vapor intrusion potential. I expect that NGC will work proactively and quickly to address any EPA concerns or potential VI mitigation or O&M issues. Our existing order with NGC does not address VI, we do not have one with Apple. However, we do have a BFPA with the current owner (but not Apple), which specifies to maintain BFPA status, the current owner is prohibited from conducting building construction, renovation, or other modifications activities that may affect the integrity of the VI mitigation system. If, hypothetically, there NGC timely cooperation will result in the quickest response If we find that the SDS mitigation system needs to be modified or that indoor air sampling is warranted."</i>	
2022	01	04	Lisa Jackson & Michael Regan staff emailing to set up meeting	FOIA (2022)
2022	01	05	EPA to EPA email abt "TRW Microwave; 825 Stewart Follow-up on the Aug 19 site visit"	
			<i>"Thank you for reviewing the HVAC test and balance report for the Apple leased building. When you're back in the office, I'll set up a meeting for us to go over and if indoor air sampling should be conducted this winter. Michael"</i>	
2022	01	05	EPA project manager email to EPA lawyer about 9/19 TRW inspection	FOIA (2023)
			<i>Entire email (two-three paragraphs) is redacted [EX. 5 ATTORNEY CLIENT (AC)] Email is a forward of email from Northrop Grumman on Dec 13 about SSD system</i>	
2022	01	07	EPA sends meeting invite to EPA to discuss "TRW Microwave" on 1/12	
			<i>"HVAC data and indoor air sampling. I can also meet between 1- 2 and after 3pm fi that's better?"</i>	
2022	01	10	Gjovik filed NLRB, US DOL, CA DOL charges for witness intimidation	NLRB
2022	01	12	EPA to EPA email about 9/19 TRW site inspection follow-up	FOIA (2023)
			<i>"Do you have time to review this week a draft email I'll be sending to Northrup Grumman Corp (NGC) on the Microwave Site (Triple Site)? [Ex. 5 Deliberative Process (DP). Ex. 5 Deliberative Process (DP)] Thanks! -Michael"</i>	
2022	01	12	Apple reports Gjovik's Twitter posts about prior Supervisor; account is suspended until she deletes	
2022	01	14	Apple lawyer files notice of appearance for Jan 10 NLRB Charge	FOIA (2022)
2022	01	18	Lisa Jackson & Michael Regan have 45min Teams video call meeting	FOIA (2022)
2022	01	17	Gjovik files CalOSHA complaint about safety issues at TRW site office	CalOSHA
2022	01	22	Gjovik files FOIA requests with US EPA about her Superfund office	US EPA
2022	01	24	California EDD stages interview of Gjovik but destroys record of it	EDD Appeal
2022	01	26	EPA to EPA email about Gjovik's Jan 2022 FOIA request	FOIA (2023)
2022	01	31	Apple RO gag-order petition against Gjovik "because of her NLRB charge" State court	
2022	01	31	EPA contacts Gjovik about her FOIA requests & insists on a meeting about them	

UPDATED TIMELINE & FOIA EVIDENCE REPORT

ASHLEY GJOVIK V APPLE INC | 825 STEWART DR; 3250 SCOTT BLVD

Gjovik responded, they “should be aware [she’s] a CERCLA whistleblower from this specific site, with an active retaliation case in front of US DOL. (In addition to SOX & OSH Act retaliation for the same site). If you’d prefer to keep communications in writing, considering, I’d be fine with that and also prefer it.”

FEBRUARY 2022

2022 02	Margot Perez Sullivan leaves US EPA	US EPA
2022 02 01	Gjovik notifies federal & state government of harassment, threats, intimidation	
2022 02 01	Ex Parte RO hearing #1 against Gjovik (TRO denied)	State court
2022 02 01	EPA lawyer pressuring Gjovik that if she doesn’t have a meeting they will charge her \$	
2022 02 02	California EDD claims they resent notice to Apple	EDD Appeal
2022 02 02	3 rd change of activated charcoal (420lbs) at 3250 Scott	DTSC Manifests
2022 02 03	Gjovik reports witness intimidation/retaliation to FBI	US DOJ
2022 02 03	EPA to EPA email about “follow up on 9/19/21 TRW Site visit”	FOIA (2023)
	<i>“Hi Lilian, Do you have time this week to finalize a letter regarding the TRW Microwave requesting the PRP respond to December comments. I also included draft comments that the PRP(s) conduct indoor air sampling. Attached is the email thread we need to respond to. I have some points below to Rebekah as I wanted legal / ORC input, however note the first bullet is just speculation on my part and not technically relevant in hindsight. [Ex. 5 Deliberative Process (DP)] The project files on this topic are here, include the initial draft that Rebekah reviewed: Apple 825Stewart (2021-). Do you want to meet today or Friday to go over? Michael”</i>	
2022 02 04	California EDD closes unemployment claim; Gjovik’s unemployment insurance denied	
2022 02 05	Apple sends harassing email to Gjovik; demands changes to NLRB filings	Gjovik Docs
2022 02 05	Apple sends email to Gjovik telling Gjovik her SEC tip is meritless	Gjovik Docs
2022 02 07	California EDD claims they called Gjovik, but they did not	EDD Appeal
2022 02 07	Gjovik reports witness intimidation/retaliation to FBI again	US DOJ
2022 02 08	EPA lawyer tells Gjovik that California EPA is investigating her US EPA complaint	
	<i>“Your complaint filed in EPA’s ECHO system and received by EPA on August 29, 2021, was referred to the California Environmental Protection Agency (CalEPA) as the appropriate agency to review and manage the complaint.” Gjovik responded same day answering their questions and inquired about the state referral saying, “How does that work? It’s a US EPA Superfund site. CalEPA has no jurisdiction, right?” They never responded.</i>	
2022 02 10	EPA to EPA email: “TRW Microwave EPA follow-up on 9/19/21 site visit”	FOIA (2023)
	<i>“Hi Rebekah, I emailed you before to consult with you on enforcement questions I had. For the team, I wanted to get your feedback on attached in response to an NGC December 13, 2021 email (also see attached). I also wanted feedback on including the last sentence and fi it should be included? Thank you, Michael”</i>	
2022 02 11	EPA appoints Michael Montgomery as head of R9 Superfund program ⁹³	US EPA
2022 02 11	Fake Twitter account informs Gjovik of RO & threatens blacklisting	Gjovik Docs
	<i>“Can you still be admitted to the bar if you had an anti-harassment judgement filed against you? Asking for Ashley Gjovik...A search of public records indicates Ashley has a court date coming up.”</i>	
2022 02 11	3250 Scot Fire Dept has Comm Risk Reduction Mtg for Solvent Exhaust	PRA (2023)
2022 02 12	EPA requires list of EPA individuals in request of “who Lisa Jackson/Apple talked to”	
	<i>On February 12 2022, Gjovik responded to EPA again with their questions for clarification including who at the EPA HQ should be included in the search and Gjovik responded “Whoever Lisa Jackson or Alisha</i>	

⁹³ <https://web.archive.org/web/20220211054501/https://www.epa.gov/aboutepa/organization-epas-region-9-office-san-francisco>

UPDATED TIMELINE & FOIA EVIDENCE REPORT

ASHLEY GJOVIK V APPLE INC | 825 STEWART DR; 3250 SCOTT BLVD

Johnson are likely to reach out to. Also please check Lisa & Alisha's EPA emails if they still have them in the "to any EPA HQ folks" search. Lisa apparently had two emails: one under her name and "Richard Windsor." Not sure about Alisha."

On February 22 2022, Catherine Schluter responded to Gjovik saying that they could not search all of EPA HQ, and any request by Gjovik for an EPA HQ search would require the specific employees names. Schluter wrote, "we do not know who Lisa Jackson or Alisha Johnson are likely to reach out to at HQ because we do not have knowledge of their personal or professional relationships."

- 2022 02 12 EPA to Northrop Grumman email about Aug 19 2021 TRW inspection follow up FOIA (2023)
"Hi Josh, It has been a couple months since your last update and half-a-year since we conducted the site visit to 825 Stewart Ave. Please provide an update on whether NGC's preliminary review of the SSD system is complete and whether an additional site visit was required. In line with NGC's schedule below, please submit by March 15, 2022, a complete response to EPA's October 7, 2021, comments. Include in NGC's response any proposed modifications to the SSD system vent stacks to address potential emissions from being pulled into the building's HVAC. Also include in NGC's response a schedule to implement the proposed SSD system modifications. Additionally, by March 31, 2022, please respond to EPA's October 7, 2021, request to submit a plan that documents the scope of the SSD system's long-term operations and maintenance and a figure showing where the existing sub-slab sampling ports are located. We expect that GI DC Sunnyvale, LLC will cooperate with NGC's efforts consistent with EPA's 2014 prospective purchaser letter (attached). Thank you in advance for your cooperation to address EPA's comments. If NGC is unable or does not intend to meet this schedule, please contact me immediately so that we can discuss the issue and EPA can evaluate other alternatives for completing this necessary work in a timely manner."
- 2022 02 14 Gjovik served for Apple RO gag-order lawsuit (day before hearing) State court
- 2022 02 15 Apple gag-order RO hearing #2 (Gjovik's motion for continuance granted) State court
- 2022 02 17 Replacement of "solvent exhaust rooftop fan & hydride abatement" at 3250 PRA Docs (2023)
- 2022 02 21 Northrop Grumman email to US EPA about TRW/Aug 19 inspection FOIA (2023)
"Hi Michael, Per our discussion last week, Northrop Grumman and AECOM are committed to address EPA's comments, as laid out in our response letter dated November 5, 2021. We have requested as-built drawings of the HVAC system installed at the former Microwave Site building from Apple, ensuring that we have accurate dimensions and heights of all portions of the SSD and HVAC systems, which is necessary to complete the SSD assessment. The facility manager for Apple is currently searching for this information and will give us a response in the next few days. Should the as-built drawings not be available, and therefore an additional Site visit be required, the completion of the SSD assessment may be delayed beyond the March 15 date. I will reach out to you when we get more clarity on timing. The SSD O&M Plan will be submitted to EPA by March 31. Feel free to give me a call or email at any time if you have additional questions. Thanks, Josh"
- 2022 02 22 NLRB transfer cases from Region 32 to Region 21 (aft OIG investigation) NLRB

MARCH 2022

- 2022 03 01 Apple gag-order RO hearing #3 granted; now a crime to talk about Apple State court
- 2022 03 03 Legal service (MWE?) picks up copy of the gag order State court
- 2022 03 03 Gjovik files FCPA complaint to DOJ & SEC against Apple SEC
- 2022 03 04 Gjovik finally gets copy of Apple's position statement; its crazy US DOL
Apple still claims they planned to test indoor air after sealing floor in 2021 ; Apple still claims EPA didn't need to know about cracks/tests ; Apple now claims Gjovik asked to be "removed from the workplace" on 7/20 ; Apple still claims work in 2021 was "routine & voluntary"; Apple says ADA request became moot when Gjovik put on leave (Aug 4); Apple says Gjovik's request not to go back to TRW was "allegedly" about safety; Apple now claims it fired; Gjovik about Gjovik speech on 8/28 & 8/30 2021 US DOL

UPDATED TIMELINE & FOIA EVIDENCE REPORT

ASHLEY GJOVIK V APPLE INC | 825 STEWART DR; 3250 SCOTT BLVD

Apple said, *Apple terminated Ms. Gjovik for legitimate business reasons: she violated her own written confidentiality agreements with Apple and Apple's policies, both by disclosing confidential product information and by refusing to cooperate in an internal investigation.*

- 2022 03 17 Northrop's Grumman's 2021 Annual Groundwater Monitoring Report FOIA (2022)
Impact to the Site from off-site sources continues to be reported in Zones A, B1, and B2. This continued migration of VOC-impacted groundwater onto the Site from upgradient sources complicates long-term achievement of Site cleanup goals.
- 2022 03 31 Northrop's 2021 Annual SSD Maintenance Inspection (onsite / rooftop) FOIA (2022)
"In May-Dec 2015, "modifications were made to the wind-powered roof turbines in each section of the building. The modifications included reducing the height of the roof turbine risers in some locations to install equipment over the top of the roof turbines"-Northrop
"Any damage or deficiencies noted during the inspection will be immediately communicated to the Northrop Grumman project manager. Documentation annual inspection of the SSD System will be included as an appendix to each Annual Groundwater Monitoring Report submitted to USEPA." - Northrop
- 2022 03 18 Apple edits Gjovik's Wikipedia biography article about TRW site Wikipedia Admins
"In 2014, following a failed vapor intrusion test, the EPA determined that the issues had been sufficiently addressed and implemented new notification requirements to quickly mitigate any unacceptable levels." - Apple
- 2022 03 22 Northrop tells EPA they did SSD & HVAC inspection on March 17 FOIA (2022)
- 2022 03 22 Northrop tells EPA Apple does not have "as built" drawings for SSD/HVAC FOIA (2022)
- 2022 03 22 Honeywell consultant found lost groundwater well 29 at 3255 Scott FOIA (2023)
- 2022 03 24 Apple edits Gjovik's Wikipedia biography article Wiki Admins
"Apple has said they "don't discuss any individual employee matters, out of respect for the privacy of the people involved", and "are and have always been deeply committed to creating and maintaining a positive and inclusive workplace," and they "take all concerns seriously" and "thoroughly investigate whenever a concern is raised."

APRIL 2022

- 2022 04 01 Gjovik files invasion of privacy complaints against Apple with numerous govts Gjovik
- 2022 04 03 Apple had smear article published by NYP, & republished by Apple Insider News Articles
- 2022 04 05 EPA to EPA asking expert to review SSDS O&M report FOIA (2023)
"Can you review the adequacy of NGC's 2-page Passive Sub Slab Depressurization System Operation and Maintenance Plan with attachments? The O&M Plan was submitted per EPA's attached request and to address the 2019 EPA Five Year Review Report recommendation to incorporate "long-term stewardship measures for the current vapor mitigation measures in place."
- 2022 04 07 Gjovik asks for update from US EPA on FOIA, says its evidence US EPA
Would it be possible to prioritize the documents related to the TRW Microwave, Sunnyvale site please? These will likely be critical to my open US dept of labor & CA dept of labor & US NLRB cases/investigations into Apple.
- 2022 04 08 Honeywell decommissions well 29A at 3250/3255 Scott FOIA (2023)
- 2022 04 08 Gjovik tries to email Margot asking for an update directly, gets email bounce saying no Margot
- 2022 04 08 Gjovik emails new EPA site contacts asking about 825 Stewart status US EPA
- 2022 04 08 New weekly EPA team meeting: "Triple Site" FOIA (2023)
Discussion topics include: settlements, statute of limitations, community involvement, site lawyer, contracting team help, ecological risk evaluation, records management
- 2022 04 14 US EPA puts new person in charge of TRW & Triple Site FOIA (2023)

UPDATED TIMELINE & FOIA EVIDENCE REPORT

ASHLEY GJOVIK V APPLE INC | 825 STEWART DR; 3250 SCOTT BLVD

- 2022 04 15 EPA to EPA email: “request for technical assistance re: TRW passive SSD modification”
Hi Mat, I hope this finds you well. I am writing to request your technical assistance with the TRW Passive SSDS Modification Evaluation attached. I understand you have been assisting Michael on that and you did a site visit to evaluate the system. Could you please reply indicating your timeframe to review and provide comments? At that point I would like to set up a call with you and Michael to discuss your comments.
- 2022 04 15 Northrop’s “Evaluation of Passive Sub Slab Depressurization System” FOIA (2022)
- 2022 04 15 Northrop submits letter to US EPA denouncing Apple’s HVAC installation FOIA (2023)
*says Apple installed the HVAC “without consideration for the location of the SSD vents and their function”
NGC: “At the request of the United States Environmental Protection Agency (USEPA), AECOM, on behalf of Northrop Grumman Systems Corporation (Northrop Grumman), evaluated the current configuration and status of the rooftop vents associated with the Passive Sub-Slab Depressurization (SSD) System, installed at the site in 2014. In their letter dated October 7, 2021, USEPA noted that several of the vents were reconfigured by the current building tenant after initial installation of the SSD System was completed in 2014.
Seven vents were originally installed as part of the SSD System in 2014 prior to the installation of the existing heating, ventilation, and air conditioning (HVAC) system (three on the Main Building, two on the West Lobby Building and two on the North Building, as shown on Figure 1). The existing HVAC system was subsequently installed by the current building tenant between May and December of 2015 without consideration for the location of the SSD System vents and their function. As result, the three vents on the Main Building Roof and two vents on the West Lobby Building Roof were put in close proximity to the HVAC intakes. The two vents on the North Building are not located near HVAC intakes and not of concern.
The objective of the evaluation is to relocate the vents on the affected buildings outside the assumed sphere of influence of the HVAC intakes. As stated in the Engineering Issues: Indoor Air Vapor Intrusion Mitigation Approaches (USEPA, 2008), the recommended distance from the riser vents to the HVAC intakes is 10 feet. A conservative safety factor of 2.5 was applied to the 10-foot recommendation, resulting relocation of the vents to a minimum of 25 feet away from HVAC intakes.”*
- 2022 04 17 Telegraph: “Apple whistleblower Ashley Gjøvik: ‘My life is a goddamn nightmare now’”
Terrible comments and replies on Twitter calling Gjøvik names and accusing her of crimes.
- 2022 04 22 TCB-1,2,4 contamination in groundwater well 36A at 3250 Scott CalEPA GAMA
- 2022 04 25 EPA to EPA memo included later in May 20th Letter to Northrop FOIA (2022)
*EPA: “TO&M Plan; Annual Inspection Protocol] This section notes that inspections are limited to the roof components. Elements of inspection should also include: Verification that the floor slab and barrier system have not been breached or otherwise compromised. Evaluation to confirm that the building has not been modified in a manner that could compromise the system. Evaluation of changes to building use. (this could be changes in mechanical operations or changes in exposure scenarios that we not envisioned when the system was designed).”
5. [SSD Evaluation; Vent height] The current height proposed does not appear to be sufficient to clear obstructions. Clearing obstructions is important for dispersion of pollutants and to provide sufficient exposure to wind (which provides part of the driving force for proper passive SSD operation).
6. [SSD Evaluation; Location of HVAC intakes] The HVAC intake location is mislabeled. Please correct this and verify that the other HVAC intakes were properly located.*
- 2022 04 25 Apple edits Gjøvik’s Wikipedia biography article Wikipedia Admins
“In 1994, a public health study done by the US DOE concluded that the only danger to public health was contaminated groundwater, which the EPA says has placed preventative institutional controls to keep the affected water from coming into contact with people ...The EPA said that Apple did not open the location until indoor air sampling in 2015 confirmed the effectiveness of the remedies. According to the California DTSC the site has no land use restrictions or any contaminants for concern.” -Apple
- 2022 04 26 EPA site meeting: “TRW Microwave SSD modifications” FOIA (2023)

UPDATED TIMELINE & FOIA EVIDENCE REPORT

ASHLEY GJOVIK V APPLE INC | 825 STEWART DR; 3250 SCOTT BLVD

Hi Mat, I am setting this call to review the attached SSD modifications. It is a very short memo, so our call should be short. I am setting up 1h meeting but we may resolve this in less than half hour. Since you visited the site and made technical recommendations for the modifications, it makes sense to follow up with you to review their response.

- 2022 04 28 EPA and NGC agree to hire 3rd party consultant about the SSV/HVAC issues FOIA (2023)
Should we have 1/2h- initial call with Bil to show him the building and main issues? Or just the sequence of documents listed below are clear enough? Sequence of events/documents attached) October 7, 2021 EPA letter, see bullets on: SSD system Vent Pipes and SSD system Maintenance and Inspections; March 31, 2022 PRP memo response to SSD maintenance and inspections; April 15, 2022 PRP memo proposal to Vent Pipes design modification April 25, 2022 EPA technical comments to both P R memos. Bill Morris focuses should be on the modification to the vent pipes design and the issue of using horizontal lines to divert the vents away from the HVAC intake.

MAY 2022

- 2022 05 US EPA takes Synertek site (3250/3255) back from CalEPA & adds more oversight PRA (2023)
- 2022 05 05 NLRB Region 21 report complete and submitted in Gjovik's charge against Apple NLRB
- 2022 05 05 EPA to EPA email: "Can you attend a TRW FOIA call right now?" FOIA (2023)
- 2022 05 12 Northrop Grumman & EPA meeting: "TRW/Apple Bldg Mitigation Evaluation" FOIA (2023)
- 2022 05 12 Gjovik notices new doc on EPA website for site & finds inspections in appendix**
Note: Doc was 2021 annual GW monitoring report, March 17 2022, deep in appendix like 70 pages in
- 2022 05 12 **Gjovik emails EPA FOIA after seeing the groundwater documentation US EPA**
As I explained back in January, these records are critical to my ongoing litigation against Apple, and incredibly time sensitive. For instance, NLRB already concluded their investigation, wrote their report, and General Counsel is now considering the recommendation for litigation. I just discovered that there were two US EPA site visits to my Apple office last year, one of them clearly the result of my whistleblower disclosures. Apple is telling the feds that there was nothing wrong with my office at all & I was being unreasonable, and Apple claims even the EPA said there were no issues at all. Yet the EPA thanked me for rattling Apple out about the cracked floor & then apparently while I was suspended, on Aug 19 2021, the US EPA inspected my office - which led to another site visit in October as well as requests for Northrop/Apple to do a study of the Sub Slat Depressurization system & did a 2nd on site inspection about that SSD. This also seems very relevant to my disclosures as I reported to the EPA that there were cracks in the floor & Apple was hiring a vendor to fix them, but Apple refused to tell the EPA about it. If the floor is cracked, the only thing keeping known vapor intrusion at bay is the SSD. I assume in the five months you've been working on this, you already knew all this and you've kept this information away from me. For instance, the Aug 19 site visit emails with the EPA informing Apple & Northrop they were going to do a site inspection (assumably based on my whistleblower disclosures). I wonder if there's any coincidence that I'm a CERCLA whistleblower with a case against Apple, & reporting to the CEO of Apple is your old boss Lisa Jackson, meanwhile the US EPA appears to be hiding critical information from me in an apparent attempt to run out the clock the my cases against Apple. Please let me know if y'all are ready to do your jobs or if I should pursue and Inspector General complaint against y'all over this. Please send me the August 19 2021 site visit emails ASAP. I'm sure you're well aware those documents could make or break my CERCLA case."
- 2022 05 17 EPA responds to Gjovik saying they're working on FOIA docs US EPA
- 2022 05 17 Gjovik asks EPA for more info & status on 825 Stewart US EPA
- 2022 05 17 US EPA (Chip) tells Synertek to find missing well 29A Geotracker
- 2022 05 18 **Memo from vapor intrusion expert to US EPA about HVAC/SSV at TRW FOIA (2023)**
Says writes its hard to know if the 'passive' vapor intrusion mitigation system functions at all, but still prob polluting HVAC, which must be fixed, & the SSD 'system' was improperly designed from the start & needs

UPDATED TIMELINE & FOIA EVIDENCE REPORT

ASHLEY GJOVIK V APPLE INC | 825 STEWART DR; 3250 SCOTT BLVD

to be converted to active with fans & roof booster. Also says there's "no such thing as a passive sub-slab depressurization system" and to call it a "sub-slab venting system"

- 2022 05 18 EPA to Northrop Grumman email about memo from vapor intrusion expert FOIA (2023)
"Hi Lilian, [Ex. 5 Deliberative Process]. I don't think he spent more than couple hours."
- 2022 05 19 EPA to EPA meeting invite: "Quick chat on TRW SSDS" | Importance: "high"
- 2022 05 20 EPA letter to Northrop Grumman about SSD Plan and Testing at TRW FOIA (2022)
Based on EPA's technical review the O&M Plan and SSDS Evaluation, these reports are not approved by EPA at this time. Please refer to the attached technical memoranda for specific comments... While modifications to the building passive subslab ventilation system are being addressed, EP A requires that one round of indoor air samples be collected to document protectiveness under current conditions. In the attached technical memoranda, there are recommendations to change the discharge points elevations and to potentially transform the passive sub slab ventilation system into an active one. For a final determination whether the passive system coupled with the HVAC operation are still protective, EPA recommends an evaluation of the current subslab soil gas concentration conditions be conducted. EPA also recommends a building-wide slab pressure differential evaluation to identify areas of the building where positive pressure at the slab is not obtained. This information will further assist in the decision to convert the existing system to an active one. One of the technical comments attached refers to defining the system as a passive ventilation system, instead of a passive depressurization system. EP A recognizes that when the system was installed back in 2014, it was called as passive sub-slab vapor collection (SVC) system and over the years this term was used interchangeable with "passive depressurization system." It is EPA's understanding that the system's design and intended use have not changed.
- 2022 05 20 EPA technical memo from 3rd party shared with Northrop about TRW SSV/HVAC FOIA
"Temperature inversions are common occurrences in the Bay Area. When the inversion occurs atop a building it may result in concentrated effluents to get pushed back down to the roof and have a potential to re-entrain into the building through intakes on the roof."
- 2022 05 20 EPA shares 4/25/22 internal memo with Northrop about SSD reports at TRW FOIA (2022)
"The O&M Plan and SSD Evaluation would benefit from a more thoughtful evaluation of SSD system engineering." Need to verify "floor slab and barrier system have not been breached or otherwise compromised." Evaluation to confirm that the building has not been modified in a manner that could compromise the system. SSD Evaluation report: The HVAC intake location is mislabeled. Please correct this and verify that the other HVAC intakes were properly located. (annotated diagram)" -EPA
- 2022 05 22 Honeywell report to EPA about well 29A decommissioning PRA Docs (2023)
- 2022 05 27 **Gjovik receives first update from EPA, the Oct 7 2021 report about the Aug 19 inspection**
- 2022 05 28 Gjovik discovers hacking on computers & network Gjovik Docs
- 2022 05 29 Gjovik discovers Apple mailed her a bugged object Gjovik Docs
- 2022 05 29 Apple edits Gjovik's Wikipedia biography article Wikipedia Admins
"The EPA conducted an on-site visit on August 19, 2021 and determined "the likelihood for vapor intrusion is low and not expected." -apple
- 2022 05 30 Apple attempts to break into Gjovik's home (to get bugged object back?) SC PD
- 2022 05 31 Gjovik reports hacking/spying/bugging to SC police department SC PD
- 2022 05 31 Gjovik reports hacking/spying/bugging to FBI US DOJ
- 2022 05 31 Lisa Jackson & Michael Regan staff emailing to set up private meeting FOIA (2022)

JUNE 2022

- 2022 06 Gjovik manages to still graduate law school Gjovik Docs

UPDATED TIMELINE & FOIA EVIDENCE REPORT

ASHLEY GJOVIK V APPLE INC | 825 STEWART DR; 3250 SCOTT BLVD

2022	06	Gjovik's 2 nd Apple ER investigator promoted to IC4	LinkedIn
2022	06	Gjovik's CalDOL DIR case is queued; investigation stopped	Gjovik Docs
2022	06	01 Gjovik asks US EPA about cracked floor at 825 Stewart <i>4) Can you please also confirm if the cracked floor has been fixed? Did Apple claim it was fixed before the Aug 19 inspection? (Apple had sent notices while I was suspended saying they planned to spend many many hours on site doing EH&S work)</i>	
2022	06	01 Gjovik asks US EPA about TRW SSV/HVAC notes on Oct 7 2021 report <i>5) Are you able to confirm if the SDD vent / HVAC intake issue was addressed & fixed? 6) Was OSHA notified of the SSD vents / HVAC intake concerns? OSHA declined my OSHA complaints about the building, saying EPA has full jurisdiction. So is the HVAC issue under EPA purview only? 7) For the HVAC intake/SSD vent issue, it appears Northrop did an onsite inspection in 2020 of those vents. Has there been a retrospective to determine if Northrop knew of the issue & hid it until the EPA discovered it on Aug 19? 8) Also, are you aware if Apple knew of the SSD/HVAC intake issues in spring of 2021? My complaints allege a cover-up. If Apple knew the HVAC was potentially intaking TCE/etc fumes from the SSD system when I began complaining of retaliation, that would be very important information for me and the agencies investigating to know.</i>	US EPA
2022	06	01 Gjovik asks EPA about Sub Slat Ports at 825 Stewart <i>"Thank you very much for sharing that document. It is incredibly helpful for my open cases against Apple to know there was an inspection while I was suspended in August. ... I had also asked Apple about the "Missing" SS monitoring points and they had told me they refused to answer those questions & insisted everything is safe & fine. So it's helpful to see EPA asked the same. 10) Did EPA also ask about the "compromised" SS monitoring point (7)? Apple refused to even tell me what "compromised" means. My fainting spell in 2019 was also near the mark for SS-7. The spell then continued at my desk, which is apparently the "hot spot" for the building (1800 ug/m3 TCE in SS monitoring pt 2)." -Gjovik</i>	Gjovik Docs
2022	06	01 US EPA lawyer removes site team, says Gjovik (or her lawyer) can talk only to her <i>"I am an attorney in EPA Region 9's Office of Regional Counsel. please direct, or if represented by counsel have your attorney direct, further communications to me."</i>	
2022	06	01 Gjovik complains to EPA R9 about refusal to answer qs & FOIA delays <i>Hi Rebekah, Just want to be clear - please confirm. Its my understanding that you, on behalf of the US EPA, are currently refusing to answer any of my questions below, some of which are simple Yes/No, until after you release FOIA documents, for which there is no ETA. A Yes/No reply for the prompt above will suffice. I just want to ensure it's documented I'm asking for public information on matters of public concern, related to open government investigations, and that request is being temporarily denied without explanation.</i>	US EPA
2022	06	03 EPA R9 lawyer points Gjovik to docs Gjovik already has & was asking qs about	
2022	06	04 Apple edits Gjovik's Wikipedia biography article <i>[removed 8,739] "attempted to cut down massive overlong section about flimsy allegations"</i>	Wiki Admins
2022	06	04 Apple edits Gjovik's Wikipedia biography article <i>"The EPA said that Apple did not open the location until indoor air sampling in 2015 confirmed it was safe and was most recently tested per the EPA's demi-decennial requirement on September 18, 2019."-Apple</i>	Wikipedia Admins
2022	06	04 Apple (MWE) requests records of Apple RO gag-order court hearings	State court
2022	06	07 Gjovik's first meeting with SEC Enforcement team; talks about Jackson, Sugar	US SEC
2022	06	08 Apple edits Gjovik's Wikipedia biography article <i>[removed 8,739 characters – again] "possible libel vs Lisa P. Jackson and Ronald Sugar, section WP:UNDUE vs sourcing about her allegations."</i>	Wiki Admins
2022	06	09 Gjovik sues state of Washington over illegal retaliatory gag order	US DC
2022	06	09 Gjovik asks for update from EPA R9 lawyer; told can only FOIA	US EPA

UPDATED TIMELINE & FOIA EVIDENCE REPORT

ASHLEY GJOVIK V APPLE INC | 825 STEWART DR; 3250 SCOTT BLVD

I am asking these questions out of concern for my own exposure to hazardous waste & increased risk of disease & death, and concern about the same for my coworkers. I am also asking due to the numerous open federal and state investigations into the labor & fraud concerns directly related to the site. Delays not only impact public and personal health, but also legal outcomes & justice.

- 2022 06 10 Lisa Jackson & Michael Regan planned to meet (cancelled same day) FOIA (2022)
- 2022 06 11 Apple nominates Gjovik's Wikipedia biography article for deletion Wiki Admins
Not notable & WP:NOTNEWS - The subject's article revolves almost entirely around subject's allegations during none of which offer substantiation from reliable sources, leaving the article feeling like the editor putting the cart before the horse. The article offers no accomplishments of the subject, other than in subject's academia, which is not notable. Sources are high-quality, but because the content is what seems to be unsubstantiated claims against a company, resulting article looks like WP:GOSSIP that was only news-worthy because the target of subject's allegations is Apple Inc., and during the summer of 2021 during the AppleToo event. "
If none of these complaints amounted to anything, it explains why the coverage dried up, and this article is nothing but an Anti-Apple gossip article. Example: Subject requested a "right-to-sue", which subject was granted. Subject did not file a lawsuit within the window, so the only coverage of this subject suing Apple, which would be notable, is that subject intended to sue. I would argue that inclusion of intention to sue is WP:UNDUE. I firmly believe this could be done with
- 2022 06 14 4th change of activated charcoal (290lbs) at 3250 Scott DTSC Manifests
- 2022 06 14 Apple enters 3250 Scott factory TRI data for 2021 into TRI Reporter US EPA
- 2022 06 17 Northrop letter via AECOM to EPA about 825 Stewart FOIA (2022)
4. Comment: [SSD Evaluation; Duct] The design selected introduces long horizontal duct runs and several duct bends on the roof. These features will reduce the effectiveness of the system by causing resistance to air flow. Response: Although there is some friction loss through the pipe runs, given the passive nature of the system (providing a preferential pathway for sub-slab vapors to migrate through rather than into the building), the overall impact on effect on the system is likely to be relatively minor. No changes were made to the proposed ducting/vent height design.
5. Comment: [SSD Evaluation; Vent height] The current height proposed does not appear to be sufficient to clear obstructions. Clearing obstructions is important for dispersion of pollutants and to provide sufficient exposure to wind (which provides part of the driving force for proper passive SSD operation). Response: Building codes in the City of Sunnydale direct that roof protrusions not be visible from street level, as described in the Sunnyvale Municipal Code 19.38.020. Screening of equipment. However, the design of the windscreen allows for airflow for both under and over the windscreen and adequate flow to drive the turbines. No changes were made to the proposed ducting/vent height design.
Comment: Based on VMS professional judgement, additional building flow and balance data and indoor air results should be collected to assist with the evaluation of the design modifications to the passive sub slab ventilation system that will be implemented. If the additional data indicates an issue, then possibly upgrading to an active system may be prudent and more cost-effective than identifying where the issue is across the entire building footprint. An evaluation of the HVAC systems' flow and balances will help with determining the efficacy of the HVAC in augmenting the passive sub slab ventilation system.
Response: Per the requirements from USEPA, an indoor sampling event will be performed to evaluate conditions under the current system configuration.
- 2022 06 17 Northrop won't tell EPA about TRW HVAC config if "Apple Confidential" FOIA (2022)
"Information regarding the interior and roof HVAC configuration will require cooperation from the current tenant, some of which is considered secure information by the tenant." -Northrop about Apple
- 2022 06 24 Der Spiegel article about Gjovik, privacy, & toxic waste office News Article
- 2022 06 27 EPA releases first batch of docs in response to Gjovik's FOIA request US EPA
- 2022 06 28 WA US District Court suddenly dismisses Gjovik's constitutional challenge US DC
- 2022 06 30 Apple legal exec pleads guilty to six counts of criminal fraud US DOJ⁹⁴

⁹⁴ <https://www.justice.gov/usao-nj/pr/apple-s-former-director-corporate-law-admits-insider-trading>

UPDATED TIMELINE & FOIA EVIDENCE REPORT

ASHLEY GJOVIK V APPLE INC | 825 STEWART DR; 3250 SCOTT BLVD

JULY 2022

- 2022 07 11 EPA to EPA emails about status of high TCE in outdoor Triple Site air FOIA (2023)
- 2022 07 12 EPA to EPA emails about status of high TCE in outdoor Triple Site air FOIA (2023)
- 2022 07 12 EPA says Apple is “not addressing most of [their] comments” FOIA (2023)
Lilian: “Do you have comments to the TRW RTC? Can we meet to discuss?” Matt: “I am only in today then out till August. I did look at it and it was clear that they are not addressing most of our comments. Not sure how we respond.”
- 2022 07 14 **Gjovik wins appeal of unemployment insurance case** CA EDD Appeal
“Prior to the separation of employment, [Gjovik] received great performance reviews and [Gjovik] received no oral or written warning notifying her that her job was in jeopardy. At all times [Gjovik] performed her job duties to the best of her ability. [Gjovik] received notice from [her Apple] vice president that she was being discharged. The notice was vague and incomplete...no specific information was provided...evidence shows [Gjovik] was discharged for reasons other than misconduct.” “Benefits are payable.” -ALJ
- 2022 07 20 Gjovik files EPA OIG complaint about R9 & Lisa Jackson US EPA
- 2022 07 20 EPA to EPA email: “Letter to TRW – Apple building” FOIA (2023)
“Hello Chip, I am not sure if you want me to share with you (for your review) my correspondences with TRW about the Apple building. Please let know. Attached is a letter I plan to send them in response to their RTC on an EPA letter I sent a couple months ago requesting sampling at the Apple building. In their RTC (also attached) they agreed to do the indoor air sampling but misstated the reasons/conditions, so my current letter re stated them. They also misinterpreted the requirements to do sub-slab sampling, and my current letter also aims to clarify that requirement. [Ex. 5 Deliberative Process (DP)] Thank you”
- 2022 07 21 Lisa Jackson & Michael Regan have secret in person meeting at EPA HQ FOIA (2022)
- 2022 07 21 EPA letter to Northrop in response to June letter re 825 Stewart FOIA (2022)
*Thank you for submitting the Northrop Grumman Systems Corporation (Northrop Grumman) written response to EPA's technical comments and agreeing to collect indoor air samples at the subject building. As stated in the EPA's letter, the objective of collecting the indoor air is to document protectiveness, under a normal building HVAC operation, while the modifications to the building passive sub-slab ventilation (SSV) system are being addressed. Based on the uncontrolled and unpredictable nature of many weather variables that could potentially affect the vapor intrusion into a building, an approach to evaluate vapor intrusion in any site, is to collect multiple lines of evidence. Based on that, EPA requires Northrop Grumman to evaluate the current sub-slab soil gas concentrations as well as the building-slab pressure differentials at the time of the indoor air sampling, and regardless of the indoor air results. The sampling plan should include outdoor air measurements at the intakes of the HVAC systems. The data from the sub-slab soil gas samples and the pressure differentials will assist in determining whether the passive SSV should be converted to an active system. Additionally, this data will provide information on the current conceptual site model. Please submit a sampling plan that includes indoor air sampling with building-slab pressure differential monitoring, sub-slab soil gas sampling and outdoor air sampling at the HVAC intakes.
Regarding the limitations to change vents height due to the building codes, EPA cannot evaluate the impact on air dispersion and re-entry through the HVAC intakes without sub-slab soil gas, indoor and outdoor air data; nevertheless, the results of the future sampling plan to be collected, will assist in this evaluation. Northrop Grumman states on Response #3 to EPA's comment that the design drawings are correct in relation to the overall exterior building layout. In this case, EPA requests that Northrop Grumman perform the modifications to the SSV as proposed.
Regarding Response #2 to the Vapor Mitigation Sciences comment, the results of the sub-slab soil gas sampling will inform the potential concern for weather inversions based on potential emissions through the roof EPA requests that Northrop Grumman provide a sampling and analysis plan for the collection of indoor air and sub-slab soil gas samples and monitoring of the building-slab pressure differentials within 30-days from the receipt of this letter.*

UPDATED TIMELINE & FOIA EVIDENCE REPORT

ASHLEY GJOVIK V APPLE INC | 825 STEWART DR; 3250 SCOTT BLVD

- 2022 07 28 **NGC tells US EPA that Apple & CalSTRS stopped responding for weeks** FOIA (2023)
“Hi Lilian, Following up on my VM, I'd like to request an extension to prepare a sampling and analysis plan for indoor air and sub- slab soil gas samples at the former TRW Microwave Site. Over the last several weeks AECOM and NG have attempted to contact Apple (the current tenant at the Site) and GI Partners (the property owner) to coordinate Site access and sampling locations but have not received a response. As such, we will be unable to finalize an SAP within 30 days in response to your latest letter dated 21 July 2022. Please let us know if USEPA can assist with coordination with Apple and GI Partners to conduct this work. Feel free to call me anytime if you have questions. Thanks! Josh”
- 2022 07 28 EPA responds to Northrop about Apple ghosting (9:57am) FOIA (2023)
“Hello Joshua, Thank you for your message below and your voice message. As requested, EPA grants NGC 30 days extension to submit the SAP based on the issues to get access reported below. EPA can assist with coordination with Apple and GI Partners to conduct this work. Please let us know the contact information you have for both Apple and GI Partners.”
- 2022 07 28 **EPA lawyer to EPA site team email about Apple ghosting (5:53pm)** FOIA (2023)
“I have the name of an attorney at apple who I could contact regarding access but don't know anyone at GI. Was GI the owner when Michael did the apple inspection? If so, he may have contacts. In advance of providing assistance to gain access, it would be helpful to ask NGC for a summary/chronology of the attempts that it has made to get access (date/format of attempt/who made the attempt/etc) and also get a copy of the access form they were asking to be signed. Also it would be helpful to know dates/scope of access they are seeking (you may already know that). Let me know if I can help. Thanks, Rebekah”

AUGUST 2022

- 2022 08 Newsom appoints Yana Garcia to head CalEPA (replaces Jared vacancy) Press Release
- 2022 08 08 **Chip is new EPA section manager for TRW & Triple Site** FOIA (2023)
- 2022 08 09 AEI files PRA requests for “property condition assessment” for 3170 Coronado (Synertek)
This is an office building Apple rents from Irvine Company next to 3250 Scott ⁹⁵
- 2022 08 12 **Jackson/Jobs hire Jared Blumenfeld as President of Waverly Foundation (\$3B)** Press Release
- 2022 08 12 EPA to EPA email: “Will you make the TRW call?” FOIA (2023)
- 2022 08 12 Northrop Grumman to EPA meeting invite abt “Former TRW Microwave Site” FOIA (2023)
Good afternoon, We would like to have a meeting to discuss the proposed passive sub-slab ventilation system modifications and indoor air sampling discussed in the USEPA letter dated 21 July 2022.
- 2022 08 16 Apple updates 825 Stewart records in CERS PRA (2022)
- 2022 08 17 **Apple enters 3250 Scott “Air Emissions Classification Unknown” into EIS/NEI system**
- 2022 08 21 EPA’s deadline for action plan from Northrop/Apple FOIA (2022)
- 2022 08 26 Apple does Test & Balance test for HVAC in 3250 Scott Plant ? PRA (2023)

SEPTEMBER 2022

- 2022 09 01 **Gjovik leaves California and moves to New York to get away from Apple** Gjovik Docs
- 2022 09 06 **Gjovik requests status from US DOL** Gjovik Docs
- 2022 09 06 Gjovik files FOIA request for Lisa Jackson/Michael Regan comms US EPA

⁹⁵ <https://santaclara.nextrequest.com/requests/22-925>; <https://santaclara.nextrequest.com/requests/22-920> ;
<https://santaclara.nextrequest.com/requests/22-925>

UPDATED TIMELINE & FOIA EVIDENCE REPORT

ASHLEY GJOVIK V APPLE INC | 825 STEWART DR; 3250 SCOTT BLVD

2022	09	08	Synertek Five Year Report posted on US EPA website	US EPA ⁹⁶
2022	09	08	Santa Clara makes Apple sign Property Ownership form for 3250 Scott <i>Form: Property Owner Acknowledgement and Verification Information</i>	PRA (2023)
2022	09	12	Gjovik asks for update from US DOL again	US DOL
2022	09	14	Gjovik complains to US DOL & mentions Darrell Whitman	US DOL
2022	09	14	US DOL investigator responds & says supervisor will reach out	US DOL
2022	09	15	US DOL Supervisor reaches out to set up call	US DOL
2022	09	16	Call with DOL Supervisor & Asst Admin, says will dismiss case in 6wks	US DOL
2022	09	26	Gjovik wins Apple gag-order RO appeal in Superior Court	State court

OCTOBER 2022

2022	10	27	TCB-1,2,4 contamination in groundwater well 36A at 3250	CalEPA GAMA
2022	10	28	Apple & Irvine Co submit VI Ops plan to SCC DEH for Pathline Park building. CalEPA <i>Includes requirements for signage on the VI mitigation system vents saying "The vent risers in the interior of the building are cast iron and labeled "CAUTION VENT RISER DO NOT TAMPER."</i>	
2022	11	02	APTIM Technical Review of Northrop's March 2021 TRW GW Report <i>"The passive sub-slab depressurization (SSD) system was installed in 2014 and a post-installation vapor intrusion assessment conducted in 2015. Although a detailed visual inspection concluded the current configuration of the SSD system is consistent with conditions determined in 2015, no indoor air sampling has been reported since 2015. In addition to the recommendation to visually inspect the roof turbines portion of the SSD in 2022 as presented in Appendix B, an indoor air monitoring program should be considered with sampling conducted at a minimum frequency of 5 years."</i>	FOIA (2023)
2022	10	11	AEI Consultants files PRAs for records for "property condition assessment" at 3250 Scott <i>"My name is Steve Peck and I work at AEI Consultants and I am working on property condition assessment reports for two properties site located in Santa Clara. I have some fire code compliance questions regarding these property sites. Property Information: Site Address 1: 3250 Scott Blvd, Santa Clara, CA 95054; Site Address 2: 3260 Scott Blvd, Santa Clara, CA 95054"</i> ⁹⁷	

NOVEMBER 2022

2022	11	17	Apple gag-order case reverse/remand mandate sent to District Court	State court
------	----	----	--	-------------

DECEMBER 2022

2022	12		US EPA bans NMP as whole chemical (Apple released at 3250 in 2020)	US EPA
2022	12	06	EPA letter to NGC about vapor intrusion test plan <i>4. Include a footnote in Table 1 to indicate that EP A will be notified immediately if indoor air results for TCE are above the accelerated response value of 7 µg/m3 for commercial/industrial exposure and appropriate actions will be taken to confirm the results and implement mitigation measures. 12. Include a statement that a report will be submitted to EP A within 30 days of receipt of the results from the laboratory.</i>	FOIA (2023)

⁹⁶

<https://cumulis.epa.gov/supercpad/SiteProfiles/index.cfm?fuseaction=second.scs&id=0902620&doc=Y&colid=37931®ion=09&type=SC>

⁹⁷ <https://santaclara.nextrequest.com/requests/22-1149>; <https://santaclara.nextrequest.com/requests/22-1148>

UPDATED TIMELINE & FOIA EVIDENCE REPORT

ASHLEY GJOVIK V APPLE INC | 825 STEWART DR; 3250 SCOTT BLVD

2022	12	06	EPA letter to NGC instructing port decommission must be supervised by EPA FOIA (2023) <i>EPA: "Include a statement that after data collection and evaluation is completed, reviewed, and approved by EPA, the sub-slab ports will be decommissioned, upon consultation and approval by EPA."</i>	
2022	12	06	EPA letter to NGC with feedback on VI test plan FOIA (2023) <i>Provide the sequence of activities. EPA recommends the following sequence: Day Zero: Building walk through, check sub-slab ports and install SS-12; Day 1: Start sampling. Begin differential pressure monitoring at three sub-slab ports SS-2, SS-7 and SS-10. Start long-term passive indoor air sampling at four locations IA-2, IA-3, IA-4, and IA-7; and one outdoor location at HVAC intake. Day 2: One week after start of sampling on Day 1. Start the 10-hour indoor air sampling with SUMMATM canisters in all indoor air locations (IA-1 to IA-9), and one outdoor location at HVAC intake. Stop and remove the differential pressure monitoring from sub-slab ports. Perform the sub-slab sampling in all sub-slab locations.</i>	
2022	12	07	EPA finally releases critical FOIA documents about the TRW office	US EPA
2022	12	07	Gag-order appellate win cited in SCOTUS brief for Barton v Texas	SCOTUS
2022	12	22	Sunnyvale Fire Department inspection of 825 Stewart	PRA (2022)
2022	12	12	Gag-order & decision against Gjovik is vacated, case dismissed	State court
2022	12	29	Apple threatens again to Gjovik sue, report to cops, and/or report to Bar Association	Court
2022	12	30	FTC confirms receipt of Gjovik's privacy complaint against Apple	US FTC

2023

JANUARY 2023

2023			L. Schmidt leaves US EPA (was GC of Solid Waste/Superfund)	US EPA
2023	01		US EPA bans TCE as a whole chemical under TSCA	US EPA
2023	01		Fake Twitter account fiercely defends groundwater well 28A at 3255	Gjovik Docs
2023	01		Expanding TCE Synertek plume under 3250/3255 Scott	FOIA (2023)
2023	01		Court formally closes the gag order case as dismissed	State court
2023	01	09	EPA complains to Northrop that vapor intrusion testing plan is late	FOIA (2023)
2023	01	09	Gjovik files 2nd CalOSHA complaint about TRW, now mentioning HVAC	CalOSHA
2023	01	10	Northrop Grumman submits VI Test Plan #3 DRAFT to US EPA <i>Unlike the previous sampling events described in the VI Work Plan Addendum, indoor air samples will be collected with the HVAC system on-line. Based on conversations with the building tenant, the HVAC system is not able to be put off-line due to ongoing operations. In the central large one-story portion of the building (identified as Section 2 on Figure 1), samples will be collected 1) near the existing sub-slab point SS-7 (IA-2 [HVAC Zone 1]- subject to change pending pre-sampling site visit), 2) next to a floor drain located within a restroom (IA-9 [HVAC Zone 1]), and 3) in two areas representative of HVAC Zones 2 and 3 (IA-7 and IA-8, respectively) The indoor samples will be collected over a 10-hour period using the same methods previously stated in the VI Work Plan. Indoor and outdoor air samples will be collected over a 10-hour period using individually-certified clean SUMMA canisters supplied by the analytical laboratory. A second building survey will be completed on the day of sampling. This survey will include real-time screening level measurement of total organic vapors inside the building using a low-level photoionization detector (PID) with a reporting limit of 1 part per billion (ppb). Atmospheric pressure and temperature measurements will be taken inside and outside of the building prior to and after indoor air sampling. Indoor air samples will be collected over a 10-hour period.</i>	FOIA (2023)

UPDATED TIMELINE & FOIA EVIDENCE REPORT

ASHLEY GJOVIK V APPLE INC | 825 STEWART DR; 3250 SCOTT BLVD

Each SUMMA canister will be placed at a height of approximately 3 to 5 feet above the floor level (i.e., the breathing zone). Sampling locations will be photographed and documented in the report. Duplicate samples will be collected using a tee into co-located SUMMA canisters. All windows and doors in the facility will be closed prior to initiating sampling and remain closed throughout the period of sampling. If the initial vacuum gauge reads less than 26 inches of mercury (Hg), the canister will be replaced prior to sample collection; if the final vacuum gauge reads greater than 20 inches of Hg, the sample will be rejected. Vacuum pressures will be monitored throughout the 10-hour sampling period to identify potential problems with flow regulators. Sample start and end times as well as start and end vacuum gauge readings will be included on the sample label and on field forms.

- 2023 01 10 **Northrop Grumman submits VI Test Plan #3 DRAFT to US EPA** **FOIA (2023)**
As desired and fi required, Northrop Grumman will visit the Site with the USEPA and RWQCB to review and get approval of final sampling locations included in this work plan. Approximately one week prior to sampling, AECOM will conduct a pre-sampling survey during which the following measurements will be recorded: temperature (indoors and outside on sampling date); pressure differential measurements (readings taken throughout the building and at each sample location inside the Site building relative to the outside air pressure); total VOCs detected using a PID; and outside weather conditions during sample collection. These readings will be recorded on the form prior to and at the conclusion of the sampling described below. Any potential indoor source materials will be removed. One outdoor air sample and one duplicate outdoor air sample will be collected. Similar to the previous sampling events, the samples will be collected on the roof of the building near the intake of the HVAC system so that the samples will be representative of the air that will enter the building when the HVAC system is in operation.
- 2023 01 10 **Northrop Grumman submits VI Test Plan #3 DRAFT to US EPA** **FOIA (2023)**
*It is likely the laboratory will not be able to report for all chemicals (i.e., vinyl chloride) using Radiello® samplers. Detections of chemicals reported in the indoor air (SUMMATM) or sub-slab results will be used to evaluate potential human health risks.
^^ This Radiello testing was the only testing Apple had planned.*
- 2023 01 10 **Northrop Grumman submits VI Test Plan #3 DRAFT to US EPA** **FOIA (2023)**
All conclusions made from implementing this Addendum #3 are contingent upon the property owner ensuring that the integrity of the concrete slab will not be compromised after the sampling has been conducted (e.g., additional building improvements). If the concrete slab is compromised after implementation of this Addendum #3, the VI sampling and reporting (as described above) will need to be repeated to document current conditions.
- 2023 01 10 **Northrop Grumman submits VI Test Plan #3 DRAFT to US EPA** **FOIA (2023)**
*Sub-slab sampling locations, shown on Figure 2, include the previously sampled locations: SS-2, SS-5, Ss-7, and SS-10. A duplicate sample will be collected at SS-5. The integrity of the sub- slab probes will be checked prior to sampling and probes will be reinstalled or replaced if necessary. An additional probe wil be installed on the first floor of the building to the north and east of the former source area, SS-12, shown on Figure 2.
In the central large one-story portion of the building (identified as Section 2 on Figure 1), samples will be collected 1) near the existing sub-slab point SS-7 (IA-2 [HVAC Zone 1]- subject to change pending pre-sampling site visit), 2) next to a floor drain located within a restroom (IA-9 [HVAC Zone 1]), and 3) ni two areas representative of HVAC Zones 2 and 3 (IA-7 and IA-8, respectively).
Unlike the previous sampling events described in the VI Work Plan Addendum, indoor air samples will be collected with the HVAC system on-line. Based on conversations with the building tenant, the HVAC system is not able to be put off-line due to ongoing operations.
In addition to the sampling and monitoring performed during previous events, continuous differential pressure readings will be taken for seven days at three locations: SS-2, SS-7, and SS- 10 (if possible based on building operations) and long-term (seven day) passive samplers wil be placed ni four locations ni the building (subject to change based on field conditions): IA-2, IA-3, IA-4, and IA-7. A long-term passive sampler wil also be placed outdoors.*
- 2023 01 11 **Gjovik emails US EPA & CalEPA about Synertek, SCSA, & 3250 Scott** **Gjovik Docs**
Gjovik complains about Synertek FYR & GAMA results to US & Cal EPA

UPDATED TIMELINE & FOIA EVIDENCE REPORT

ASHLEY GJOVIK V APPLE INC | 825 STEWART DR; 3250 SCOTT BLVD

Gjovik asks EPA why 3250 Scott was skipped for VI testing on the plume

2023	01	18	EPA assigns expert to do oversight of vapor intrusion testing at TRW	FOIA (2023)
2023	01	20	EPA asks Northrop to plan vapor intrusion testing at TRW in March 2023	FOIA (2023)
2023	01	23	US DOL suddenly wants to meet; says investigation done & decision made	US DOL
2023	01	25	US DOL agrees to let Gjovik record meeting	US DOL
2023	01	26	US DOL meeting: Capt. Parra is surprise host & goes 3hrs, say plan to dismiss	US DOL
2023	01	26	US DOL agrees to re-investigation & admits they missed evidence	US DOL
2023	01	28	Fake Twitter employee sends Gjovik emails; Twitter says not them	Gjovik Docs
2023	01	30	Ashley gets decision of merit on NLRB policy cases	NLRB
2023	01	31	Apple edits Gjovik's Wikipedia to remove details about Superfund office	Wikipedia

FEBRUARY 2023

2023	02	03	US EPA forwards Gjovik's emails about 3250 Scott/Synertek to consultant	FOIA (2023)
2023	02	06	US DOL sends letter saying won't transfer case & won't reinvestigate	US DOL
2023	02	07	EPA approves vapor intrusion testing plan at TRW	FOIA (2023)
2023	02	08	EPA tells NGC to "proceed with scheduling sampling event"	FOIA (2023)
2023	02	08	Gjovik complains to DOL & sends AI-generated transcript of phone call	US DOL
2023	02	09	US DOL says will investigate everything again	US DOL
2023	02	10	EPA Section Manager Edwin "Chip" Poalinelli is overseeing the testing	FOIA (2023)
2023	02	10	Apple edits Gjovik's Wikipedia to put retaliation cases in past tense	Wikipedia
2023	02	11	Apple caught editing Gjovik's Wikipedia & banned for 4 th time	Wikipedia
2023	02	16	Marty Walsh resigns from US Dept of Labor (ex CalDOL now in charge)	US DOL
2023	02	21	US DOL suddenly demands a copy of the audio recording of the phone call	US DOL
2023	02	21	Gjovik tells US DOL no re: audio file; asks why they're asking for it	US DOL
2023	02	21	Consultant asks Chip/US EPA if want to chat about my 3250 email	FOIA (2023)
2023	02	21	Gjovik learns about silicon fab plant at 3250 Scott & complains to US EPA	Gjovik Docs
2023	02	27	US DOL demands Gjovik create meta index of all evidence files	US DOL
2023	02	27	Notice of Appearance by Morgan Lewis attorneys for Apple's defense	US NLRB
2023	02	28	City of Santa Clara comments on 3250 Scott Solvent Exhaust replacement	PRA (2023)

MARCH 2023

2023	03		Apple/Northrop is supposed to be doing TRW VI testing, but apparently not	US EPA
2023	03		Apple launches "ChemWorks" website with ChemFORWARD abt chem safety ⁹⁸	
2023	03	03	Fake Twitter account posts dozens of posts defending banned NMP	Gjovik Docs
2023	03	06	Gjovik sends US DOL meta index of evidence files	US DOL
2023	03	07	CalOSHA letter says US EPA has jurisdiction over HVAC/TCE situation	CalOSHA

⁹⁸ https://www.linkedin.com/posts/chemforward_chemforward-partners-with-apple-to-share-activity-7049681997354471424-jem0/?utm_source=share&utm_medium=member_desktop; <https://www.chemworks.org/about>

UPDATED TIMELINE & FOIA EVIDENCE REPORT

ASHLEY GJOVIK V APPLE INC | 825 STEWART DR; 3250 SCOTT BLVD

2023	03	11	Email from fake EPA employee tells Gjovik to stop talking about NMP	Gjovik Docs
2023	03	13	Article from Télérana about Gjovik, privacy, & toxic waste office	News Article
2023	03	22	US EPA emails Northrop says to plan for VI testing in mid-April (9:31am) US EPA <i>Good morning Holly, per your previous emails, we have the following tentative projections for the work at TRW: the roof work is currently scheduled for Saturday, March 25th. most likely looking mid-late April for the VI sampling event. Based on the projections above let's plan the VI work for after April 12, which could be mid-late April, that will align well with EPA's availability for oversight.</i>	
2023	03	22	US DOL sends letter saying may dismiss entire case if no audio file sent (7:29pm) DOL	
2023	03	27	Northrop replies to EPA confirming roof/HVAC piping is complete <i>"The work on the roof piping has been completed."</i>	FOIA (2023)
2023	03	27	Northrop replies to EPA to coordinate access to TRW Site for VI testing prep. <i>The work on the roof piping has been completed. For the upcoming sampling, Apple has requested a minimum of 3-week's notice for access to the facility. Can you please confirm who from USEPA will be attending and which events? 1. Site walk to evaluate/remove possible sources in the building, confirm sampling locations, and install/replace subslab locations. 2. Install passive indoor air samplers and differential pressure meters (minimum 48 hours after the site walk). 3. Indoor air and sub-slab sampling event (12-14 hours on site; 1 week after installation of passive meters and differential pressure meters). I will coordinate with Apple regarding available days for access.</i>	FOIA (2023)
2023	03	27	EPA replies to Northrop to coordinate access to TRW Site for VI testing prep. <i>Holly, Both Matt Plate and I are planning to attend the three events below. We may attend just part time of events 2 and 3. Is it possible to coordinate that EPA take a look at the roof top during one of these events? Could you please send me your health and safety plan before the event? we will adopt it.</i>	FOIA (2023)
2023	03	28	EPA claims there's no records for Apple's NMP release in TRI	Gjovik Docs
2023	03	29	Gjovik says will only send audio file to US DOL agrees to seal it	US DOL
2023	03	30	Northrop emails EPA with timeline for activities at the TRW Site <i>Northrop: "Note that we would have to coordinate this well in advance, as during past visits, each area within the building requires a specific escort, so it is generally not easy to get in and out of specific areas. We will continue to keep you informed as we coordinate with Apple. "</i>	US DOL

APRIL 2023

2023	04	01	Deadline expires for Gjovik to give US DOL the audio file for Apple	US DOL
2023	04	02	Gjovik reports US DOL to FBI & OSC, & notifies US DOL	US DOL
2023	04	03	CalSTRS claims they have no copy of the 2016 TRW Env Assess Report	CalSTRS
2023	04	06	Apple partners with ChemFORWARD on chemical safety resources ⁹⁹	
2023	04	10	NLRB notifies Gjovik of 'reconsideration of merit' of one of her cases	US NLRB
2023	04	12	California enforcement against Apple & Cupertino tax scheme	News Article
2023	04	14	Apple files CARB permit application for 3250 Scott Blvd plant	PRA (2023)
2023	04	17	Gjovik submits NLRB re-decision filings & objection	US NLRB
2023	04	17	Deadline for Gjovik to submit reconsideration of merit filings to NLRB	US NLRB
2023	04	17	EPA emails Northrop asking to confirm TRW site VI testing dates <i>Good morning Holly, EPA is holding the dates indicated below for field oversight but up to now we haven't received a confirmation of those dates. Could you please confirm them as soon as possible?</i>	FOIA (2023)

⁹⁹ April 6 2023, <https://www.chemforward.org/news/chemforward-partners-with-apple-to-share-safer-chemistry-resources>

UPDATED TIMELINE & FOIA EVIDENCE REPORT

ASHLEY GJOVIK V APPLE INC | 825 STEWART DR; 3250 SCOTT BLVD

- 2023 04 17 Northrop emails EPA to say ‘probs but idk’ about testing FOIA (2023)
As far as we know, we are confirmed for those dates. Apple has submitted the security request for access and escorts. Josh and I look forward to seeing you and Matt next Monday at 8 am at the site.
- 2023 04 24 TRW Site: EPA/NG - Site walk, installation of sub-slab points, removal of chemicals. FOIA
2023 04 28 TRW Site: EPA/NG - Deploy Radiello samplers and DP meters. FOIA (2023)

MAY 2023

- 2023 05 Apple threatens to report Gjovik to FBI and/or cops again Gjovik Docs
2023 05 US EPA says Apple/Northrop not tested for VI yet, no ETA US EPA
2023 05 01 CARB approves 3250 Scott permit request but reviewing application PRA (2023)
2023 05 03 CalSTRS/GI Partners puts 825 Stewart Drive up for sale Press Release¹⁰⁰
2023 05 05 TRW Site: EPA/NG - Collect indoor air and sub-slab samples. Collect Radiello samplers.
2023 05 30 Gjovik complains US EPA FOIA lawyer is married to partner at Apple’s defense firm

JUNE 2023

- 2023 06 08 Gjovik reports 2019 leak and 2020 NMP to CalOES; complaints filed CalOES¹⁰¹**
2023 06 09 US EPA FOIA mediation session; FOIA lawyer suddenly takes 2 weeks leave US EPA
2023 06 10 US EPA says Apple finished testing 825 Stewart at some earlier time US EPA
2023 06 12 Gjovik files complaint to several government agencies about 3250 Scott plant Gjovik Docs
2023 06 13 CalSTRS closes PRA request; doesn’t hand anything over other than PR release Gjovik Docs
2023 06 19 CalEPA DTSC investigating haz waste complaint about 3250 Scott Blvd Gjovik Docs
2023 06 19 Ultrasound of neck, thyroids, lymph nodes at hospital Gjovik Docs
2023 06 20 US EPA investigating RCRA complaint about 3250 Scott Blvd Gjovik Docs
2023 06 23 Northrop emails EPA, cc’s Apple & sends VI testing report FOIA (2023)
“Attached is the VI Evaluation Report from the sampling event at the former TRW Microwave Site. As noted in the report, there were no exceedances of screening levels in indoor air. Please let us know if you have any questions or would like to discuss.”
- 2023 06 26 Ultrasound results show likely malignant tumor on left thyroid (where tumor was in 2020)

JULY 2023

- 2023 07 09 NLRB affirms prior decision of merit on Tim Cook email charge. US NLRB
2023 07 10 County of Santa Clara writes to Apple & Irvine Co re: Pathline Park about slab CalEPA

¹⁰⁰ <https://platform.reverecre.com/project/12ffd384-e5b9-41b0-9be0-8e17b045328d>; <https://www.connectcre.com/stories/jll-lists-mission-critical-rd-facility-in-sunnyvale/>; <https://www.us.jll.com/en/newsroom/silicon-valley-research-and-development-facility-hits-market>

¹⁰¹ 2019 Phosphine/Silane

<https://w3.calema.ca.gov/Operational/MALHaz.NSF/SpillAllDocs/81CAD51F3ABACB5A882589C90070829D?OpenDocument>;
2020 NMP

<https://w3.calema.ca.gov/Operational/MALHaz.NSF/SpillAllDocs/79B09C90D1E843A9882589C9000091E0?OpenDocument>

UPDATED TIMELINE & FOIA EVIDENCE REPORT

ASHLEY GJOVIK V APPLE INC | 825 STEWART DR; 3250 SCOTT BLVD

The DEH considers the buildings concrete slab foundations engineering controls. The OM&M Plan will provide general requirements and controls to maintain the long-term integrity of the buildings slab foundations. This shall include prohibited activities that could damage the slabs, procedures to be taken should the slabs be damaged, any required maintenance activities, a description of the inspection procedures to verify the condition of the slabs, required inspection documentation, inspection frequency and a description of where the inspection documents shall be stored. A copy of the final DEH-approved OM&M Plan shall be referenced in the Deed Restriction/Environmental Covenant (described below).

2023 07 12 [US EPA assigns 3250 Scott factory investigation to investigator](#) [Gjovik Docs](#)

AUGUST 2023

2023 x x TRW Microwave annual groundwater monitoring & SSV inspection report